




Prepared for:
UTC Aerospace Systems
Rockford, IL

Prepared by:
AECOM
Warrenville, IL
60532451
December 12, 2017



Third Quarter 2017 GMZ Monitoring and System Performance Report

UTC Aerospace Systems Plants 1/2 Facility
Area 9/10 Remedial Action
Southeast Rockford Groundwater Contamination
Superfund Site
2421 11th Street
Rockford, IL 61104
ILD 981000417



AECOM
4320 Winfield Road, Suite 300
Warrenville, IL 60555

630.829.3000 tel
630.829.9031 fax

December 12, 2017

Ms. Karen Kirchner
Remedial Project Manager
United States Environmental Protection Agency
Region 5
Superfund Division
77 West Jackson Boulevard
SR-6J
Chicago, Illinois 60604-3590

Mr. Brian Conrath
National Priorities List Unit
Federal Sites Remediation Section
Division of Remediation Management
Bureau of Land
Illinois Environmental Protection Agency
1021 N. Grand Avenue East
P.O. Box 19276
Springfield, Illinois 62794-9276

Subject: Third Quarter 2017 GMZ Monitoring and System Performance Report
UTC Aerospace Systems Plants 1/2 Facility
Area 9/10 Remedial Action
Southeast Rockford Groundwater Contamination Superfund Site
2421 11th Street
Rockford, Illinois 61104
ILD981000417
AECOM Project No. 60532451

Dear Ms. Kirchner and Mr. Conrath:

This Quarterly Groundwater Management Zone (GMZ) Monitoring and System Performance Report has been prepared by AECOM Technical Services Inc. (AECOM) on behalf of UTC Aerospace Systems (UTAS, fka Hamilton Sundstrand Corporation or HSC). In accordance with the approved March 2007 Operation, Maintenance, and Monitoring Plan (OM&M Plan) and the United States Environmental Protection Agency (EPA) letter dated April 15, 2011, providing approval for combining project reporting documents, this report contains a summary of the following: 1) GMZ groundwater monitoring data; 2) the Phase 1 and Phase 2 air sparge/soil vapor extraction (AS/SVE) system performance data; 3) the Phase 1 and Phase 2 AS/SVE system process air analytical data; 4) GMZ wells that contain contaminants of concern (COCs) above Preliminary Remediation Goals (PRGs); and 5) Quarterly Progress Report for Fourth Quarter 2017.

As approved in the April 15, 2011 letter from Timothy Drexler (EPA), interpretation of collected groundwater quality and system performance data will be included in the Annual GMZ Monitoring and System Performance Report submitted in March of the subsequent year. This quarterly report provides the current environmental data including: tables and figures summarizing the results of third quarter 2017 GMZ monitoring and AS/SVE system performance data, supporting field data sheets and laboratory analytical reports, and the Quarterly Progress Report covering the period from September 1, 2017, to November 30, 2017.

The objective of AS/SVE system operation is to treat leachate-impacted groundwater at the HSC Plants 1/2 (Site) property. The implemented remedy was specifically targeted to address an area of the Site where COCs were originally present in leachate/groundwater at concentrations that were two or more orders of magnitude greater than their PRGs. Though the treatment area was not fully defined when the 2002 Record of Decision (ROD) for Operable Unit 3 (OU3) was issued, the entire Site was identified/defined in the ROD as a "source location" within the larger established "Source Area 9/10" (Area 9/10) based on data collected prior to the ROD¹. The ROD further required that the Site remedy include the establishment of a GMZ for this "source location" (the Site) whose volume was defined by the Site property boundaries and a vertical limit of 45 feet below ground surface. Two Site GMZs, GMZ 1 (Site property north of railroad tracks) and GMZ 2 (Site property south of railroad tracks), were approved by the Illinois EPA in 2008. Monitoring wells within the Site GMZs are routinely sampled, and the groundwater analytical results are compared to OU3 PRGs to evaluate the effectiveness of the remedy.

During the third quarter 2017 reporting period, the following five GMZ well locations along the Site boundary contained COCs at concentrations above PRGs:

GMZ Monitoring Well ID	COC ^[1] Concentrations > PRG (Increase (+) or Decrease (-) from Previous Quarter)
GMZ01	PCE (-)
SMW04	TCE (+), PCE (+), Vinyl chloride (+)
SMW08	PCE (-)
SMW19	TCE (-)
PMW02	PCE (-), Vinyl chloride (-)

^[1] Trichloroethene (TCE), Tetrachloroethene (PCE)

The above-noted decreases/increases in concentrations represent a relative change in COC concentrations (above the PRG) between the two most recent quarters of data. Such changes should not be viewed as an indication of a trend without further statistical evaluation.

While PRGs are used to assess on-going remedy effectiveness at the Site, the continued operation of the AS/SVE remedy will be dependent on the attainment of Alternate Cleanup Levels (ACLs) at the downgradient Site GMZ boundary. COC ACLs have not yet been established/approved for the Site, but the ACLs will represent the maximum allowable concentration at the Site boundary that will not result in a COC exceedance of a PRG at the Area 9/10 boundary downgradient of the Site. Achieving ACLs at the downgradient Site boundary will demonstrate that the Site is protective of

¹ See EPA Superfund Record of Decision Southeast Rockford Ground Water Contamination, 2002. EPA/ROD/R05-02/077 2002.

human and environmental receptors at the downgradient Area 9/10 boundary, and that continued active remediation is no longer warranted. The downgradient Area 9/10 boundary is located at Harrison Avenue to the south and 6th Street to the west.

A Work Plan for the development of site-specific ACLs has been prepared by AECOM on behalf of HSC. The Work Plan was submitted to EPA and Illinois EPA on August 11, 2017. The Work Plan was prepared as agreed following the meeting between HSC, AECOM, EPA and the Illinois EPA at the HSC facility on May 8, 2017. HSC has authorized AECOM to begin the development of site-specific ACLs 30 days after the date of the August 11, 2017 Work Plan.

The formulation of ACLs is consistent with the attainment of the OU3 ROD Remedial Action Objective (RAO) for groundwater specified in the ROD² and the objectives analysis/Remedial Action Process Flow Diagram (RAPFD) developed and approved for use by the EPA and Illinois EPA at the Site. The RAPFD and the conditions for the performance of an objectives analysis and use of ACLs at the Site are provided in the Statement of Work attached to the HSC facility Consent Decree³ and included in subsequent approved Remedial Action Work Plan.

Please contact either of the undersigned with any questions you may have on the information provided.

Prepared by:



Peter Hollatz, P.E.
Project Manager
peter.hollatz@aecom.com
(630) 918-9648

Reviewed by:



Patrick Dunne, P.G.
Technical Director
patrick.dunne@aecom.com
(312) 697-7211

cc: Mr. Scott R. Moyer, P.G. – United Technologies Corporation
Ms. Diane Bellantoni – United Technologies Corporation
Project File

² The OU3 ROD RAO for groundwater media is to: "Prevent the further migration of contamination from the source area that would result in degradation of site-wide groundwater or surface water to levels in excess of state or federal standards, or that pose a threat to human health or the environment."

³ See the Statement of Work in Appendix C of the Consent Decree between Hamilton Sundstrand Corporation and the United States Environmental Protection Agency (Civil Action Number 08 C 50129), Section II.D.2, *Implementation of Remedial Action and Attainment of Performance Standards* (pages 9 and 10).

Attachments:**Tables**

- Table 1 Fourth Quarter 2016 to Third Quarter 2017 Groundwater Elevations
Table 2 Fourth Quarter 2016 to Third Quarter 2017 Groundwater Analytical Results - GMZ Wells
Table 3 Fourth Quarter 2016 to Third Quarter 2017 Cumulative Groundwater Analytical Results - Performance Wells
Table 4.1 Cell 1 Phase 1 SVE System Effluent Data, December 2009 – September 2017
Table 4.2 Cell 2 Phase 1 SVE System Effluent Data, December 2009 – September 2017
Table 4.3 Cell 3 Phase 1 SVE System Effluent Data, December 2009 – September 2017
Table 4.4 Cell 4 Phase 2 SVE System Effluent Data, March 2011 – September 2017
Table 4.5 Cell 5 Phase 2 SVE System Effluent Data, March 2011 – September 2017
Table 4.6 Mass Removal Phase 1 and Phase 2 AS/SVE Systems, December 2009 – September 2017

Figures

- Figure 1 Facility Location Map
Figure 2 GMZ/Performance Well Network
Figure 3 Third Quarter 2017 Potentiometric Surface Map
Figure 4 Third Quarter 2017 Rolling 12 Month GMZ Well Groundwater Analytical Results Exceeding the PRG
Figure 5 Quarterly GMZ Groundwater Analytical Results Trends
Figure 6 Quarterly Performance Monitoring Well Groundwater Analytical Results Trends
Figure 7 Average VOC Mass Removal Rate vs. Time Phase 1 AS/SVE System
Figure 8 Average VOC Mass Removal Rate vs. Time Phase 2 AS/SVE System
Figure 9 Cumulative Mass Removal Phase 1/Phase 2 AS/SVE System

Appendices

- Appendix A Third Quarter 2017 GMZ and Performance Monitoring Well Analytical Data
Appendix B Third Quarter 2017 Effluent Air Laboratory Analytical Reports
Appendix C Third Quarter 2017 Phase 1/Phase 2 AS/SVE System Operations Data Sheets
Appendix D Third Quarter 2017 Groundwater Sampling Data Sheets
Appendix E Fourth Quarter 2017 Progress Report

Tables

Table 1

Fourth Quarter 2016 to Third Quarter 2017 Groundwater Elevations
Hamilton Sundstrand Corporation
Plants 1/2 Facility
Rockford, Illinois

Well ID	Top of Casing Elevation (ft)	Depth to Groundwater (ft BTOC)	Groundwater Elevation (ft AMSL)						
				12/5/2016	2/6/2017	5/9/2017			
MW07FGA	727.49	28.01	699.48	28.11	699.38	27.68	699.81	25.61	701.88
MW203	728.58	28.77	699.81	28.92	699.66	28.47	700.11	26.34	702.24
SMW01	729.71	30.81	698.90	30.86	698.85	30.38	699.33	28.29	701.42
SMW02	726.77	27.30	699.47	27.41	699.36	27.00	699.77	24.88	701.89
SMW04	728.51	29.98	698.53	30.05	698.46	29.49	699.02	27.45	701.06
SMW08	728.81	30.20	698.61	30.28	698.53	30.21	698.60	27.67	701.14
SMW19	728.49	28.96	699.53	29.07	699.42	28.62	699.87	26.51	701.98
SMW20	727.69	29.12	698.57	29.18	698.51	28.61	699.08	26.58	701.11
SMW21	727.25	28.56	698.69	28.68	698.57	28.13	699.12	26.10	701.15
GMZ01	731.41	32.71	698.70	32.82	698.59	32.29	699.12	30.23	701.18
GMZ02	728.76	30.28	698.48	30.39	698.37	29.81	698.95	27.77	700.99
GMZ03	728.22	29.69	698.53	29.78	698.44	29.20	699.02	27.18	701.04
GMZ04	726.84	28.00	698.84	28.07	698.77	27.53	699.31	27.73	699.11
BGW01	728.19	28.85	699.34	28.91	699.28	28.45	699.74	26.37	701.82
BGW02	728.81	29.28	699.53	29.38	699.43	28.95	699.86	26.85	701.96
BGW03	728.96	29.35	699.61	29.44	699.52	29.02	699.94	26.92	702.04
RAMW01	728.91	30.35	698.56	30.39	698.52	29.84	699.07	27.80	701.11
RAMW02	728.90	30.22	698.68	30.27	698.63	29.74	699.16	27.69	701.21
RAMW03	728.71	30.02	698.69	30.08	698.63	29.54	699.17	27.50	701.21
RAMW04	728.80	29.86	698.94	29.93	698.87	29.43	699.37	27.38	701.42
RAMW05	727.65	28.76	698.89	28.82	698.83	28.31	699.34	26.26	701.39
RAMW06	727.64	28.79	698.85	28.85	698.79	28.33	699.31	26.28	701.36
RAMW07	732.20	33.28	698.92	33.34	698.86	32.83	699.37	30.79	701.41
RAMW08	728.45	29.40	699.05	29.48	698.97	29.00	699.45	26.92	701.53
PMW01	728.88	30.43	698.45	30.49	698.39	29.92	698.96	27.89	700.99
PMW02	728.88	30.42	698.46	30.47	698.41	29.90	698.98	27.86	701.02
Ave. GW Elev. (ft AMSL)		698.93		698.85		699.34		701.33	

Notes:

NM = Not monitored

ft = feet

ft BTOC = feet below top of casing

ft AMSL = feet above mean sea level

All site well top of casing elevations re-surveyed on May 24, 2011.

RAMW04 riser was lowered due to ice damage that occurred during the 2013 winter. Well was resurveyed on July 1, 2013.

Table 2
Fourth Quarter 2016 to Third Quarter 2017 Groundwater Analytical Results - GMZ Wells
Hamilton Sundstrand Corporation
Plants 1/2 Facility
Rockford, Illinois

				Trichloroethene (TCE)	Methylene Chloride (Dichloromethane)	1,1-Dichloroethene	1,1-Dichloroethane	1,2-Dichloroethane	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	1,1,1-Trichloroethane	1,1,2-Trichloroethane	Ethylbenzene	Tetrachloroethene (PCE)	Toluene	Vinyl chloride
Preliminary Remediation Goals (PRG) ^A				0.005 ^A	0.005 ^A	0.007 ^{b,c} ^A	0.7 ^A	0.005 ^A	0.07 ^c ^A	0.1 ^c ^A	0.2 ^{b,c} ^A	0.005 ^c ^A	0.7 ^c ^A	0.005 ^c ^A	1.0 ^c ^A	0.002 ^c ^A
Well	Sample ID	Sample Date	Sample Type	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
GMZ01	HS SER-GMZ01-120616	6-Dec-16		0.0026	0.0020 U	0.0011	0.0093	0.0010 U	0.0038	0.0010 U	0.0073	0.0010 U	0.0010 U	0.0207 ^A	0.0010 U	0.0010 U
	HS SER-GMZ01-020617	6-Feb-17		0.0029	0.0020 U	0.00047 J	0.0074	0.0010 U	0.0022	0.0010 U	0.0083	0.0010 U	0.0010 U	0.0290 ^A	0.0010 U	0.0010 U
	HS SER-GMZ01-050917	9-May-17		0.0021	0.0020 U	0.00079 J	0.0093	0.0010 U	0.0025	0.0010 U	0.0073	0.0010 U	0.0010 U	0.0251 ^A	0.0010 U	0.0010 U
	HS SER-GMZ01-080717	7-Aug-17		0.0018	0.0020 U	0.0011	0.0071	0.0010 U	0.0028	0.0010 U	0.0059	0.0010 U	0.0010 U	0.0137 ^A	0.0010 U	0.0010 U
GMZ02	HS SER-GMZ02-120716	7-Dec-16		0.0010 U	0.0020 U	0.0010 U	0.00081 J	0.0010 U	0.00046 J	0.0010 U	0.0016	0.0010 U	0.0010 U	0.00057 J	0.0010 U	0.0010 U
	HS SER-GMZ02-020817	8-Feb-17		0.0010 U	0.0020 U	0.0010 U	0.00067 J	0.0010 U	0.0010 U	0.0010 U	0.00072 J	0.0010 U	0.0010 U	0.00031 J	0.0010 U	0.0010 U
	HS SER-GMZ02-051117	11-May-17		0.0010 U	0.0020 U	0.0010 U	0.00077 J	0.0010 U	0.0010 U	0.0010 U	0.00080 J	0.0010 U	0.0010 U	0.00058 J	0.0010 U	0.0010 U
	HS SER-GMZ02-080917	9-Aug-17		0.0010 U	0.0020 U	0.0010 U	0.00074 J	0.0010 U	0.0010 U	0.0010 U	0.0010 J	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U
GMZ03	HS SER-GMZ03-120716	7-Dec-16		0.0010 U	0.0020 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0024 J	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U
	HS SER-DUP01-120716	7-Dec-16	Field Duplicate	0.0010 U	0.0020 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0026 J	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U
	HS SER-GMZ03-020817	8-Feb-17		0.0010 U	0.0020 U	0.0010 U	0.00046 J	0.0010 U	0.00031 J	0.0010 U	0.00060 J	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U
	HS SER-DUP01-020817	8-Feb-17	Field Duplicate	0.0010 U	0.0020 U	0.0010 U	0.00049 J	0.0010 U	0.00033 J	0.0010 U	0.00064 J	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U
	HS SER-GMZ03-051117	11-May-17		0.0010 U	0.0020 U	0.0010 U	0.00042 J	0.0010 U	0.00032 J	0.0010 U	0.00027 J	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U
	HS SER-DUP01-051117	11-May-17	Field Duplicate	0.0010 U	0.0020 U	0.0010 U	0.00039 J	0.0010 U	0.00033 J	0.0010 U	0.00023 J	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U
	HS SER-GMZ03-080917	9-Aug-17		0.0010 U	0.0020 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U
GMZ04	HS SER-GMZ04-120716	7-Dec-16		0.0010 U	0.0020 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0024	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U
	HS SER-GMZ04-020817	8-Feb-17		0.0010 U	0.0020 U	0.0010 U	0.00027 J	0.0010 U	0.00046 J	0.0010 U	0.0028	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U
	HS SER-GMZ04-051017	10-May-17		0.0010 U	0.0020 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0053	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U
	HS SER-GMZ04-080817	8-Aug-17		0.0010 U	0.0020 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U
MW07FGA	HS SER-MW07FGA-120616	6-Dec-16		0.0010 U	0.0020 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0015	0.0010 U	0.0010 U	0.0011	0.0010 U	0.0010 U	0.0010 U
	HS SER-MW07FGA-020717	7-Feb-17		0.0010 U	0.0020 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0023	0.0010 U	0.0010 U	0.00098 J	0.0010 U	0.0010 U	0.0010 U
	HS SER-MW07FGA-051017	10-May-17		0.0010 U	0.0020 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0015	0.0010 U	0.0010 U	0.0010	0.0010 U	0.0010 U	0.0010 U
	HS SER-MW07FGA-080717	7-Aug-17		0.0010 U	0.0020 U	0.0010 U	0.00026 J	0.0010 U	0.0010 U	0.0010 U	0.0013	0.0010 U	0.0010 U	0.00078 J	0.0010 U	0.0010 U
MW203	HS SER-MW203-120616	6-Dec-16		0.0010 U	0.0020 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0057 ^A	0.0010 U	0.0010 U
	HS SER-MW203-020717	7-Feb-17		0.0010 U	0.0020 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0037	0.0010 U	0.0010 U
	HS SER-MW203-051017	10-May-17		0.0010 U	0.0020 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0035	0.0010 U	0.0010 U
	HS SER-MW203-080817	8-Aug-17		0.0010 U	0.0020 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0024	0.0010 U	0.0010 U
SMW01	HS SER-SMW01-120616	6-Dec-16		0.0010 U	0.0020 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0011	0.0010 U	0.0010 U	0.0031	0.0010 U	0.0010 U
	HS SER-SMW01-020617	6-Feb-17		0.0010 U	0.0020 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0012	0.0010 U	0.0010 U	0.0010 U	0.0023	0.0010 U	0.0010 U
	HS SER-SMW01-050917	9-May-17		0.0010 U	0.0020 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0011	0.0010 U	0.0010 U	0.0010 U	0.0026	0.0010 U	0.0010 U
	HS SER-SMW01-080717	7-Aug-17		0.0010 U	0.0020 U	0.0010 U	0.001									

Table 2
Fourth Quarter 2016 to Third Quarter 2017 Groundwater Analytical Results - GMZ Wells
Hamilton Sundstrand Corporation
Plants 1/2 Facility
Rockford, Illinois

				Trichloroethene (TCE)	Methylene Chloride (Dichloromethane)	1,1-Dichloroethene	1,2-Dichloroethane	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	1,1,1-Trichloroethane	1,1,2-Trichloroethane	Ethylbenzene	Tetrachloroethene (PCE)	Toluene	Vinyl chloride
Well	Sample ID	Sample Date	Sample Type	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
SMW08	HS SER-SMW08-120616	6-Dec-16		0.0062 ^A	0.0020 U	0.00075 J	0.0060	0.0010 U	0.0020	0.0010 U	0.0185	0.0010 U	0.0010 U	0.0010 U	0.0010 U
	HS SER-SMW08-020617	6-Feb-17		0.0018	0.0020 U	0.00033 J	0.0063	0.0010 U	0.0020	0.0010 U	0.0093	0.0010 U	0.0010 U	0.0200 ^A	0.0010 U
	HS SER-SMW08-050917	9-May-17		0.0052 ^A	0.0020 U	0.0010 U	0.0051	0.0010 U	0.0020	0.0010 U	0.0172	0.0010 U	0.0010 U	0.0618 ^A	0.0010 U
	HS SER-SMW08-080717	7-Aug-17		0.0036	0.0020 U	0.00061 J	0.0047	0.0010 U	0.0018	0.0010 U	0.0132	0.0010 U	0.0010 U	0.0464 ^A	0.0010 U
SMW19	HS SER-SMW19-120816	8-Dec-16		0.0159 ^A	0.0020 U	0.0010 U	0.0010 U	0.00098 J	0.0010 U	0.00029 J	0.0010 U	0.0010 U	0.00090 J	0.0010 U	0.0010 U
	HS SER-SMW19-020717	7-Feb-17		0.0144 ^A	0.0020 U	0.0010 U	0.0010 U	0.00076 J	0.0010 U	0.00044 J	0.0010 U	0.0010 U	0.00073 J	0.0010 U	0.0010 U
	HS SER-SMW19-051017	10-May-17		0.017 ^A	0.0020 U	0.0010 U	0.0010 U	0.00079 J	0.0010 U	0.00083 J	0.0010 U	0.0010 U	0.00099 J	0.0010 U	0.0010 U
	HS SER-SMW19-080817	8-Aug-17		0.0163 ^A	0.0020 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.00080 J	0.0010 U	0.0010 U
SMW20	HS SER-SMW20-120716	7-Dec-16		0.0010 U	0.0020 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U
	HS SER-SMW20-020817	8-Feb-17		0.0010 U	0.0020 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U
	HS SER-SMW20-051117	11-May-17		0.0010 U	0.0020 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U
	HS SER-SMW20-080817	8-Aug-17		0.0010 U	0.0020 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U
SMW21	HS SER-SMW21-120716	7-Dec-16		0.0010 U	0.0020 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.00069 J	0.0010 U	0.0021	0.0010 U	0.0010 U	0.0010 U
	HS SER-SMW21-020717	7-Feb-17		0.0010 U	0.0020 U	0.0010 U	0.00022 J	0.0010 U	0.00053 J	0.0010 U	0.0043	0.0010 U	0.0010 U	0.0010 U	0.0010 U
	HS SER-SMW21-051017	10-May-17		0.0010 U	0.0020 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0018	0.0010 U	0.0010 U	0.0010 U	0.0010 U
	HS SER-SMW21-080817	8-Aug-17		0.0010 U	0.0020 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0014	0.0010 U	0.0010 U	0.0010 U	0.0010 U
PMW01	HS SER-PMW01-120716	7-Dec-16		0.00094 J	0.0020 U	0.0010 U	0.0013	0.0010 U	0.0010 U	0.00069 J	0.0010 U	0.0040	0.0010 U	0.0010 U	0.0073 ^A
	HS SER-PMW01-020817	8-Feb-17		0.0010	0.0020 U	0.0010 U	0.0011	0.0010 U	0.0010 U	0.00053 J	0.0010 U	0.0051	0.0010 U	0.0010 U	0.0116 ^A
	HS SER-PMW01-051117	11-May-17		0.00089 J	0.0020 U	0.0010 U	0.00081 J	0.0010 U	0.0010 U	0.00086 J	0.0010 U	0.0036	0.0010 U	0.0010 U	0.0141 ^A
	HS SER-PMW01-080917	9-Aug-17		0.00054 J	0.0020 U	0.0010 U	0.00086 J	0.0010 U	0.0010 U	0.0010 U	0.0016	0.0010 U	0.0010 U	0.0024	0.0010 U
PMW02	HS SER-PMW02-120816	8-Dec-16		0.0017	0.0020 U	0.0010 U	0.0026	0.0010 U	0.0013	0.0010 U	0.0071	0.0010 U	0.0010 U	0.0240 ^A	0.0010 U
	HS SER-PMW02-020817	8-Feb-17		0.0021	0.0020 U	0.0010 U	0.0054	0.0010 U	0.0098	0.0010 U	0.0025	0.0010 U	0.0010 U	0.0217 ^A	0.0010 U
	HS SER-PMW02-051117	11-May-17		0.0012	0.0020 U	0.00062 J	0.0053	0.0010 U	0.0282	0.00058 J	0.0017	0.0010 U	0.0010 U	0.0186 ^A	0.0010 U
	HS SER-PMW02-080917	9-Aug-17		0.0011	0.0020 U	0.0010 U	0.0039	0.0010 U	0.0190	0.0010 U	0.0038	0.0010 U	0.0010 U	0.0145 ^A	0.0010 U

Notes:

PRG Preliminary Remediation Goals (PRGs) from the Record of Decision (ROD)

b,c Oral Reference Dose and/or Reference Concentration under review by USEPA. Listed values subject to change.

^A Class 1 - Groundwater Remediation Objectives

Value listed is also the Groundwater Quality Standard for this chemical pursuant to 35 Ill.Adm.Code 620.410 for Class I Groundwater or 35 Ill.Adm.Code 620.420 for Class II Groundwater.

6.5^A Concentration exceeds the indicated standard.

c Value listed is also the Groundwater Quality Standard for this chemical pursuant to 35 Ill.Adm.Code 620.410 for Class I Groundwater or 35 Ill.Adm.Code 620.420 for Class II Groundwater.

15.2 Concentration was detected but did not exceed applicable standards.

*

LCS or LCSD exceeds the control limits

0.03 U The analyte was not detected above the laboratory estimated quantitation limit.

B The analyte was detected in the method, field and/or trip blank.

0.50 U Laboratory estimated quantitation limit exceeded standard.

H Sample was prepped or analyzed beyond the specified holding time

n/v No standard/guideline value.

J Indicates estimated value.

- Parameter not analyzed / not available.

NJ The analysis indicates the presence of an analyte that has been "tentatively identified" and the associated numerical value represents its approximate concentration.

Table 3
Fourth Quarter 2016 to Third Quarter 2017 Groundwater Analytical Results - Performance Wells
Hamilton Sundstrand Corporation
Plants 1/2 Facility
Rockford, Illinois

				Trichloroethene (TCE)	Methylene Chloride (Dichloromethane)	1,1-Dichloroethene	1,1-Dichloroethane	1,2-Dichloroethane	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	1,1,1-Trichloroethane	1,1,2-Trichloroethane	Ethylbenzene	Tetrachloroethene (PCE)	Toluene	Vinyl chloride
Preliminary Remediation Goals (PRG) ^A				0.005 ^a	0.005 ^a	0.007 ^{b,c}	0.7 ^a	0.005 ^a	0.07 ^a	0.1 ^a	0.2 ^{b,c}	0.005 ^a	0.7 ^a	0.005 ^a	1.0 ^a	0.002 ^c
Well	Sample ID	Sample Date	Sample Type	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
RAMW01	HS SER-RAMW01-120816	8-Dec-16		0.00086 J	0.0020 U	0.0010 U	0.00083 J	0.0010 U	0.0010 U	0.0021	0.0010 U	0.0010 U	0.0073 ^a	0.0010 U	0.0010 U	
	HS SER-RAMW01-020817	8-Feb-17		0.00075 J	0.0020 U	0.0010 U	0.00054 J	0.0010 U	0.0010 U	0.0017	0.0010 U	0.0010 U	0.0060 ^a	0.0010 U	0.0010 U	
	HS SER-RAMW01-051017	10-May-17		0.00079 J	0.0020 U	0.0010 U	0.00065 J	0.0010 U	0.0010 U	0.0015	0.0010 U	0.0010 U	0.0068 ^a	0.0010 U	0.0010 U	
	HS SER-RAMW01-080917	9-Aug-17		0.00059 J	0.0020 U	0.0010 U	0.00082 J	0.0010 U	0.0010 U	0.0012	0.0010 U	0.0010 U	0.0055 ^a	0.0010 U	0.0010 U	
RAMW02	HS SER RAMW02-120816	8-Dec-16		0.0010 U	0.0020 U	0.0010 U	0.0010	0.0010 U	0.0010 U	0.0014	0.0010 U	0.0010 U	0.0030	0.0010 U	0.0010 U	
	HS SER RAMW02-020717	7-Feb-17		0.00027 J	0.0020 U	0.0010 U	0.0018	0.0010 U	0.0010 U	0.0013	0.0010 U	0.0010 U	0.0021	0.0010 U	0.0010 U	
	HS SER RAMW02-051017	10-May-17		0.00039 J	0.0020 U	0.0010 U	0.0015	0.0010 U	0.0010 U	0.0012	0.0010 U	0.0010 U	0.0019	0.0010 U	0.0010 U	
	HS SER RAMW02-080917	9-Aug-17		0.0010 U	0.0020 U	0.0010 U	0.00043 J	0.0010 U	0.0010 U	0.00075 J	0.0010 U	0.0010 U	0.0017	0.0010 U	0.0010 U	
RAMW03	HS SER-RAMW03-120716	7-Dec-16		0.0010 U	0.0020 U	0.0010 U	0.00032 J	0.0010 U	0.0010 U	0.00070 J	0.0010 U	0.0010 U	0.00073 J	0.0010 U	0.0010 U	
	HS SER-DUP02-120716	7-Dec-16	Field Duplicate	0.0010 U	0.0020 U	0.0010 U	0.00034 J	0.0010 U	0.0010 U	0.00073 J	0.0010 U	0.0010 U	0.00070 J	0.0010 U	0.0010 U	
	HS SER-RAMW03-020717	7-Feb-17		0.00042 J	0.0020 U	0.0010 U	0.00054 J	0.0010 U	0.0010 U	0.0013	0.0010 U	0.0010 U	0.00098 J	0.0010 U	0.0010 U	
	HS SER-DUP02-020717	7-Feb-17	Field Duplicate	0.00045 J	0.0020 U	0.0010 U	0.00058 J	0.0010 U	0.0010 U	0.0013	0.0010 U	0.0010 U	0.0010	0.0010 U	0.0010 U	
	HS SER-RAMW03-051017	10-May-17		0.00042 J	0.0020 U	0.0010 U	0.00063 J	0.0010 U	0.0010 U	0.00047 J	0.0010 U	0.0010 U	0.00035 J	0.0010 U	0.0010 U	
	HS SER-DUP02-051017	10-May-17	Field Duplicate	0.00057 J	0.0020 U	0.0010 U	0.00069 J	0.0010 U	0.0010 U	0.00040 J	0.0010 U	0.0010 U	0.00039 J	0.0010 U	0.0010 U	
	HS SER-RAMW03-080917	9-Aug-17		0.00036 J	0.0020 U	0.0010 U	0.00041 J	0.0010 U	0.0010 U	0.00058 J	0.0010 U	0.0010 U	0.0010	0.0010 U	0.0010 U	
	HS SER-DUP02-080917	9-Aug-17	Field Duplicate	0.00035 J	0.0020 U	0.0010 U	0.00041 J	0.0010 U	0.0010 U	0.00057 J	0.0010 U	0.0010 U	0.00096 J	0.0010 U	0.0010 U	
RAMW04	HS SER-RAMW04-120716	7-Dec-16		0.0010 U	0.0020 U	0.0010 U	0.00036 J	0.0010 U	0.0010 U	0.00052 J	0.0010 U	0.0010 U	0.00079 J	0.0010 U	0.0010 U	
	HS SER-RAMW04-020717	7-Feb-17		0.00037 J	0.0020 U	0.0010 U	0.00057 J	0.0010 U	0.0010 U	0.00054 J	0.0010 U	0.0010 U	0.00089 J	0.0010 U	0.0010 U	
	HS SER-RAMW04-051017	10-May-17		0.0010 U	0.0020 U	0.0010 U	0.00063 J	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.00038 J	0.0010 U	0.0010 U	
	HS SER-RAMW04-080817	8-Aug-17		0.0010 U	0.0020 U	0.0010 U	0.00024 J	0.0010 U	0.0010 U	0.00035 J	0.0010 U	0.0010 U	0.00065 J	0.0010 U	0.0010 U	
RAMW05	HS SER-RAMW05-120719	7-Dec-16		0.00075 J	0.0020 U	0.0010 U	0.0012	0.0010 U	0.0030	0.0010 U	0.0105	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U
	HS SER-RAMW05-020717	7-Feb-17		0.0015	0.0020 U	0.0015	0.0030	0.0010 U	0.0072	0.0010 U	0.0702	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U
	HS SER-RAMW05-051017	10-May-17		0.00074 J	0.0020 U	0.0010 U	0.00060 J	0.0010 U	0.00090 J	0.0010 U	0.0129	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U
	HS SER-RAMW05-080817	8-Aug-17		0.0019	0.0020 U	0.0010 U	0.0011	0.0010 U	0.0026	0.0010 U	0.0290	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U
RAMW06	HS SER-RAMW06-120716	7-Dec-16		0.0010 U	0.0020 U	0.0010 U	0.00063 J	0.0010 U	0.0017	0.0010 U	0.0124	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U
	HS SER-RAMW06-020717	7-Feb-17		0.0011	0.0020 U	0.0061	0.0031	0.0010 U	0.0114	0.0010 U	0.1550	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U
	HS SER-RAMW06-051017	10-May-17		0.0012	0.0020 U	0.0076 ^a	0.0047	0.0010 U	0.0060	0.0010 U	0.296 ^a	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U
	HS SER-RAMW06-080817	8-Aug-17		0.0010 U	0.0020 U	0.00078 J	0.0017	0.0010 U	0.0020	0.0010 U	0.0604	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U
RAMW07	HS SER-RAMW07-120716	7-Dec-16		0.00035 J	0.0020 U	0.00055 J	0.0040	0.0010 U	0.00062 J	0.0010 U	0.0634	0.0010 U	0.0010 U	0.0014	0.0010 U	0.0010 U
	HS SER-RAMW07-020617	6-Feb-17		0.0050 U	0.010 U	0.0317 ^a	0.0383	0.0050 U	0.0683	0.0050 U	0.906 ^a	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HS SER-RAMW07-050917	9-May-17		0.0050 U	0.010 U	0.0337 ^a	0.0249	0.0050 U	0.0130	0.0050 U	1.09 ^a	0.0050 U	0.0050 J	0.0014 J	0.0050 U	0.0050 U
	HS SER-RAMW07-080817	8-Aug-17		0.00075 J	0.020 U	0.00075 J	0.0014	0.0010 U	0.0032	0.0010 U	0.0777	0.0010 U	0.0010 U	0.00085 J</		

Table 3
Fourth Quarter 2016 to Third Quarter 2017 Groundwater Analytical Results - Performance Wells
Hamilton Sundstrand Corporation
Plants 1/2 Facility
Rockford, Illinois

				Trichloroethene (TCE)	Methylene Chloride (Dichloromethane)	1,1-Dichloroethene	1,1-Dichloroethane	1,2-Dichloroethane	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	1,1,1-Trichloroethane	1,1,2-Trichloroethane	Ethylbenzene	Tetrachloroethene (PCE)	Toluene	Vinyl chloride	
Preliminary Remediation Goals (PRG) ^A				0.005 ^c	0.005 ^c	0.007 ^{b,c}	0.7 ^A	0.005 ^c	0.07 ^A	0.1 ^c	0.2 ^{b,c}	0.005 ^c	0.7 ^c	0.005 ^c	1.0 ^c	0.002 ^c	
Well	Sample ID	Sample Date	Sample Type	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	
RAMW08	HS SER-RAMW08-120716	7-Dec-16		0.0010 U	0.0020 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	
	HS SER-RAMW08-020617	6-Feb-17		0.0010 U	0.0020 U	0.0010 U	0.00026 J	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U
	HS SER-RAMW08-050917	9-May-17		0.0010 U	0.0020 U	0.0010 U	0.00065 J	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U
	HS SER-RAMW08-080817	8-Aug-17		0.0010 U	0.0020 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U

Notes:

PRG Preliminary Remediation Goals (PRGs) from the Record of Decision (ROD)

^A Class 1 - Groundwater Remediation Objectives

6.5^A Concentration exceeds the indicated standard at specified well; however, compliance with the standard is only applicable to GMZ wells.

15.2 Concentration was detected but did not exceed applicable standards.

0.50 U Laboratory estimated quantitation limit exceeded standard.

0.03 U The analyte was not detected above the laboratory estimated quantitation limit.

mg/L milligrams per liter

n/v No standard/guideline value.

- Parameter not analyzed / not available.

^{b,c} Oral Reference Dose and/or Reference Concentration under review by USEPA. Listed values subject to change.

Groundwater Quality Standard for this chemical pursuant to 35 Ill. Adm. Code 620.410 for

Class I Groundwater or 35 Ill. Adm. Code 620.420 for Class II Groundwater.

^c Value listed is also the Groundwater Quality Standard for this chemical pursuant to 35 Ill. Adm. Code 620.410 for

Class I Groundwater or 35 Ill. Adm. Code 620.420 for Class II Groundwater.

B The analyte was detected in the method, field and/or trip blank.

J Indicates estimated value.

NJ The analysis indicates the presence of an analyte that has been "tentatively identified" and the associated

numerical value represents its approximate concentration.

Groundwater monitoring wells located within the influence of active treatment systems yield groundwater sample data that is potentially biased by the treatment activities. This potential bias should be considered during evaluation of this data.

Table 4.1
Cell 1 - Phase 1 SVE System Effluent Data
December 2009 - September 2017
Hamilton Sundstrand Corporation
Plants 1/2 Facility
Rockford, Illinois

CELL 1 SVE EFFLUENT

Date	Sample Type	SVE Run Time (hr)	Cell 1 Run Time (hr)	SVE Flow Rate (scfm)	1,1-Trichloroethane		1,1,2-Trichloroethane		1,1-Dichloroethane		1,2-Dichloroethane		1,1-Dichloroethene		cis-1,2-Dichloroethene		trans-1,2-Dichloroethene		Tetrachloroethene		Trichloroethene		Vinyl chloride		Methylene Chloride	
					Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)
12/10/2009	Dup	159	53	140	13000	3.76E-02	140 U	0.00E+00	45000	9.67E-02	140 U	0.00E+00	910	1.91E-03	18000	3.79E-02	140 U	0.00E+00	940	3.38E-03	260	7.41E-04	8100	1.10E-02	140 U	0.00E+00
12/22/2009		372	124	140	980	2.84E-03	26 U	0.00E+00	11000	2.36E-02	26 U	0.00E+00	130	2.74E-04	7300	1.54E-02	26 U	0.00E+00	390	1.40E-03	41	1.17E-04	470	6.38E-04	26 U	0.00E+00
2/24/2010		1893	631	150	640	1.99E-03	6.0 U	0.00E+00	1900	4.37E-03	6.0 U	0.00E+00	28	6.31E-05	630	1.42E-03	6.0 U	0.00E+00	150	5.78E-04	24	7.33E-05	33	4.80E-05	6.0 U	0.00E+00
3/15/2010		2345	782	140	1100	3.19E-03	8.4 U	0.00E+00	2800	6.01E-03	8.4 U	0.00E+00	37	7.79E-05	1300	2.74E-03	8.4 U	0.00E+00	180	6.48E-04	30	8.56E-05	32	4.34E-05	8.4 U	0.00E+00
4/14/2010		2804	935	150	1400	4.34E-03	12 U	0.00E+00	4100	9.44E-03	12 U	0.00E+00	31	6.99E-05	1400	3.16E-03	12 U	0.00E+00	790	3.05E-03	86	2.63E-04	91	1.32E-04	12 U	0.00E+00
5/13/2010		3495	1165	140	590	1.71E-03	7.0 U	0.00E+00	2600	5.58E-03	7.0 U	0.00E+00	13	2.74E-05	1100	2.31E-03	7.0 U	0.00E+00	300	1.08E-03	32	9.13E-05	10	1.36E-05	7.0 U	0.00E+00
6/21/2010		4430	1477	108	710	1.59E-03	8.6 U	0.00E+00	2600	4.31E-03	8.6 U	0.00E+00	16 J	2.60E-05	570	9.25E-04	8.6 U	0.00E+00	290	8.05E-04	30	6.60E-05	8.6 U	0.00E+00	8.6 U	0.00E+00
7/21/2010		5058	1686	140	480	1.39E-03	7.0 U	0.00E+00	2600	5.58E-03	7.0 U	0.00E+00	10	2.10E-05	630	1.33E-03	7.0 U	0.00E+00	710	2.56E-03	42	1.20E-04	7.0 U	0.00E+00	7.0 U	0.00E+00
8/23/2010		5784	1928	0	370	0.00E+00	8.2 U	0.00E+00	2400	0.00E+00	8.2 U	0.00E+00	540	0.00E+00	8.2 U	0.00E+00	500	0.00E+00	48	0.00E+00	8.2 U	0.00E+00	8.2 U	0.00E+00		
9/23/2010		6523	2174	145	480	1.44E-03	7.2 U	0.00E+00	2000	4.45E-03	7.2 U	0.00E+00	250	5.45E-04	7.2 U	0.00E+00	380	1.42E-03	31	9.16E-05	7.2 U	0.00E+00	7.2 U	0.00E+00		
10/22/2010		7219	2406	140	390	1.13E-03	5.0 U	0.00E+00	1600	3.44E-03	5.0 U	0.00E+00	160	3.37E-04	5.0 U	0.00E+00	240	8.64E-04	21	5.99E-05	5.0 U	0.00E+00	5.0 U	0.00E+00		
10/22/2010		7219	2406	140	2600	7.53E-03	10 U	0.00E+00	960	2.06E-03	10 U	0.00E+00	120	2.53E-04	490	1.03E-03	10 U	0.00E+00	140	5.04E-04	49	1.40E-04	10 U	0.00E+00	10 U	0.00E+00
11/15/2010		7794	2598	140	420	1.22E-03	4.3 U	0.00E+00	1700	3.65E-03	4.3 U	0.00E+00	140	2.95E-04	4.3 U	0.00E+00	140	5.04E-04	16	4.56E-05	4.3 U	0.00E+00	4.3 U	0.00E+00		
12/22/2010		8508	2777	150	600	1.86E-03	4.2 U	0.00E+00	1600	3.68E-03	4.2 U	0.00E+00	510	1.15E-03	4.2 U	0.00E+00	75	2.89E-04	11	3.36E-05	4.2 U	0.00E+00	4.2 U	0.00E+00		
1/24/2011		9302	2975	170	360	1.27E-03	5.2 U	0.00E+00	1700	4.43E-03	5.2 U	0.00E+00	140	3.58E-04	5.2 U	0.00E+00	45	1.97E-04	8.6	2.98E-05	5.2 U	0.00E+00	5.2 U	0.00E+00		
2/25/2011		10071	3167	165	280	9.56E-04	4.0 U	0.00E+00	1600	4.05E-03	4.0 U	0.00E+00	4.5	1.12E-05	120	2.98E-04	4.0 U	0.00E+00	34	1.44E-04	7.4	2.49E-05	4.0 U	0.00E+00	4.0 U	0.00E+00
3/18/2011		10573	3293	165	200	6.83E-04	6.3 U	0.00E+00	1900	4.81E-03	6.3 U	0.00E+00	130	3.22E-04	6.3 U	0.00E+00	32	1.36E-04	6.4	2.15E-05	6.3 U	0.00E+00	6.3 U	0.00E+00		
4/15/2011		11241	3460	160	180 J,B	5.96E-04	4.5 U	0.00E+00	1700	4.17E-03	4.5 U	0.00E+00	110	2.65E-04	4.5 U	0.00E+00	110	1.77E-04	8.6	2.80E-05	4.5 U	0.00E+00	4.5 U	0.00E+00		
5/19/2011		12061	3665	160	110	3.64E-04	4.3 U	0.00E+00	1100	2.70E-03	4.3 U	0.00E+00	4.3	0.00E+00	85	2.04E-04	4.3 U	0.00E+00	55	2.26E-04	8	2.61E-05	4.3 U	0.00E+00	4.3 U	0.00E+00
6/16/2011		12722	3830	170	150	5.27E-04	2.3 U	0.00E+00	730	1.90E-03	2.3 U	0.00E+00	2.8	7.15E-06	63	1.61E-04	2.3 U	0.00E+00	110	4.81E-04	12	4.16E-05	2.3 U	0.00E+00	2.3 U	0.00E+00
7/15/2011		13417	4472	170	140	4.92E-04	1.2 U	0.00E+00	390	1.02E-03	1.2 U	0.00E+00	2.2	5.62E-06	47	1.20E-04	1.2 U	0.00E+00	170	7.43E-04	14	4.85E-05	1.2 U	0.00E+00	1.2 U	0.00E+00
8/22/2011		14324	4775	170	150	5.27E-04	1.1 U	0.00E+00	210	5.48E-04	1.1 U	0.00E+00	2.1	5.37E-06	36	9.20E-05	1.1 U	0.00E+00	180	7.87E-04	16	5.54E-05	1.1 U	0.00		

Table 4.1
Cell 1 - Phase 1 SVE System Effluent Data
December 2009 - September 2017
Hamilton Sundstrand Corporation
Plants 1/2 Facility
Rockford, Illinois

CELL 1 SVE EFFLUENT

Date	Sample Type	SVE Run Time (hr)	Cell 1 Run Time (hr)	Carbon Tetrachloride		Chloroform		Chloroethane		Benzene		Toluene		Ethylbenzene		m&p-Xylenes		o-Xylenes		Acetone		Methyl Ethyl Ketone (MEK)		Mass Removal Rate (lb/hr)	Cumulative Mass Removal (lb)	
				SVE Flow Rate (scfm)	Conc (ppbv)	Mass Removal Rate (lb/hr)																				
12/10/2009		159	53	140	140 U	0.00E+00	140 U	0.00E+00	17000	2.38E-02	140 U	0.00E+00	560	1.12E-03	250	5.76E-04	1800	4.15E-03	470	1.08E-03	3800	4.79E-03	140 U	0.00E+00	2.25E-01	11.91
12/22/2009		372	124	140	26 U	0.00E+00	26 U	0.00E+00	1700	2.38E-03	26 U	0.00E+00	32	6.40E-05	26 U	0.00E+00	26 U	0.00E+00	100 U	0.00E+00	26 U	0.00E+00	26 U	0.00E+00	4.67E-02	15.23
2/24/2010		1893	631	150	6.0 U	0.00E+00	6.0 U	0.00E+00	130	1.95E-04	19	3.45E-05	6.0 U	0.00E+00	98	1.32E-04	370	6.20E-04	9.52E-03	20.06						
3/15/2010		2345	782	140	8.4 U	0.00E+00	8.4 U	0.00E+00	170	2.38E-04	8.4 U	0.00E+00	34 U	0.00E+00	8.4 U	0.00E+00	8.4 U	0.00E+00	1.30E-02	22.02						
4/14/2010		2804	935	150	12 U	0.00E+00	12 U	0.00E+00	320	4.80E-04	14	2.54E-05	12 U	0.00E+00	12 U	0.00E+00	12 U	0.00E+00	50 U	0.00E+00	12 U	0.00E+00	12 U	0.00E+00	2.10E-02	25.22
5/13/2010		3495	1165	140	7.0 U	0.00E+00	7.0 U	0.00E+00	100	1.40E-04	12	2.03E-05	7.0 U	0.00E+00	7.0 U	0.00E+00	7.0 U	0.00E+00	28 U	0.00E+00	7.0 U	0.00E+00	7.0 U	0.00E+00	1.10E-02	27.75
6/21/2010		4430	1477	108	8.6 U	0.00E+00	8.6 U	0.00E+00	87 J	9.40E-05	10	1.31E-05	8.6 U	0.00E+00	8.6 U	0.00E+00	8.6 U	0.00E+00	34 J	3.31E-05	8.6 U	0.00E+00	8.6 U	0.00E+00	7.86E-03	30.20
7/21/2010		5058	1686	140	7.0 U	0.00E+00	7.0 U	0.00E+00	60	8.40E-05	7.0 U	0.00E+00	28 U	0.00E+00	7.0 U	0.00E+00	7.0 U	0.00E+00	1.11E-02	32.52						
8/23/2010		5784	1928	0	8.2 U	0.00E+00	8.2 U	0.00E+00	38	0.00E+00	24	0.00E+00	8.2 U	0.00E+00	8.2 U	0.00E+00	8.2 U	0.00E+00	53	0.00E+00	8.2 U	0.00E+00	8.2 U	0.00E+00	0.00E+00	32.52
9/23/2010		6523	2174	145	7.2 U	0.00E+00	7.2 U	0.00E+00	15	2.18E-05	17	2.99E-05	7.2 U	0.00E+00	7.2 U	0.00E+00	7.2 U	0.00E+00	29 U	0.00E+00	7.2 U	0.00E+00	7.2 U	0.00E+00	7.99E-03	34.49
10/22/2010	Dup	7219	2406	140	5.0 U	0.00E+00	5.0 U	0.00E+00	11	1.54E-05	7.1	1.20E-05	5.0 U	0.00E+00	5.0 U	0.00E+00	5.0 U	0.00E+00	45	5.67E-05	5.0 U	0.00E+00	5.0 U	0.00E+00	5.91E-03	35.86
10/22/2010		7219	2406	140	10 U	0.00E+00	41 U	0.00E+00	10 U	0.00E+00	10 U	0.00E+00	1.15E-02	37.16												
11/15/2010		7794	2598	140	4.3 U	0.00E+00	4.3 U	0.00E+00	12	1.68E-05	4.3 U	0.00E+00	17 U	0.00E+00	4.3 U	0.00E+00	4.3 U	0.00E+00	5.73E-03	36.96						
12/22/2010		8508	2777	150	4.2 U	0.00E+00	4.2 U	0.00E+00	10	1.50E-05	5.3	9.63E-06	4.2 U	0.00E+00	4.2 U	0.00E+00	4.2 U	0.00E+00	16 NJ	2.16E-05	4.2 U	0.00E+00	4.2 U	0.00E+00	7.08E-03	38.22
1/24/2011		9302	2975	170	5.2 U	0.00E+00	21 U	0.00E+00	5.2 U	0.00E+00	5.2 U	0.00E+00	6.28E-03	39.47												
2/25/2011		10071	3167	165	4.0 U	0.00E+00	4.0 U	0.00E+00	16 U	0.00E+00	4.0 U	0.00E+00	4.0 U	0.00E+00	4.0 U	0.00E+00	4.0 U	0.00E+00	16 U	0.00E+00	4.0 U	0.00E+00	4.0 U	0.00E+00	5.48E-03	40.53
3/18/2011		10573	3293	165	6.3 U	0.00E+00	6.3 U	0.00E+00	25 U	0.00E+00	6.3 U	0.00E+00	6.3 U	0.00E+00	6.3 U	0.00E+00	6.3 U	0.00E+00	25 U	0.00E+00	6.3 U	0.00E+00	6.3 U	0.00E+00	5.97E-03	41.27
4/15/2011		11241	3460	160	4.5 U	0.00E+00	4.5 U	0.00E+00	18 U	0.00E+00	4.5 U	0.00E+00	4.5 U	0.00E+00	4.5 U	0.00E+00	4.5 U	0.00E+00	18 U	0.00E+00	4.5 U	0.00E+00	4.5 U	0.00E+00	5.24E-03	42.15
5/19/2011		12061	3665	160	4.3 U	0.00E+00	4.3 U	0.00E+00	17 U	0.00E+00	4.3 U	0.00E+00	4.3 U	0.00E+00	4.3 U	0.00E+00	4.3 U	0.00E+00	17 U	0.00E+00	4.3 U	0.00E+00	4.3 U	0.00E+00	3.52E-03	42.87
6/16/2011		12722	3830	170	2.3 U	0.00E+00	2.3 U	0.00E+00	9.2 U	0.00E+00	2.3 U	0.00E+00	9.2 U	0.00E+00	2.3 U	0.00E+00	2.3 U	0.00E+00	3.12E-03	43.39						
7/15/2011		13417	4472	170	1.2 U	0.00E+00	1.2 U	0.00E+00	4.6 U	0.00E+00	1.5	3.09E-06	1.2 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	7.4	1.13E-05	4.6 U	0.00E+00	4.6 U	0.00E+00	2.44E-03	44.96
8/22/2011		14324	4775	170	1.1 U	0.00E+00	1.1 U	0.00E+00	4.5 U	0.00E+00	6.7	1.38E-05	1.1 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	44 JB	6.74E-05	4.5 U</td					

Table 4.1
Cell 1 - Phase 1 SVE System Effluent Data
December 2009 - September 2017
Hamilton Sundstrand Corporation
Plants 1/2 Facility
Rockford, Illinois

CELL 1 SVE EFFLUENT

Date	Sample Type	SVE Run Time (hr)	Cell 1 Run Time (hr)	SVE Flow Rate (scfm)	1,1,1-Trichloroethane		1,1,2-Trichloroethane		1,1-Dichloroethane		1,2-Dichloroethane		1,1-Dichloroethene		cis-1,2-Dichloroethene		trans-1,2-Dichloroethene		Tetrachloroethene		Trichloroethene		Vinyl chloride		Methylene Chloride	
					Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)
Pulse-off period November 18, 2013 to January 15, 2014																										
1/15/2014		28218	8651	160	100	3.31E-04	1.1 U	0.00E+00	30	7.36E-05	1.1 U	0.00E+00	1.3	3.13E-06	4.7	1.13E-05	1.1 U	0.00E+00	69	2.84E-04	9.1	2.97E-05	1.1 U	0.00E+00	11 U	0.00E+00
3/14/2014		29432	8894	160	78	2.58E-04	1.1 U	0.00E+00	34	8.35E-05	1.1 U	0.00E+00	3.8	9.14E-06	6.1	1.47E-05	1.1 U	0.00E+00	30	1.23E-04	7	2.28E-05	1.1 U	0.00E+00	11 U	0.00E+00
Pulse-off period March 14, 2014 to May 15, 2014																										
5/15/2014		29914	8990	160	95	3.14E-04	1.2 U	0.00E+00	32	7.86E-05	1.2 U	0.00E+00	1.9	4.57E-06	6	1.44E-05	1.2 U	0.00E+00	55	2.26E-04	6.8	2.22E-05	1.2 U	0.00E+00	12 U	0.00E+00
7/23/2014		31567	9321	160	160	5.29E-04	1.2 U	0.00E+00	41	1.01E-04	1.2 U	0.00E+00	3.6	8.66E-06	9.3	2.24E-05	1.2 U	0.00E+00	170	6.99E-04	18	5.87E-05	1.2 U	0.00E+00	12 U	0.00E+00
Pulse-off period July 23, 2014 to September 16, 2014																										
9/16/2014		32432	9494	160	480	1.59E-03	2.2 U	0.00E+00	11	2.70E-05	2.2 U	0.00E+00	4	9.62E-06	8.7	2.09E-05	2.2 U	0.00E+00	14	5.76E-05	13	4.24E-05	2.2 U	0.00E+00	22 U	0.00E+00
11/14/2014		33847	9777	160	60	1.99E-04	1.1 U	0.00E+00	14	3.44E-05	1.1 U	0.00E+00	1.6	3.85E-06	3.6	8.66E-06	1.1 U	0.00E+00	50	2.06E-04	6.9	2.25E-05	1.1 U	0.00E+00	11 U	0.00E+00
Pulse-off period November 14, 2014 to January 9, 2015																										
1/9/2015	Dup	33855	9778	160	86	2.85E-04	1.1 U	0.00E+00	20	4.91E-05	1.1 U	0.00E+00	1.1	2.65E-06	4.0	9.62E-06	1.1 U	0.00E+00	55	2.26E-04	8.2	2.67E-05	1.1 U	0.00E+00	11 U	0.00E+00
1/9/2015		-	-	160	84	2.78E-04	1.2 U	0.00E+00	20	4.91E-05	1.2 U	0.00E+00	1.2 U	0.00E+00	4.6	1.11E-05	1.2 U	0.00E+00	80	3.29E-04	8.6	2.80E-05	1.2 U	0.00E+00	12 U	0.00E+00
3/13/2015		35189	10045	160	58	1.92E-04	1.3 U	0.00E+00	17	4.17E-05	1.3 U	0.00E+00	2.4	5.77E-06	3.6	8.66E-06	1.3 U	0.00E+00	32	1.32E-04	5.8	1.89E-05	1.3 U	0.00E+00	13 U	0.00E+00
Pulse-off period March 13, 2015 to May 15, 2015																										
5/15/2015		35194	10046	160	63	2.08E-04	2.3 U	0.00E+00	15	3.68E-05	2.3 U	0.00E+00	2.3 U	0.00E+00	2.7	6.49E-06	2.3 U	0.00E+00	67	2.76E-04	7.1	2.31E-05	2.3 U	0.00E+00	23 U	0.00E+00
7/16/2015		36677	10343	160	110	3.64E-04	1.1 U	0.00E+00	32	7.86E-05	1.1 U	0.00E+00	3.1	7.45E-06	6.7	1.61E-05	1.1 U	0.00E+00	170	6.99E-04	19	6.19E-05	1.1 U	0.00E+00	11 U	0.00E+00
Pulse-off period July 16, 2015 to September 22, 2015																										
9/22/2015		36680	10343	160	150	4.96E-04	1.4 U	0.00E+00	29	7.12E-05	1.4 U	0.00E+00	1.4 U	0.00E+00	5.6	1.35E-05	1.4 U	0.00E+00	250	1.03E-03	20	6.52E-05	1.4 U	0.00E+00	14 U	0.00E+00
11/20/2015		38094	10626	160	41	1.36E-04	1.0 U	0.00E+00	9.5	2.33E-05	1.0 U	0.00E+00	1.3	3.13E-06	2.5	6.01E-06	1.0 U	0.00E+00	46	1.89E-04	7.7	2.51E-05	1.0 U	0.00E+00	10 U	0.00E+00
Pulse-off period November 20, 2015 to January 19, 2016																										
1/19/2016		38101	10627	160	80	2.65E-04	1.1 U	0.00E+00	15	3.68E-05	1.1 U	0.00E+00	1.1 U	0.00E+00	2.8	6.73E-06	1.1 U	0.00E+00	100	4.11E-04	11	3.59E-05	1.1 U	0.00E+00	11 U	0.00E+00
3/18/2016		39377	10883	160	48	1.59E-04	1.1 U	0.00E+00	14	3.44E-05	1.1 U	0.00E+00	1.9	4.57E-06	3.6	8.66E-06	1.1 U	0.00E+00	43	1.77E-04	7.7	2.51E-05	1.1 U	0.00E+00	11 U	0.00E+00
Pulse-off period March 18, 2016 to May 19, 2016																										
5/19/2016		39382	10884	160	55	1.82E-04	0.98 U	0.00E+00	14	3.44E-05	0.98 U	0.00E+00	0.98 U	0.00E+00	2.8	6.73E-06	0.98 U	0.00E+00	70	2.68E-04	8.3	2.71E-05	0.98 U	0.00E+00	9.8 U	0.00E+00
7/22/2016		40915	11190	160	94	3.11E-04	1.2 U	0.00E+00	22	5.40E-05	1.2 U	0.00E+00	2.3	5.53E-06	4.9	1.18E-05	1.2 U	0.00E+00	210	8.64E-04	14	4.56E-05	1.2 U	0.00E+00	12 U	0.00E+00
Pulse-off period July 22, 2016 to September 20, 2016																										
9/20/2016		40918	11191	160	120	3.97E-04	1.0 U	0.00E+00	16	3.93E-05	1.0 U	0.00E+00	1.0 U	0.00E+00	3.3	7.94E-06	1.0 U	0.00E+00	260	1.07E-03	15	4.89E-05	1.0 U	0.00E+00	10 U	0.00E+00
11/28/2016		42571	11521	160	50	1.65E-04	1.1 U	0.00E+00	16	3.93E-05	1.1 U	0.00E+00	2.4	5.77E-06	3.2	7.70E-06	1.1 U	0.00E+00	91	3.74E-04	9.7	3.16E-05	1.1 U	0.00E+00	11 U	0.00E+00
Pulse-off period November 28, 2016 to January 24, 2017																										
1/24/2017		42575	11522	170	45	1.58E-04	1.1 U	0.00E+00	12	3.13E-05	1.1 U	0.00E+00	1.1 U	0.00E+00	1.6	4.09E-06	1.1 U	0.00E+00	49	2.14E-04	6.2	2.15E-05	1.1 U	0.00E+00	11 U	0.00E+00
3/23/2017		43840	11775	160	36	1.19E-04	1.2 U	0.00E+00	14	3.44E-05	1.2 U	0.00E+00	2.1	5.05E-06	2.8	6.73E-06	1.2 U	0.00E+00	43	1.77E-04	6.4	2.09E-05	1.2 U	0.00E+00	12 U	0.00E+00
Pulse-off period March 23, 2017 to May 15, 2017																										
5/15/2017		43846	11776	160	49	1.62E-04	1.1 U	0.00E+00	11	2.70E-05	1.1 U	0.00E+00	1.1 U	0.00E+00	2.6	6.25E-06	1.1 U	0.00E+00	67	2.76E-04	7.5	2.44E-05	1.1 U	0.00E+00	11 U	0.00E+00
7/20/2017		45423	12092	170	89	3.13E-04	1.2 U	0.00E+00	18	4.69E-05	1.2 U	0.00E+00	2	5.11E-06	4.7	1.20E-05	1.2 U	0.00E+00	190	8.30E-04	19	6.58E-05	1.2 U	0.00E+00	12 U	0.00E+00
Pulse-off period July 20, 2017 to September 14, 2017																										
9/14/2017		45432	12094	160	130	4.30E-04	1.1 U	0.00E+00	19	4.66E-05	1.1 U	0.00E+00	1.1 U	0.00E+00	3.4	8.18E-06	1.1 U	0.00E+00	300	1.23E-03	23	7.50E-05	1.1 U	0.00E+00	11 U	0.00E+00

Notes:

Mass removal rate = (flow rate in scfm)(concentration in ppmv)(60)(MW) / (387*1000000)

"U" indicates non-detection at the specified reporting limit; for ND compounds, zero is used in mass removal calculations.

MW molecular weight (values from the U.S. National

SCFM standard cubic feet per minute

J Indicates estimated value.
R The analyte was detected in the method, field and/or

B The analyte was detected in the method, field and/or When a duplicate sample was collected, the original sample results

When a duplicate sample was collected, the original sample results are used in the mass calculations.

are used in the mass calculations.

Table 4.1
Cell 1 - Phase 1 SVE System Effluent Data
December 2009 - September 2017
Hamilton Sundstrand Corporation
Plants 1/2 Facility
Rockford, Illinois

CELL 1 SVE EFFLUENT

Date	Sample Type	SVE Run Time (hr)	Cell 1 Run Time (hr)	Carbon Tetrachloride		Chloroform		Chloroethane		Benzene		Toluene		Ethylbenzene		m&p-Xylenes		o-Xylenes		Acetone		Methyl Ethyl Ketone (MEK)		Mass Removal Rate (lb/hr)	Cumulative Mass Removal (lb)	
				SVE Flow Rate (scfm)	Conc (ppbv)	Mass Removal Rate (lb/hr)																				
Pulse -off period	November 18, 2013	to January 15, 2014																								
1/15/2014		28218	8651	160	1.1 U	0.00E+00	1.1 U	0.00E+00	4.5 U	0.00E+00	1.1 U	0.00E+00	11 U	0.00E+00	4.5 U	0.00E+00	7.32E-04	49.36								
3/14/2014		29432	8894	160	1.1 U	0.00E+00	1.1 U	0.00E+00	4.4 U	0.00E+00	1.1 U	0.00E+00	11 U	0.00E+00	4.4 U	0.00E+00	5.12E-04	49.48								
Pulse -off period	March 14, 2014 to May 15, 2014																									
5/15/2014		29914	8990	160	1.2 U	0.00E+00	1.2 U	0.00E+00	4.8 U	0.00E+00	1.2 U	0.00E+00	12 U	0.00E+00	4.8 U	0.00E+00	6.60E-04	49.54								
7/23/2014		31567	9321	160	1.2 U	0.00E+00	1.2 U	0.00E+00	4.7 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	12 U	0.00E+00	4.7 U	0.00E+00	1.42E-03	50.01				
Pulse -off period	July 23, 2014 to September 16, 2014																									
9/16/2014		32432	9494	160	2.2 U	0.00E+00	2.2 U	0.00E+00	9.0 U	0.00E+00	2.2 U	0.00E+00	22 U	0.00E+00	9.0 U	0.00E+00	1.75E-03	50.32								
11/14/2014		33847	9777	160	1.1 U	0.00E+00	1.1 U	0.00E+00	4.6 U	0.00E+00	1.1 U	0.00E+00	11 U	0.00E+00	4.6 U	0.00E+00	4.74E-04	50.45								
Pulse -off period	November 14, 2014 to January 9, 2015																									
1/9/2015	Dup	33855	9778	160	1.1 U	0.00E+00	1.1 U	0.00E+00	4.5 U	0.00E+00	1.1 U	0.00E+00	11 U	0.00E+00	4.5 U	0.00E+00	5.99E-04	50.45								
1/9/2015		-	-	160	1.2 U	0.00E+00	1.2 U	0.00E+00	4.7 U	0.00E+00	1.2 U	0.00E+00	12 U	0.00E+00	4.7 U	0.00E+00	6.95E-04	-								
3/13/2015		35189	10045	160	1.3 U	0.00E+00	1.3 U	0.00E+00	5.2 U	0.00E+00	1.3 U	0.00E+00	13 U	0.00E+00	5.2 U	0.00E+00	3.99E-04	50.56								
Pulse -off period	March 13, 2015 to May 15, 2015																									
5/15/2015		35194	10046	160	2.3 U	0.00E+00	2.3 U	0.00E+00	9.2 U	0.00E+00	2.3 U	0.00E+00	23 U	0.00E+00	9.2 U	0.00E+00	5.51E-04	50.56								
7/16/2015		36677	10343	160	1.1 U	0.00E+00	1.1 U	0.00E+00	4.5 U	0.00E+00	1.1 U	0.00E+00	11 U	0.00E+00	4.5 U	0.00E+00	1.23E-03	50.92								
Pulse -off period	July 16, 2015 to September 22, 2015																									
9/22/2015		36680	10343	160	1.4 U	0.00E+00	1.4 U	0.00E+00	5.5 U	0.00E+00	1.4 U	0.00E+00	1.4 U	0.00E+00	2.2	5.79E-06	3.4	8.95E-06	1.4 U	0.00E+00	14 U	0.00E+00	5.5 U	0.00E+00	1.69E-03	50.92
11/20/2015		38094	10626	160	1.0 U	0.00E+00	1.0 U	0.00E+00	4.0 U	0.00E+00	1.0 U	0.00E+00	1.5	3.43E-06	1.0 U	0.00E+00	1.0 U	0.00E+00	10 U	0.00E+00	4.0 U	0.00E+00	3.86E-04	51.03		
Pulse -off period	November 20, 2015 to January 19, 2016																									
1/19/2016		38101	10627	160	1.1 U	0.00E+00	1.1 U	0.00E+00	4.2 U	0.00E+00	1.1 U	0.00E+00	11 U	0.00E+00	4.2 U	0.00E+00	7.56E-04	51.03								
3/18/2016		39377	10883	160	1.1 U	0.00E+00	1.1 U	0.00E+00	4.5 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	3.8	1.00E-05	1.1 U	0.00E+00	11 U	0.00E+00	4.5 U	0.00E+00	4.18E-04	51.14
Pulse -off period	March 18, 2016 to May 19, 2016																									
5/19/2016		39382	10884	160	0.98 U	0.00E+00	0.98 U	0.00E+00	3.9 U	0.00E+00	0.98 U	0.00E+00	0.98 U	0.00E+00	0.98 U	0.00E+00	0.98 U	0.00E+00	9.8 U	0.00E+00	3.8 U	0.00E+00	5.38E-04	51.14		
7/22/2016		40915	11190	160	1.2 U	0.00E+00	1.2 U	0.00E+00	4.8 U	0.00E+00	1.2 U	0.00E+00	12 U	0.00E+00	4.8 U	0.00E+00	1.29E-03	51.54								
Pulse -off period	July 22, 2016 to September 20, 2016																									
9/20/2016		40918	11191	160	1.0 U	0.00E+00	1.0 U	0.00E+00	4.0 U	0.00E+00	1.0 U	0.00E+00	1.3	2.97E-06	1.0 U	0.00E+00	1.0 U	0.00E+00	1.0 U	0.00E+00	4.0 U	0.00E+00	1.57E-03	51.54		
11/28/2016		42571	11521	160	1.1 U	0.00E+00	1.1 U	0.00E+00	4.5 U	0.00E+00	1.1 U	0.00E+00	1.1 U													

Table 4.2
Cell 2 - Phase 1 SVE System Effluent Data
December 2009 - September 2017
Hamilton Sundstrand Corporation
Plants 1/2 Facility
Rockford, Illinois

CELL 2 SVE EFFLUENT																				
Date	Sample Type	SVE Run Time (hr)	Cell 2 Run Time (hr)	SVE Flow Rate (scfm)	1,1,1-Trichloroethane		1,1,2-Trichloroethane		1,1-Dichloroethane		1,2-Dichloroethane		1,1-Dichloroethene		cis-1,2-Dichloroethene		trans-1,2-Dichloroethene		Tetrachloroethene	
					Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)		
12/11/2009	Dup	178	59	150	40000	1.24E-01	86 U	0.00E+00	21000	4.83E-02	86 U	0.00E+00	4500	1.01E-02	25000	5.64E-02	86 U	0.00E+00	1500	5.78E-03
12/15/2009		205	68	140	27000	7.82E-02	110 U	0.00E+00	14000	3.01E-02	110 U	0.00E+00	3100	6.52E-03	16000	3.37E-02	110 U	0.00E+00	950	3.42E-03
12/29/2009		539	180	140	24000	6.95E-02	100 U	0.00E+00	9100	1.95E-02	100 U	0.00E+00	2100	4.42E-03	9200	1.94E-02	100 U	0.00E+00	1000	3.60E-03
1/13/2010		903	301	150	9100	2.82E-02	35 U	0.00E+00	3700	8.52E-03	35 U	0.00E+00	880	1.98E-03	3200	7.21E-03	35 U	0.00E+00	610	2.35E-03
1/27/2010		1224	408	150	13000	4.03E-02	40 U	0.00E+00	4300	9.90E-02	40 U	0.00E+00	1100	2.48E-03	3900	8.79E-03	40 U	0.00E+00	600	2.31E-03
1/27/2010		1224	408	150	14000	4.34E-02	40 U	0.00E+00	4800	1.10E-02	40 U	0.00E+00	1200	2.71E-03	4400	9.92E-03	40 U	0.00E+00	630	2.43E-03
2/24/2010		1893	631	150	8000	2.48E-02	22 U	0.00E+00	3000	6.90E-03	22 U	0.00E+00	520	1.17E-03	2300	5.19E-03	22 U	0.00E+00	200	7.71E-04
3/15/2010		2345	782	140	17000	4.92E-02	48 U	0.00E+00	8000	1.72E-02	48 U	0.00E+00	1100	2.31E-03	6300	1.33E-02	48 U	0.00E+00	860	3.10E-03
4/14/2010		2804	935	150	8400	2.61E-02	23 U	0.00E+00	2200	5.06E-03	23 U	0.00E+00	480	1.08E-03	2000	4.51E-03	23 U	0.00E+00	1300	5.01E-03
5/13/2010		3495	1165	140	8000	2.32E-02	11 U	0.00E+00	3100	6.66E-03	11 U	0.00E+00	480	1.01E-03	2800	5.89E-03	11 U	0.00E+00	380	1.37E-03
6/21/2010		4430	1477	108	5800	1.30E-02	23 U	0.00E+00	3000 J	4.97E-03	23 U	0.00E+00	360 J	5.84E-04	2100	3.41E-03	23 U	0.00E+00	300	8.33E-04
7/21/2010		5058	1686	140	4500	1.30E-02	14 U	0.00E+00	1600	3.44E-03	14 U	0.00E+00	280	5.89E-04	1200	2.53E-03	14 U	0.00E+00	260	9.36E-04
8/23/2010		5784	1928	0	7100	0.00E+00	20 U	0.00E+00	2700	0.00E+00	20 U	0.00E+00	290	0.00E+00	1400	0.00E+00	20 U	0.00E+00	620	0.00E+00
9/23/2010		6523	2174	145	4300	1.29E-02	12 U	0.00E+00	1600	3.56E-03	12 U	0.00E+00	270	5.88E-04	940	2.05E-03	12 U	0.00E+00	290	1.08E-03
10/22/2010		7219	2406	140	2500	7.24E-03	10 U	0.00E+00	890	1.91E-03	10 U	0.00E+00	110	2.31E-04	470	9.89E-04	10 U	0.00E+00	180	6.48E-04
11/15/2010		7794	2598	140	3200	9.27E-03	11 U	0.00E+00	1100	2.36E-03	11 U	0.00E+00	130	2.74E-04	440	9.26E-04	11 U	0.00E+00	120	4.32E-04
12/22/2010		8508	2955	150	4000	1.24E-02	14 U	0.00E+00	1500	3.45E-03	14 U	0.00E+00	240	5.41E-04	730	1.65E-03	14 U	0.00E+00	72	2.78E-04
1/24/2011		9302	3352	170	780	2.74E-03	2.7 U	0.00E+00	800	2.09E-03	2.7 U	0.00E+00	22	5.62E-05	390	9.96E-04	2.7 U	0.00E+00	26	1.14E-04
2/25/2011		10071	3737	165	1500	5.12E-03	4.0 U	0.00E+00	1100	2.78E-03	4.0 U	0.00E+00	44	1.09E-04	560	1.39E-03	4.0 U	0.00E+00	32	1.36E-04
3/18/2011		10573	3988	165	370	1.26E-03	1.0 U	0.00E+00	160	4.05E-04	1.0 U	0.00E+00	11	2.73E-05	62	1.54E-04	1.0 U	0.00E+00	19	8.06E-05
4/15/2011		11241	4322	160	300 J,B	9.93E-04	1.0 U	0.00E+00	95	2.33E-04	1.0 U	0.00E+00	12	2.89E-05	41	9.86E-05	1.0 U	0.00E+00	20	8.23E-05
5/19/2011		12061	4732	160	93	3.08E-04	1.1 U	0.00E+00	39	9.57E-05	1.1 U	0.00E+00	3.5	8.42E-06	21	5.05E-05	1.1 U	0.00E+00	14	5.76E-05
6/16/2011		12722	5062	170	99	3.48E-04	1.2 U	0.00E+00	48	1.25E-04	1.2 U	0.00E+00	2.4	6.13E-06	21	5.37E-05	1.2 U	0.00E+00	30	1.31E-04
7/15/2011		13417	4472	170	77	2.71E-04	1.2 U	0.00E+00	25	6.52E-05	1.2 U	0.00E+00	1.7	4.34E-06	18	4.60E-05	1.2 U	0.00E+00	30	1.31E-04
8/22/2011		14324	4775	170	78	2.74E-04	1.2 U	0.00E+00	31	8.09E-05	1.2 U	0.00E+00	1.2	3.07E-06	17	4.34E-05	1.2 U	0.00E+00	54	2.36E-04
9/15/2011		14905	4968	170	69	2.43E-04	1.1 U	0.00E+00	20	5.22E-05	1.1 U	0.00E+00	1.1 U	0.00E+00	12	3.07E-05	1.1 U	0.00E+00	32	1.40E-04
10/14/2011		15598	5199	160	43	1.42E-04	0.82 U	0.00E+00	12	2.95E-05	0.82 U	0.00E+00	0.82 U	0.00E+00	6.3	1.52E-05	0.82 U	0.00E+00	8.4	3.46E-05
11/21/2011		16510	5503	170	28 J,B	9.85E-05	1.6 U	0.00E+00	7.7	2.01E-05	1.6 U	0.00E+00	1.6 U	0.00E+00	4.1	1.05E-05	1.6 U	0.00E+00	7	3.06E-05
12/14/2																				

Table 4.2
Cell 2 - Phase 1 SVE System Effluent Data
December 2009 - September 2017
Hamilton Sundstrand Corporation
Plants 1/2 Facility
Rockford, Illinois

CELL 2 SVE EFFLUENT																				
Date	Sample Type	SVE Run Time (hr)	Cell 2 Run Time (hr)	SVE Flow Rate (scfm)	Trichloroethene		Vinyl chloride		Methylene Chloride		Carbon Tetrachloride		Chloroform		Chloroethane		Benzene		Toluene	
					Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)
12/11/2009	Dup	178	59	150	330	1.01E-03	4400	6.40E-03	86 U	0.00E+00	86 U	0.00E+00	86 U	0.00E+00	210	3.15E-04	86 U	0.00E+00	200	4.29E-04
12/15/2009		205	68	140	240	6.84E-04	3500	4.75E-03	110 U	0.00E+00	110 U	0.00E+00	110 U	0.00E+00	370	5.18E-04	110 U	0.00E+00	140	2.80E-04
12/29/2009		539	180	140	240	6.84E-04	1500	2.03E-03	100 U	0.00E+00	100 U	0.00E+00	100 U	0.00E+00	120	1.68E-04	100 U	0.00E+00	100 U	0.00E+00
1/13/2010		903	301	150	130	3.97E-04	250	3.63E-04	35 U	0.00E+00	35 U	0.00E+00	35 U	0.00E+00	170	2.55E-04	35 U	0.00E+00	35 U	0.00E+00
1/27/2010		1224	408	150	150	4.58E-04	200	2.91E-04	40 U	0.00E+00	40 U	0.00E+00	40 U	0.00E+00	120	1.80E-04	40 U	0.00E+00	40 U	0.00E+00
1/27/2010		1224	408	150	180	5.50E-04	240	3.49E-04	40 U	0.00E+00	40 U	0.00E+00	40 U	0.00E+00	130	1.95E-04	40 U	0.00E+00	40 U	0.00E+00
2/24/2010		1893	631	150	98	2.99E-04	73	1.06E-04	22 U	0.00E+00	22 U	0.00E+00	22 U	0.00E+00	38	5.70E-05	22 U	0.00E+00	22 U	0.00E+00
3/15/2010		2345	782	140	210	5.99E-04	62	8.41E-05	48 U	0.00E+00	48 U	0.00E+00	48 U	0.00E+00	180	2.52E-04	48 U	0.00E+00	48 U	0.00E+00
4/14/2010		2804	935	150	190	5.81E-04	69	1.00E-04	23 U	0.00E+00	23 U	0.00E+00	23 U	0.00E+00	23	0.00E+00	23 U	0.00E+00	23 U	0.00E+00
5/13/2010		3495	1165	140	78	2.22E-04	42	5.70E-05	11 U	0.00E+00	11 U	0.00E+00	11 U	0.00E+00	20	2.80E-05	11 U	0.00E+00	11 U	0.00E+00
6/21/2010		4430	1477	108	88	1.94E-04	23 U	0.00E+00	23 U	0.00E+00	23 U	0.00E+00	23 U	0.00E+00	33 J	3.56E-05	23 U	0.00E+00	23 U	0.00E+00
7/21/2010		5058	1686	140	80	2.28E-04	14 U	0.00E+00	14 U	0.00E+00	14 U	0.00E+00	14 U	0.00E+00	14 U	0.00E+00	14 U	0.00E+00	14 U	0.00E+00
8/23/2010		5784	1928	0	150	0.00E+00	20 U	0.00E+00	20 U	0.00E+00	20 U	0.00E+00	20 U	0.00E+00	21	0.00E+00	20 U	0.00E+00	20 U	0.00E+00
9/23/2010		6523	2174	145	74	2.19E-04	12	1.69E-05	12 U	0.00E+00	12 U	0.00E+00	12 U	0.00E+00	12 U	0.00E+00	12 U	0.00E+00	12 U	0.00E+00
10/22/2010		7219	2406	140	42	1.20E-04	10 U	0.00E+00	10 U	0.00E+00	10 U	0.00E+00	10 U	0.00E+00	10 U	0.00E+00	10 U	0.00E+00	10 U	0.00E+00
11/15/2010		7794	2598	140	35	9.98E-05	11 U	0.00E+00	11 U	0.00E+00	11 U	0.00E+00	11 U	0.00E+00	11 U	0.00E+00	11 U	0.00E+00	11 U	0.00E+00
12/22/2010		8508	2955	150	27	8.25E-05	14 U	0.00E+00	14 U	0.00E+00	14 U	0.00E+00	14 U	0.00E+00	14 U	0.00E+00	14 U	0.00E+00	14 U	0.00E+00
1/24/2011		9302	3352	170	9	3.12E-05	2.7 U	0.00E+00	2.7 U	0.00E+00	2.7 U	0.00E+00	2.7 U	0.00E+00	2.7 U	0.00E+00	2.7 U	0.00E+00	3.1	7.53E-06
2/25/2011		10071	3737	165	15	5.04E-05	4.0 U	0.00E+00	4.0 U	0.00E+00	4.0 U	0.00E+00	4.0 U	0.00E+00	16 U	0.00E+00	4.0 U	0.00E+00	4.0 U	0.00E+00
3/18/2011		10573	3988	165	7.3	2.45E-05	1.0 U	0.00E+00	1.0 U	0.00E+00	1.0 U	0.00E+00	1.0 U	0.00E+00	4.0 U	0.00E+00	1.0 U	0.00E+00	1.0 U	0.00E+00
4/15/2011		11241	4322	160	8.5	2.77E-05	1.0 U	0.00E+00	1.0 U	0.00E+00	1.0 U	0.00E+00	1.0 U	0.00E+00	4.1 U	0.00E+00	1.0 U	0.00E+00	1.0 U	0.00E+00
5/19/2011		12061	4732	160	11	3.59E-05	1.1 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	4.5 U	0.00E+00	8.1	1.57E-05	1.1 U	0.00E+00
6/16/2011		12722	5062	170	15	5.19E-05	1.2 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	4.7 U	0.00E+00	1.9	3.91E-06	1.2 U	0.00E+00
7/15/2011		13417	4472	170	21	7.27E-05	1.2 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	4.6 U	0.00E+00	5.3	1.09E-05	1.2 U	0.00E+00
8/22/2011		14324	4775	170	22	7.62E-05	1.2 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	4.7 U	0.00E+00	1.6	3.29E-06	1.2 U	0.00E+00
9/15/2011		14905	4968	170	18	6.23E-05	1.1 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	4.5 U	0.00E+00	4.6	9.47E-06	1.1 U	0.00E+00
10/14/2011		15598	5199	160	9.1	2.97E-05	0.82 U	0.00E+00	0.82 U	0.00E+00	0.82 U	0.00E+00	0.82 U	0.00E+00	3.3 U	0.00E+00	0.82 U	0.00E+00	0.82 U	0.00E+00
11/21/2011		16510	5503	170	5.1	1.77E-05	1.6 U	0.00E+00	1.6 U	0.00E+00	1.6 U	0.00E+00	1.6 U	0.00E+00	6.4 U	0.00E+00	1.6 U	0.00E+00	1.6 U	0.00E+00
12/14/2011		17010	5670	170	3.4	1.18E-														

Table 4.2
Cell 2 - Phase 1 SVE System Effluent Data
December 2009 - September 2017
Hamilton Sundstrand Corporation
Plants 1/2 Facility
Rockford, Illinois

CELL 2 SVE EFFLUENT

Date	Sample Type	SVE Run Time (hr)	Cell 2 Run Time (hr)	SVE Flow Rate (scfm)	Ethylbenzene		m&p-Xylenes		o-Xylenes		Acetone		Methyl Ethyl Ketone (MEK)		Mass Removal Rate (lb/hr)	Cumulative Mass Removal (lb)
					Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)		
12/11/2009		178	59	150	86 U	0.00E+00	240	5.93E-04	110	2.72E-04	340 U	0.00E+00	86 U	0.00E+00	2.54E-01	15.05
12/15/2009		205	68	140	110 U	0.00E+00	230	5.30E-04	110 U	0.00E+00	430 U	0.00E+00	110 U	0.00E+00	1.59E-01	16.48
12/29/2009		539	180	140	100 U	0.00E+00	100 U	0.00E+00	100 U	0.00E+00	420 U	0.00E+00	100 U	0.00E+00	1.19E-01	29.76
1/13/2010		903	301	150	35 U	0.00E+00	35 U	0.00E+00	40 U	0.00E+00	140 U	0.00E+00	35 U	0.00E+00	4.93E-02	35.75
1/27/2010		1224	408	150	40 U	0.00E+00	40 U	0.00E+00	40 U	0.00E+00	160 U	0.00E+00	40 U	0.00E+00	6.47E-02	42.68
1/27/2010	Dup	1224	408	150	40 U	0.00E+00	40 U	0.00E+00	40 U	0.00E+00	160 U	0.00E+00	40 U	0.00E+00	7.06E-02	43.31
2/24/2010		1893	631	150	22 U	0.00E+00	22 U	0.00E+00	22 U	0.00E+00	87 U	0.00E+00	22 U	0.00E+00	3.93E-02	51.44
3/15/2010		2345	782	140	48 U	0.00E+00	48 U	0.00E+00	48 U	0.00E+00	190 U	0.00E+00	48 U	0.00E+00	8.60E-02	64.40
4/14/2010		2804	935	150	23 U	0.00E+00	23 U	0.00E+00	23 U	0.00E+00	92 U	0.00E+00	23 U	0.00E+00	4.24E-02	70.89
5/13/2010		3495	1165	140	11 U	0.00E+00	11 U	0.00E+00	11 U	0.00E+00	43 U	0.00E+00	11 U	0.00E+00	3.84E-02	79.74
6/21/2010		4430	1477	108	23 U	0.00E+00	23 U	0.00E+00	23 U	0.00E+00	92 U	0.00E+00	23 U	0.00E+00	2.30E-02	86.90
7/21/2010		5058	1686	140	14 U	0.00E+00	14 U	0.00E+00	14 U	0.00E+00	58 U	0.00E+00	14 U	0.00E+00	2.07E-02	91.24
8/23/2010		5784	1928	0	20 U	0.00E+00	20 U	0.00E+00	20 U	0.00E+00	81 U	0.00E+00	20 U	0.00E+00	0.00E+00	91.24
9/23/2010		6523	2174	145	12 U	0.00E+00	12 U	0.00E+00	12 U	0.00E+00	47 U	0.00E+00	12 U	0.00E+00	2.04E-02	96.27
10/22/2010		7219	2406	140	10 U	0.00E+00	10 U	0.00E+00	10 U	0.00E+00	42 U	0.00E+00	10 U	0.00E+00	1.11E-02	98.85
11/15/2010		7794	2598	140	11 U	0.00E+00	11 U	0.00E+00	11 U	0.00E+00	44 U	0.00E+00	11 U	0.00E+00	1.34E-02	101.41
12/22/2010		8508	2955	150	14 U	0.00E+00	14 U	0.00E+00	14 U	0.00E+00	56 U	0.00E+00	14 U	0.00E+00	1.84E-02	107.99
1/24/2011		9302	3352	170	2.7 U	0.00E+00	2.7 U	0.00E+00	2.7 U	0.00E+00	11 U	0.00E+00	11	2.09E-05	6.06E-03	110.39
2/25/2011		10071	3737	165	4.0 U	0.00E+00	4.0 U	0.00E+00	4.0 U	0.00E+00	16 U	0.00E+00	16 U	0.00E+00	9.59E-03	114.08
3/18/2011		10573	3988	165	1.0 U	0.00E+00	1.0 U	0.00E+00	1.0 U	0.00E+00	15	2.23E-05	4.0 U	0.00E+00	1.98E-03	114.57
4/15/2011		11241	4322	160	1.0 U	0.00E+00	1.0 U	0.00E+00	1.0 U	0.00E+00	8.2 J,B	1.18E-05	4.1 U	0.00E+00	1.48E-03	115.07
5/19/2011		12061	4732	160	1.1 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	11	1.58E-05	4.5 U	0.00E+00	5.87E-04	115.31
6/16/2011		12722	5062	170	1.2 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	19	2.91E-05	4.7 U	0.00E+00	7.49E-04	115.55
7/15/2011		13417	4472	170	1.2 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	19	2.91E-05	4.6 U	0.00E+00	6.30E-04	115.18
8/22/2011		14324	4775	170	1.2 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	6.8 J,B	1.04E-05	4.7 U	0.00E+00	7.28E-04	115.40
9/15/2011		14905	4968	170	1.1 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	11	1.68E-05	4.5 U	0.00E+00	5.54E-04	115.51
10/14/2011		15598	5199	160	0.82 U	0.00E+00	0.82 U	0.00E+00	0.82 U	0.00E+00	5	7.20E-06	3.3 U	0.00E+00	2.58E-04	115.57
11/21/2011		16510	5503	170	1.6 U	0.00E+00	1.6 U	0.00E+00	1.6 U	0.00E+00	6.4 UJ	0.00E+00	6.4 U	0.00E+00	1.77E-04	115.62
12/14/2011		17010	5670	170	0.76 U	0.00E+00	0.76 U	0.00E+00	0.76 U	0.00E+00	7.6 UJ	0.00E+00	3.0 U	0.00E+00	1.65E-04	115.65
1/19/2012		17923	5974	170	0.79	2.21E-06	1.5	4.20E-06	1.1	3.08E-06	14	2.14E-05	3.0 U	0.00E+00	1.80E-04	115.71
2/15/2012		18566	6189	170	0.73 U	0.00E+00	0.73 U	0.00E+00	0.73 U	0.00E+00	7.9	1.21E-05	2.9 U	0.00E+00	1.83E-04	115.74
3/15/2012		19262	6421	170	0.71 U	0.00E+00	0.71 U	0.00E+00	0.71 U	0.00E+00	8.9	1.36E-05	2.8 U	0.00E+00	1.75E-04	115.79
4/19/2012		20102	6701	160	0.76 U	0.00E+00	0.76 U	0.00E+00	0.76 U	0.00E+00	3.0 U	0.00E+00	3.0 U	0.00E+00	1.88E-04	115.84
5/16/2012		20748	6916	160	0.78 U	0.00E+00	0.78 U	0.00E+00	0.78 U	0.00E+00	3.1 U	0.00E+00	3.1 U	0.00E+00	1.94E-04	115.88
Pulse-off period June 1, 2012 to August 14, 2012																
8/14/2012		21282	7094	160	1.3 U	0.00E+00	1.3 U	0.00E+00	1.3 U	0.00E+00	21	3.03E-05	5.3 U	0.00E+00	1.79E-03	116.20
9/17/2012		21952	7317	160	1.1 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	11 U	0.00E+00	4.3 U	0.00E+00	8.85E-04	116.40
Pulse-off period September 17, 2012 to November 15, 2012 </td																

Table 4.2
Cell 2 - Phase 1 SVE System Effluent Data
December 2009 - September 2017
Hamilton Sundstrand Corporation
Plants 1/2 Facility
Rockford, Illinois

CELL 2 SVE EFFLUENT																				
Date	Sample Type	SVE Run Time (hr)	Cell 2 Run Time (hr)	SVE Flow Rate (scfm)	1,1,1-Trichloroethane		1,1,2-Trichloroethane		1,1-Dichloroethane		1,2-Dichloroethane		1,1-Dichloroethene		cis-1,2-Dichloroethene		trans-1,2-Dichloroethene		Tetrachloroethene	
					Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)		
Pulse -off period March 14, 2014 to May 15, 2014																				
5/15/2014		29914	8990	160	240	7.94E-04	1.1 U	0.00E+00	99	2.43E-04	1.1 U	0.00E+00	4.8	1.15E-05	7.8	1.88E-05	1.1 U	0.00E+00	14	5.76E-05
7/23/2014		31567	9321	160	89	2.95E-04	1.2 U	0.00E+00	20	4.91E-05	1.2 U	0.00E+00	1.8	4.33E-06	3.7	8.90E-06	1.2 U	0.00E+00	11	4.52E-05
Pulse -off period July 23, 2014 to September 16, 2014																				
9/16/2014		32432	9494	160	310	1.03E-03	2.1 U	0.00E+00	120	2.95E-04	2.1 U	0.00E+00	3.9	9.38E-06	6	1.44E-05	2.1 U	0.00E+00	19	7.82E-05
11/14/2014		33847	9777	160	42	1.39E-04	1.1 U	0.00E+00	7.8	1.91E-05	1.1 U	0.00E+00	1.1 U	0.00E+00	1.6	3.85E-06	1.1 U	0.00E+00	11	4.52E-05
Pulse -off period November 14, 2014 to January 9, 2015																				
1/9/2015		33855	9778	160	210	6.95E-04	1.2 U	0.00E+00	69	1.69E-04	1.2 U	0.00E+00	3.7	8.90E-06	3.4	8.18E-06	1.2 U	0.00E+00	8.2	3.37E-05
3/13/2015		35189	10045	160	18	5.96E-05	1.3 U	0.00E+00	5.4	1.33E-05	1.3 U	0.00E+00	1.3 U	0.00E+00	1.3 U	0.00E+00	1.3 U	0.00E+00	3.5	1.44E-05
Pulse -off period March 13, 2015 to May 15, 2015																				
5/15/2015		35194	10046	160	240	7.94E-04	1.2 U	0.00E+00	76	1.87E-04	1.2 U	0.00E+00	3.0	7.21E-06	3.5	8.42E-06	1.2 U	0.00E+00	8.2	3.37E-05
7/16/2015		36677	10343	160	64	2.12E-04	1.2 U	0.00E+00	17	4.17E-05	1.2 U	0.00E+00	1.7	4.09E-06	4.2	1.01E-05	1.2 U	0.00E+00	8.6	3.54E-05
Pulse -off period July 16, 2015 to September 22, 2015																				
9/22/2015		36680	10343	160	450	1.49E-03	1.1 U	0.00E+00	210	5.16E-04	1.1 U	0.00E+00	3.4	8.18E-06	9.6	2.31E-05	1.1 U	0.00E+00	28	1.15E-04
11/20/2015		38094	10626	160	43	1.42E-04	1.2 U	0.00E+00	12	2.95E-05	1.2 U	0.00E+00	1.2 U	0.00E+00	1.5	3.61E-06	1.2 U	0.00E+00	14	5.76E-05
Pulse -off period November 20, 2015 to January 19, 2016																				
1/19/2016		38101	10627	160	260	8.60E-04	1.1 U	0.00E+00	89	2.18E-04	1.1 U	0.00E+00	2.5	6.01E-06	3.2	7.70E-06	1.1 U	0.00E+00	14	5.76E-05
3/18/2016		39377	10883	160	23	7.61E-05	1.1 U	0.00E+00	9.5	2.33E-05	1.1 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	3.6	1.48E-05
Pulse -off period March 18, 2016 to May 19, 2016																				
5/19/2016		39382	10884	160	210	6.95E-04	1.2 U	0.00E+00	96	2.36E-04	1.2 U	0.00E+00	2.7	6.49E-06	3.1	7.46E-06	1.2 U	0.00E+00	7	2.88E-05
7/22/2016		40915	11190	160	33	1.09E-04	1.2 U	0.00E+00	13	3.19E-05	1.2 U	0.00E+00	1.2 U	0.00E+00	3.8	9.14E-06	1.2 U	0.00E+00	19	7.82E-05
Pulse -off period July 22, 2016 to September 20, 2016																				
9/20/2016		40918	11191	160	280	9.27E-04	1.2 U	0.00E+00	150	3.68E-04	1.2 U	0.00E+00	3.2	7.70E-06	6.9	1.66E-05	1.2 U	0.00E+00	32	1.32E-04
11/28/2016		42571	11521	160	26	8.60E-05	1.1 U	0.00E+00	12	2.95E-05	1.1 U	0.00E+00	1.1 U	0.00E+00	2.3	5.53E-06	1.1 U	0.00E+00	20	8.23E-05
Pulse -off period November 28, 2016 to January 24, 2017																				
1/24/2017		42575	11522	170	150	5.27E-04	1.1 U	0.00E+00	78	2.03E-04	1.1 U	0.00E+00	2.2	5.62E-06	2.6	6.64E-06	1.1 U	0.00E+00	23	1.01E-04
3/23/2017		43840	11775	160	27	8.93E-05	1.1 U	0.00E+00	11	2.70E-05	1.1 U	0.00E+00	1.1 U	0.00E+00	2.1	5.05E-06	1.1 U	0.00E+00	5.2	2.14E-05
Pulse -off period March 23, 2017 to May 15, 2017																				
5/15/2017		43846	11776	160	150	4.96E-04	1.2 U	0.00E+00	77	1.89E-04	1.2 U	0.00E+00	2.1	5.05E-06	3.4	8.18E-06	1.2 U	0.00E+00	12	4.94E-05
7/20/2017		45423	12092	170	24	8.44E-05	1.2 U	0.00E+00	13	3.39E-05	1.2 U	0.00E+00	1.2 U	0.00E+00	1.3	3.32E-06	1.2 U	0.00E+00		

Table 4.2
Cell 2 - Phase 1 SVE System Effluent Data
December 2009 - September 2017
Hamilton Sundstrand Corporation
Plants 1/2 Facility
Rockford, Illinois

CELL 2 SVE EFFLUENT																				
Date	Sample Type	SVE Run Time (hr)	Cell 2 Run Time (hr)	SVE Flow Rate (scfm)	Trichloroethene		Vinyl chloride		Methylene Chloride		Carbon Tetrachloride		Chloroform		Chloroethane		Benzene		Toluene	
					Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)
Pulse-off period March 14, 2014 to May 15, 2014																				
5/15/2014		29914	8990	160	6.6	2.15E-05	1.1 U	0.00E+00	11 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	16	2.56E-05	1.1 U	0.00E+00	1.1 U	0.00E+00
7/23/2014		31567	9321	160	19	6.19E-05	1.2 U	0.00E+00	12 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	4.6 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00
Pulse-off period July 23, 2014 to September 16, 2014																				
9/16/2014		32432	9494	160	26	8.47E-05	2.1 U	0.00E+00	21 U	0.00E+00	2.1 U	0.00E+00	2.1 U	0.00E+00	8.3 U	0.00E+00	3.5	6.78E-06	2.1 U	0.00E+00
11/14/2014		33847	9777	160	7.3	2.38E-05	1.1 U	0.00E+00	11 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	4.6 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00
Pulse-off period November 14, 2014 to January 9, 2015																				
1/9/2015		33855	9778	160	9.3	3.03E-05	1.2 U	0.00E+00	12 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	4.8 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00
3/13/2015		35189	10045	160	3.0	9.78E-06	1.3 U	0.00E+00	13 U	0.00E+00	1.3 U	0.00E+00	1.3 U	0.00E+00	5.0 U	0.00E+00	1.3 U	0.00E+00	1.3 U	0.00E+00
Pulse-off period March 13, 2015 to May 15, 2015																				
5/15/2015		35194	10046	160	5.4	1.76E-05	1.2 U	0.00E+00	12 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	7.0	1.12E-05	1.2 U	0.00E+00	1.2 U	0.00E+00
7/16/2015		36677	10343	160	18.0	5.87E-05	1.2 U	0.00E+00	12 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	4.6 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00
Pulse-off period July 16, 2015 to September 22, 2015																				
9/22/2015		36680	10343	160	30	9.78E-05	1.1 U	0.00E+00	11 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	4.5 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00
11/20/2015		38094	10626	160	9.7	3.16E-05	1.2 U	0.00E+00	12 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	4.6 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00
Pulse-off period November 20, 2015 to January 19, 2016																				
1/19/2016		38101	10627	160	8.5	2.77E-05	1.1 U	0.00E+00	11 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	4.3 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00
3/18/2016		39377	10883	160	3	9.78E-06	1.1 U	0.00E+00	11 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	4.5 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00
Pulse-off period March 18, 2016 to May 19, 2016																				
5/19/2016		39382	10884	160	4.2	1.37E-05	1.2 U	0.00E+00	12 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	4.7 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00
7/22/2016		40915	11190	160	14	4.56E-05	1.2 U	0.00E+00	12 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	4.7 U	0.00E+00	1.5	2.91E-06	1.2 U	0.00E+00
Pulse-off period July 22, 2016 to September 20, 2016																				
9/20/2016		40918	11191	160	20	6.52E-05	1.2 U	0.00E+00	12 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	4.7 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00
11/28/2016		42571	11521	160	8.9	2.90E-05	1.1 U	0.00E+00	11 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	4.6 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00
Pulse-off period November 28, 2016 to January 24, 2017																				
1/24/2017		42575	11522	170	8.7	3.01E-05	1.1 U	0.00E+00	11 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	4.3 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00
3/23/2017		43840	11775	160	5.6	1.83E-05	1.1 U	0.00E+00	11 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	4.4 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00
Pulse-off period March 23, 2017 to May 15, 2017																				
5/15/2017		43846	11776	160	7.4	2.41E-05	1.2 U	0.00E+00	12 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	4.9 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00
7/20/2017		45423	12092	170	18	6.23E-05	1.2 U	0.00E+00	12 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	4.7 U	0.00E+00				

Table 4.2
Cell 2 - Phase 1 SVE System Effluent Data
December 2009 - September 2017
Hamilton Sundstrand Corporation
Plants 1/2 Facility
Rockford, Illinois

CELL 2 SVE EFFLUENT

Date	Sample Type	SVE Run Time (hr)	Cell 2 Run Time (hr)	SVE Flow Rate (scfm)	Ethylbenzene		m&p-Xylenes		o-Xylenes		Acetone		Methyl Ethyl Ketone (MEK)		Mass Removal Rate (lb/hr)	Cumulative Mass Removal (lb)
					Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)		
Pulse-off period March 14, 2014 to May 15, 2014																
5/15/2014		29914	8990	160	1.1 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	25	3.60E-05	11 U	0.00E+00	1.21E-03	117.64
7/23/2014		31567	9321	160	1.2 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	12 U	0.00E+00	4.6 U	0.00E+00	4.64E-04	117.79
Pulse-off period July 23, 2014 to September 16, 2014																
9/16/2014		32432	9494	160	2.1 U	0.00E+00	2.1 U	0.00E+00	2.1 U	0.00E+00	21 U	0.00E+00	21 U	0.00E+00	1.51E-03	118.05
11/14/2014		33847	9777	160	1.1 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	11 U	0.00E+00	4.6 U	0.00E+00	2.31E-04	118.12
Pulse-off period November 14, 2014 to January 9, 2015																
1/9/2015		33855	9778	160	1.2 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	12 U	0.00E+00	4.8 U	0.00E+00	9.45E-04	118.12
3/13/2015		35189	10045	160	1.3 U	0.00E+00	1.3 U	0.00E+00	1.3 U	0.00E+00	13 U	0.00E+00	5.0 U	0.00E+00	9.70E-05	118.15
Pulse-off period March 13, 2015 to May 15, 2015																
5/15/2015		35194	10046	160	1.2 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	12 U	0.00E+00	4.6 U	0.00E+00	1.06E-03	118.15
7/16/2015		36677	10343	160	1.2 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	12 U	0.00E+00	4.6 U	0.00E+00	3.62E-04	118.25
Pulse-off period July 16, 2015 to September 22, 2015																
9/22/2015		36680	10343	160	1.1 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	11 U	0.00E+00	4.5 U	0.00E+00	2.25E-03	118.26
11/20/2015		38094	10626	160	1.2 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	12 U	0.00E+00	4.6 U	0.00E+00	2.65E-04	118.33
Pulse-off period November 20, 2015 to January 19, 2016																
1/19/2016		38101	10627	160	1.1 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	11 U	0.00E+00	4.3 U	0.00E+00	1.18E-03	118.33
3/18/2016		39377	10883	160	1.1 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	11 U	0.00E+00	4.5 U	0.00E+00	1.24E-04	118.36
Pulse-off period March 18, 2016 to May 19, 2016																
5/19/2016		39382	10884	160	1.2 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	12 U	0.00E+00	4.7 U	0.00E+00	9.87E-04	118.36
7/22/2016		40915	11190	160	1.2 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	12 U	0.00E+00	4.7 U	0.00E+00	2.77E-04	118.45
Pulse-off period July 22, 2016 to September 20, 2016																
9/20/2016		40918	11191	160	1.2 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	12 U	0.00E+00	4.7 U	0.00E+00	1.52E-03	118.45
11/28/2016		42571	11521	160	1.1 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	11 U	0.00E+00	4.6 U	0.00E+00	2.32E-04	118.53
Pulse-off period November 28, 2016 to January 24, 2017																
1/24/2017		42575	11522	170	1.1 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	11 U	0.00E+00	4.3 U	0.00E+00	8.74E-04	118.53
3/23/2017		43840	11775	160	1.1 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	11 U	0.00E+00	4.4 U	0.00E+00	1.61E-04	118.57
Pulse-off period March 23, 2017 to May 15, 2017																
5/15/2017		43846	11776	160	1.2 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	12	0.00E+00	4.9 U	0.00E+00	7.72E-04	118.57
7/20/2017		45423	12092	170	1.2 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	12 U	0.00E+00	4.7 U	0.00E+00	2.45E-04	118.65
Pulse-off period July 20, 2017 to September 14, 2017																
9/14/2017		45432	12094	160	1.1 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	11 U	0.00E+00	4.3 U	0.00E+00	1.84E-03	118.65

Notes:

Mass removal rate = (flow rate in scfm)(concentration in ppmv)(60)(MW) / (387*1000000)

"U" indicates non-detection at the specified reporting limit; for ND compounds, zero is used in mass removal calculations.

MW molecular weight (values from the U.S. National Library of Medicine)

SCFM standard cubic feet per minute

J Indicates estimated value.

B The analyte was detected in the method, field and/or trip blank.

When a duplicate sample was collected, the original sample results are used in the mass calculations.

Table 4.3
Cell 3 - Phase 1 SVE System Effluent Data
December 2009 - September 2017
Hamilton Sundstrand Corporation
Plants 1/2 Facility
Rockford, Illinois

CELL 3 SVE EFFLUENT																						
Date	Sample Type	SVE Run Time (hr)	Cell 3 Run Time (hr)	SVE Flow Rate (scfm)	1,1,1-Trichloroethane		1,1,2-Trichloroethane		1,1-Dichloroethane		1,2-Dichloroethane		1,1-Dichloroethene		cis-1,2-Dichloroethene		trans-1,2-Dichloroethene		Tetrachloroethene			
					Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)		
12/14/2009	Dup	181	60	140	94000	2.72E-01	270 U	0.00E+00	1100	2.36E-03	270 U	0.00E+00	2300	4.84E-03	8100	1.70E-02	270 U	0.00E+00	750	2.70E-03		
12/16/2009		229	75	150	46000	1.43E-01	110 U	0.00E+00	710	1.63E-03	110 U	0.00E+00	1100	2.48E-03	5500	1.24E-02	110 U	0.00E+00	400	1.54E-03		
1/5/2010		707	236	140	42000	1.22E-01	150 U	0.00E+00	290	6.23E-04	150 U	0.00E+00	980	2.06E-03	1500	3.16E-03	150 U	0.00E+00	240	8.64E-04		
1/21/2010		1084	361	150	15000	4.65E-02	42 U	0.00E+00	260	5.98E-04	42 U	0.00E+00	280	6.31E-04	1600	3.61E-03	42 U	0.00E+00	170	6.56E-04		
1/21/2010		1084	361	150	16000	4.96E-02	43 U	0.00E+00	280	6.44E-04	43 U	0.00E+00	290	6.54E-04	1700	3.83E-03	43 U	0.00E+00	170	6.56E-04		
2/24/2010		1893	631	150	11000	3.41E-02	28 U	0.00E+00	240	5.52E-04	28 U	0.00E+00	280	6.31E-04	1100	2.48E-03	28 U	0.00E+00	140	5.40E-04		
3/15/2010		2345	782	140	20000	5.79E-02	21 U	0.00E+00	400	8.59E-04	21 U	0.00E+00	510	1.07E-03	1900	4.00E-03	21 U	0.00E+00	280	1.01E-03		
4/14/2010		2804	935	150	31000	9.62E-02	100 U	0.00E+00	380	8.75E-04	100 U	0.00E+00	1100	2.48E-03	1200	2.71E-03	100 U	0.00E+00	820	3.16E-03		
5/13/2010		3495	1165	140	8300	2.40E-02	12 U	0.00E+00	220	4.73E-04	12 U	0.00E+00	190	4.00E-04	960	2.02E-03	12 U	0.00E+00	200	7.20E-04		
6/21/2010		4430	1477	108	7200	1.61E-02	21 U	0.00E+00	220	3.65E-04	21 U	0.00E+00	150	2.43E-04	660	1.07E-03	21 U	0.00E+00	160	4.44E-04		
7/21/2010		5058	1686	140	6100	1.77E-02	20 U	0.00E+00	120	2.58E-04	20 U	0.00E+00	130	2.74E-04	460	9.68E-04	20 U	0.00E+00	120	4.32E-04		
8/23/2010		5784	1928	0	8000	0.00E+00	20 U	0.00E+00	200	0.00E+00	20 U	0.00E+00	120	0.00E+00	490	0.00E+00	20 U	0.00E+00	220	0.00E+00		
9/23/2010		6523	2174	145	6600	1.98E-02	11 U	0.00E+00	140	3.11E-04	11 U	0.00E+00	140	3.05E-04	440	9.59E-04	11 U	0.00E+00	160	5.96E-04		
10/22/2010		7219	2406	140	3700	1.07E-02	14 U	0.00E+00	91	1.95E-04	14 U	0.00E+00	66	1.39E-04	210	4.42E-04	14 U	0.00E+00	110	3.96E-04		
11/15/2010		7794	2598	140	4600	1.33E-02	15 U	0.00E+00	120	2.58E-04	15 U	0.00E+00	64	1.35E-04	170	3.58E-04	15 U	0.00E+00	88	3.17E-04		
12/22/2010		8508	2777	150	5600	1.74E-02	20 U	0.00E+00	150	3.45E-04	20 U	0.00E+00	120	2.71E-04	330	7.44E-04	20 U	0.00E+00	56	2.16E-04		
1/24/2011		9302	2975	170	2200	7.74E-03	8.3 U	0.00E+00	130	3.39E-04	8.3 U	0.00E+00	27	6.90E-05	200	5.11E-04	8.3 U	0.00E+00	35	1.53E-04		
2/25/2011		10071	3167	165	1300	4.44E-03	4.0 U	0.00E+00	45	1.14E-04	4.0 U	0.00E+00	25	6.20E-05	72	1.79E-04	4.0 U	0.00E+00	28	1.19E-04		
3/18/2011		10573	3293	165	360	1.23E-03	1.3 U	0.00E+00	24	6.08E-05	1.3 U	0.00E+00	5.4	1.34E-05	35	8.68E-05	1.3 U	0.00E+00	13	5.51E-05		
4/15/2011		11241	3460	160	160 J,B	5.29E-04	1.0 U	0.00E+00	17	4.17E-05	1.0 U	0.00E+00	2.8	6.73E-06	28	6.73E-05	1.0 U	0.00E+00	15	6.17E-05		
5/19/2011		12061	3665	160	64	2.12E-04	1.2 U	0.00E+00	10	2.45E-05	1.2 U	0.00E+00	1.4	3.37E-06	12	2.89E-05	1.2 U	0.00E+00	9.6	3.95E-05		
6/16/2011		12722	3830	170	160	5.63E-04	1.2 U	0.00E+00	280	7.30E-04	1.2 U	0.00E+00	2.5	6.39E-06	34	8.69E-05	1.2 U	0.00E+00	61	2.67E-04		
7/15/2011		13417	4472	170	190	6.68E-04	1.2 U	0.00E+00	8.3	2.16E-05	1.2 U	0.00E+00	2.8	7.15E-06	23	5.88E-05	1.2 U	0.00E+00	22	9.62E-05		
8/22/2011		14324	4775	170	1600	5.63E-03	4.3 U	0.00E+00	19	4.96E-05	4.3 U	0.00E+00	21	5.37E-05	130	3.32E-04	4.3 U	0.00E+00	39	1.70E-04		
9/15/2011		14905	4968	170	800	2.81E-03	3.7 U	0.00E+00	9.5	2.48E-05	3.7 U	0.00E+00	12	3.07E-05	62	1.58E-04	3.7 U	0.00E+00	24	1.05E-04		
10/14/2011		15598	5199	160	750	2.48E-03	3.0 U	0.00E+00	10	2.45E-05	3.0 U	0.00E+00	13	3.13E-05	37	8.90E-05	3.0 U	0.00E+00	15	6.17E-05		
11/21/2011		16510	5503	170	380	1.34E-03	1.4 U	0.00E+00	6.6	1.72E-05	1.4 U	0.00E+00	5.6	1.43E-05	24	6.13E-05	1.4 U	0.00E+00	7.9	3.45E-05		
12/14/2011		17010	5670	170	830	2.92E-03	3.5 U	0.00E+00	8.7	2.27E-05	3.5 U	0.00E+00	70	1.79E-04	33	8.43E-05	3.5 U					

Table 4.3
Cell 3 - Phase 1 SVE System Effluent Data
December 2009 - September 2017
Hamilton Sundstrand Corporation
Plants 1/2 Facility
Rockford, Illinois

CELL 3 SVE EFFLUENT																								
Date	Sample Type	SVE Run Time (hr)	Cell 3 Run Time (hr)	SVE Flow Rate (scfm)	Trichloroethene		Vinyl chloride		Methylene Chloride		Carbon Tetrachloride		Chloroform		Chloroethane		Benzene		Toluene					
					Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)		
12/14/2009	Dup	181	60	140	1000	2.85E-03	270 U	0.00E+00	270 U	0.00E+00	270 U	0.00E+00	270 U	0.00E+00	270 U	0.00E+00	270 U	0.00E+00	270 U	0.00E+00	270 U	0.00E+00		
12/16/2009		229	76	150	550	1.68E-03	110 U	0.00E+00	110 U	0.00E+00	110 U	0.00E+00	110 U	0.00E+00	110 U	0.00E+00	110 U	0.00E+00	110 U	0.00E+00	110 U	0.00E+00		
1/5/2010		707	236	140	250	7.13E-04	150 U	0.00E+00	220	4.06E-04	150 U	0.00E+00	150 U	0.00E+00	150 U	0.00E+00	150 U	0.00E+00	150 U	0.00E+00	150 U	0.00E+00		
1/21/2010		1084	361	150	140	4.28E-04	42 U	0.00E+00	42 U	0.00E+00	42 U	0.00E+00	42 U	0.00E+00	42 U	0.00E+00	42 U	0.00E+00	42 U	0.00E+00	42 U	0.00E+00		
1/21/2010		1084	361	150	140	4.28E-04	43 U	0.00E+00	43 U	0.00E+00	43 U	0.00E+00	43 U	0.00E+00	43 U	0.00E+00	43 U	0.00E+00	43 U	0.00E+00	43 U	0.00E+00		
2/24/2010		1893	631	150	66	2.02E-04	28 U	0.00E+00	28 U	0.00E+00	28 U	0.00E+00	28 U	0.00E+00	28 U	0.00E+00	28 U	0.00E+00	28 U	0.00E+00	28 U	0.00E+00		
3/15/2010		2345	782	140	120	3.42E-04	51	6.92E-05	21 U	0.00E+00	21 U	0.00E+00	21 U	0.00E+00	21 U	0.00E+00	21 U	0.00E+00	21 U	0.00E+00	21 U	0.00E+00		
4/14/2010		2804	935	150	190	5.81E-04	100 U	0.00E+00	100 U	0.00E+00	100 U	0.00E+00	100 U	0.00E+00	100 U	0.00E+00	100 U	0.00E+00	100 U	0.00E+00	100 U	0.00E+00		
5/13/2010		3495	1165	140	43	1.23E-04	12 U	0.00E+00	12 U	0.00E+00	12 U	0.00E+00	12 U	0.00E+00	12 U	0.00E+00	12 U	0.00E+00	12 U	0.00E+00	12 U	0.00E+00		
6/21/2010		4430	1477	108	55	1.21E-04	21 U	0.00E+00	21 U	0.00E+00	21 U	0.00E+00	21 U	0.00E+00	21 U	0.00E+00	21 U	0.00E+00	21 U	0.00E+00	21 U	0.00E+00		
7/21/2010		5058	1686	140	44	1.25E-04	20 U	0.00E+00	20 U	0.00E+00	20 U	0.00E+00	20 U	0.00E+00	20 U	0.00E+00	20 U	0.00E+00	20 U	0.00E+00	20 U	0.00E+00		
8/23/2010		5784	1928	0	66	0.00E+00	20 U	0.00E+00	20 U	0.00E+00	20 U	0.00E+00	20 U	0.00E+00	20 U	0.00E+00	20 U	0.00E+00	20 U	0.00E+00	20 U	0.00E+00		
9/23/2010		6523	2174	145	50	1.48E-04	11 U	0.00E+00	11 U	0.00E+00	11 U	0.00E+00	11 U	0.00E+00	11 U	0.00E+00	11 U	0.00E+00	11 U	0.00E+00	11 U	0.00E+00		
10/22/2010		7219	2406	140	31	8.84E-05	14 U	0.00E+00	14 U	0.00E+00	14 U	0.00E+00	14 U	0.00E+00	14 U	0.00E+00	14 U	0.00E+00	14 U	0.00E+00	14 U	0.00E+00		
11/15/2010		7794	2598	140	29	8.27E-05	15 U	0.00E+00	15 U	0.00E+00	15 U	0.00E+00	15 U	0.00E+00	15 U	0.00E+00	15 U	0.00E+00	15 U	0.00E+00	15 U	0.00E+00		
12/22/2010		8508	2777	150	21	6.42E-05	20 U	0.00E+00	20 U	0.00E+00	20 U	0.00E+00	20 U	0.00E+00	20 U	0.00E+00	20 U	0.00E+00	20 U	0.00E+00	20 U	0.00E+00		
1/24/2011		9302	2975	170	17	5.89E-05	8.3 U	0.00E+00	8.3 U	0.00E+00	8.3 U	0.00E+00	8.3 U	0.00E+00	8.3 U	0.00E+00	8.3 U	0.00E+00	8.3 U	0.00E+00	8.3 U	0.00E+00		
2/25/2011		10071	3167	165	16	5.38E-05	4.0 U	0.00E+00	4.0 U	0.00E+00	4.0 U	0.00E+00	4.0 U	0.00E+00	4.0 U	0.00E+00	4.0 U	0.00E+00	4.0 U	0.00E+00	4.0 U	0.00E+00		
3/18/2011		10573	3293	165	5.9	1.98E-05	1.3 U	0.00E+00	1.3 U	0.00E+00	1.3 U	0.00E+00	1.3 U	0.00E+00	1.3 U	0.00E+00	1.9	3.80E-06	1.3 U	0.00E+00				
4/15/2011		11241	3460	160	7.7	2.51E-05	1.0 U	0.00E+00	1.0 U	0.00E+00	1.0 U	0.00E+00	1.0 U	0.00E+00	4.1 U	0.00E+00	2.6	5.04E-06	1.0 U	0.00E+00				
5/19/2011		12061	3665	160	6.9	2.25E-05	1.2 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	4.8 U	0.00E+00	1.9	3.68E-06	1.2 U	0.00E+00				
6/16/2011		12722	3830	170	9.8	3.39E-05	1.2 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	4.7 U	0.00E+00	1.6	3.29E-06	1.2 U	0.00E+00				
7/15/2011		13417	4472	170	9.3	3.22E-05	1.2 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	4.8 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00				
8/22/2011		14324	4775	170	21	7.27E-05	4.3 U	0.00E+00	4.3 U	0.00E+00	4.3 U	0.00E+00	4.3 U	0.00E+00	17 U	0.00E+00	4.3 U	0.00E+00	4.3 U	0.00E+00				
9/15/2011		14905	4968	170	14	4.85E-05	3.7 U	0.00E+00	3.7 U	0.00E+00	3.7 U	0.00E+00	3.7 U	0.00E+00	15 U	0.00E+00	4.1	8.44E-06	3.7 U	0.00E+00				
10/14/2011		15598	5199	160	13	4.24E-05	3.0 U	0.00E+00	3.0 U	0.00E+00	3.0 U	0.00E+00	3.0 U	0.00E+00	12 U	0.00E+00	3.0 U	0.00E+00	3.0 U	0.00E+00		</td		

Table 4.3
Cell 3 - Phase 1 SVE System Effluent Data
December 2009 - September 2017
Hamilton Sundstrand Corporation
Plants 1/2 Facility
Rockford, Illinois

CELL 3 SVE EFFLUENT																		
Date	Sample Type	SVE Run Time (hr)	Cell 3 Run Time (hr)	SVE Flow Rate (scfm)	Ethylbenzene		m&p-Xylenes		o-Xylenes		Acetone		Methyl Ethyl Ketone (MEK)		Mass Removal Rate (lb/hr)	Cumulative Mass Removal (lb)		
					Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)				
12/14/2009	Dup	181	60	140	270 U	0.00E+00	1600	3.69E-03	510	1.18E-03	1100 U	0.00E+00	270 U	0.00E+00	3.07E-01	18.51		
12/16/2009		229	76	150	110 U	0.00E+00	540	1.33E-03	240	5.93E-04	590	7.97E-04	110 U	0.00E+00	1.65E-01	21.16		
1/5/2010		707	236	140	150 U	0.00E+00	150 U	0.00E+00	150 U	0.00E+00	590 U	0.00E+00	150 U	0.00E+00	1.29E-01	41.78		
1/21/2010		1084	361	150	42 U	0.00E+00	42 U	0.00E+00	42 U	0.00E+00	170 U	0.00E+00	42 U	0.00E+00	5.25E-02	48.37		
1/21/2010		1084	361	150	43 U	0.00E+00	43 U	0.00E+00	43 U	0.00E+00	170 U	0.00E+00	43 U	0.00E+00	5.59E-02	48.80		
2/24/2010		1893	631	150	28 U	0.00E+00	28 U	0.00E+00	28 U	0.00E+00	110 U	0.00E+00	28 U	0.00E+00	3.85E-02	58.76		
3/15/2010		2345	782	140	21 U	0.00E+00	21 U	0.00E+00	21 U	0.00E+00	83 U	0.00E+00	21 U	0.00E+00	6.53E-02	68.60		
4/14/2010		2804	935	150	100 U	0.00E+00	100 U	0.00E+00	100 U	0.00E+00	420 U	0.00E+00	100 U	0.00E+00	1.06E-01	84.81		
5/13/2010		3495	1165	140	12 U	0.00E+00	12 U	0.00E+00	12 U	0.00E+00	48 U	0.00E+00	12 U	0.00E+00	2.78E-02	91.21		
6/21/2010		4430	1477	108	21 U	0.00E+00	21 U	0.00E+00	21 U	0.00E+00	83 U	0.00E+00	21 U	0.00E+00	1.83E-02	96.92		
7/21/2010		5058	1686	140	20 U	0.00E+00	20 U	0.00E+00	20 U	0.00E+00	79 U	0.00E+00	20 U	0.00E+00	1.97E-02	101.05		
8/23/2010		5784	1928	0	20 U	0.00E+00	20 U	0.00E+00	20 U	0.00E+00	81 U	0.00E+00	20 U	0.00E+00	0.00E+00	101.05		
9/23/2010		6523	2174	145	11 U	0.00E+00	11 U	0.00E+00	11 U	0.00E+00	43 U	0.00E+00	11 U	0.00E+00	2.21E-02	106.49		
10/22/2010		7219	2406	140	14 U	0.00E+00	14 U	0.00E+00	14 U	0.00E+00	55 U	0.00E+00	14 U	0.00E+00	1.20E-02	109.27		
11/15/2010		7794	2598	140	15 U	0.00E+00	15 U	0.00E+00	15 U	0.00E+00	59 U	0.00E+00	15 U	0.00E+00	1.45E-02	112.05		
12/22/2010		8508	2777	150	20 U	0.00E+00	20 U	0.00E+00	20 U	0.00E+00	82 U	0.00E+00	20 U	0.00E+00	1.90E-02	115.44		
1/24/2011		9302	2975	170	8.3 U	0.00E+00	8.3 U	0.00E+00	8.3 U	0.00E+00	33 U	0.00E+00	8.3 U	0.00E+00	8.87E-03	117.20		
2/25/2011		10071	3167	165	4.0 U	0.00E+00	4.0 U	0.00E+00	4.0 U	0.00E+00	16 U	0.00E+00	16 U	0.00E+00	4.96E-03	118.15		
3/18/2011		10573	3293	165	1.3 U	0.00E+00	1.3 U	0.00E+00	1.3 U	0.00E+00	10	1.49E-05	5.4 U	0.00E+00	1.48E-03	118.34		
4/15/2011		11241	3460	160	1.0 U	0.00E+00	1.0 U	0.00E+00	1.0 U	0.00E+00	7.3 J,B	1.05E-05	4.1 U	0.00E+00	7.48E-04	118.47		
5/19/2011		12061	3665	160	1.2 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	4.8 U	0.00E+00	4.8 U	0.00E+00	3.34E-04	118.53		
6/16/2011		12722	3830	170	1.2 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	6.8	1.04E-05	4.7 U	0.00E+00	1.70E-03	118.81		
7/15/2011		13417	4472	170	1.2 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	7.7	1.18E-05	4.8 U	0.00E+00	8.96E-04	119.39		
8/22/2011		14324	4775	170	4.3 U	0.00E+00	4.3 U	0.00E+00	4.3 U	0.00E+00	17 U	0.00E+00	17 U	0.00E+00	6.30E-03	121.30		
9/15/2011		14905	4968	170	3.7 U	0.00E+00	3.7 U	0.00E+00	3.7 U	0.00E+00	15 U	0.00E+00	15 U	0.00E+00	3.19E-03	121.91		
10/14/2011		15598	5199	160	3.0 U	0.00E+00	3.0 U	0.00E+00	3.0 U	0.00E+00	12 U	0.00E+00	12 U	0.00E+00	2.73E-03	122.54		
11/21/2011		16510	5503	170	1.4 U	0.00E+00	1.4 U	0.00E+00	1.4 U	0.00E+00	5.5 U	0.00E+00	5.5 U	0.00E+00	1.50E-03	123.00		
12/14/2011		17010	5670	170	3.5 U	0.00E+00	3.5 U	0.00E+00	3.5 U	0.00E+00	380 J	5.82E-04	58	1.10E-04	4.00E-03	123.67		
1/19/2012		17923	5974	170	3.0 U	0.00E+00	3.0 U	0.00E+00	3.0 U	0.00E+00	12 U	0.00E+00	12 U	0.00E+00	3.03E-03	124.59		
2/15/2012		18566	6189	170	4.5 U	0.00E+00	4.5 U	0.00E+00	4.5 U	0.00E+00	18 U	0.00E+00	18 U	0.00E+00	6.70E-03	126.03		
3/15/2012		19262	6421	170	5.1 U	0.00E+00	5.1 U	0.00E+00	5.1 U	0.00E+00	20 U	0.00E+00	20 U	0.00E+00	6.04E-03	127.43		
4/19/2012		20102	6701	160	1.8 U	0.00E+00	1.8 U	0.00E+00	1.8 U	0.00E+00	7.3 U	0.00E+00	7.3 U	0.00E+00	2.13E-03	128.02		
5/16/2012		20748	6916	160	0.80 U	0.00E+00	0.80 U	0.00E+00	0.80 U	0.00E+00	3.2 U	0.00E+00	3.2 U	0.00E+00	1.16E-03	128.27		
Pulse-off period June 1, 2012 to August 14, 2012																		
8/14/2012		21282	7094	160	4.7 U	0.00E+00	4.7 U	0.00E+00	4.7 U	0.00E+00	47 U	0.00E+00	19 U	0.00E+00	4.27E-03	129.03		
9/17/2012		21952	7317															

Table 4.3
Cell 3 - Phase 1 SVE System Effluent Data
December 2009 - September 2017
Hamilton Sundstrand Corporation
Plants 1/2 Facility
Rockford, Illinois

CELL 3 SVE EFFLUENT																						
Date	Sample Type	SVE Run Time (hr)	Cell 3 Run Time (hr)	SVE Flow Rate (scfm)	1,1,1-Trichloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,2-Dichloroethane	1,1-Dichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Tetrachloroethene	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)						
Pulse-off period November 18, 2013 to January 15, 2014																						
1/15/2014 3/14/2014	28218 29432	10916 11645	160 160	240 72	7.94E-04 2.38E-04	1.2 U 1.2 U	0.00E+00 0.00E+00	5 8.7	1.23E-05 2.14E-05	1.2 U 1.2 U	0.00E+00 0.00E+00	4.1 2.4	1.36E-05 7.94E-06	16 6.4	3.85E-05 1.54E-05	1.2 U 1.2 U	0.00E+00 0.00E+00	18 9.5	7.40E-05 3.91E-05			
Pulse-off period March 14, 2014 to May 15, 2014																						
5/15/2014 7/23/2014	29914 31567	11934 12926	160 160	770 130	2.55E-03 4.30E-04	2.3 U 1.4 U	0.00E+00 0.00E+00	15 5	3.68E-05 1.23E-05	2.3 U 1.4 U	0.00E+00 0.00E+00	12 1.4	3.97E-05 4.63E-06	86 10	2.07E-04 2.40E-05	2.3 U 1.4 U	0.00E+00 0.00E+00	6.9 10	2.84E-05 4.11E-05			
Pulse-off period July 23, 2014 to September 16, 2014																						
9/16/2014 11/14/2014	32432 33847	13445 14294	160 160	390 180	1.29E-03 5.96E-04	2.4 U 1.2 U	0.00E+00 0.00E+00	15 5.2	3.68E-05 1.28E-05	2.4 U 1.2 U	0.00E+00 0.00E+00	3 3	7.21E-06 9.93E-06	8.4 25	2.02E-05 6.01E-05	2.4 U 1.2 U	0.00E+00 0.00E+00	17 18	6.99E-05 7.40E-05			
Pulse-off period November 14, 2014 to January 9, 2015																						
1/9/2015 3/13/2015	33855 35189	14299 15099	160 160	220 200	7.28E-04 6.62E-04	1.1 U 1.2 U	0.00E+00 0.00E+00	4.7 4.4	1.15E-05 1.08E-05	1.1 U 1.2 U	0.00E+00 0.00E+00	2.2 3.1	5.29E-06 1.03E-05	18 14	4.33E-05 3.37E-05	1.1 U 1.2 U	0.00E+00 0.00E+00	11 4.2	4.52E-05 1.73E-05			
Pulse-off period March 13, 2015 to May 15, 2015																						
5/15/2015 7/16/2015	35194 36677	15102 15992	160 160	300 180	9.93E-04 5.96E-04	1.2 U 1.2 U	0.00E+00 0.00E+00	5.6 6.5	1.37E-05 1.60E-05	1.2 U 1.2 U	0.00E+00 0.00E+00	3.1 2.3	7.45E-06 7.61E-06	10 19	2.40E-05 4.57E-05	1.2 U 1.2 U	0.00E+00 0.00E+00	8.1 6	3.33E-05 2.47E-05			
Pulse-off period July 16, 2015 to September 22, 2015																						
9/22/2015 11/20/2015	36680 38094	15994 16842	160 160	530 64	1.75E-03 2.12E-04	2.3 U 1.1 U	0.00E+00 0.00E+00	11 3.2	2.70E-05 7.86E-06	2.3 U 1.1 U	0.00E+00 0.00E+00	2.6 1.2	6.25E-06 2.89E-06	10 5.4	2.40E-05 1.30E-05	2.3 U 1.1 U	0.00E+00 0.00E+00	18 7.3	7.40E-05 3.00E-05			
Pulse-off period November 20, 2015 to January 19, 2016																						
1/19/2016 3/18/2016	38101 39377	16846 17612	160 160	68 66	2.25E-04 2.18E-04	1.1 U 1.1 U	0.00E+00 0.00E+00	2.6 2.4	6.38E-06 5.89E-06	1.1 U 1.1 U	0.00E+00 0.00E+00	1.1 U 1.1 U	0.00E+00 0.00E+00	1.3 3.8	3.13E-06 9.14E-06	1.1 U 1.1 U	0.00E+00 0.00E+00	12 2.7	4.94E-05 1.11E-05			
Pulse-off period March 18, 2016 to May 19, 2016																						
5/19/2016 7/22/2016	39382 40915	17615 17921	160 160	240 120	7.94E-04 3.97E-04	1.1 U 1.3 U	0.00E+00 0.00E+00	110 5.2	2.70E-04 1.28E-05	1.1 U 1.3 U	0.00E+00 0.00E+00	2.7 1.3 U	6.49E-06 0.00E+00	3.7 9.7	8.90E-06 2.33E-05	1.1 U 1.3 U	0.00E+00 0.00E+00	6.4 9.6	2.63E-05 3.95E-05			
Pulse-off period July 22, 2016 to September 20, 2016																						
9/20/2016 11/28/2016	40918 42571	17923 18915	160 160	220 19	7.28E-04 6.29E-05	1.2 U 1.0 U	0.00E+00 0.00E+00	5.1 1.6	1.25E-05 3.93E-06	1.2 U 1.0 U	0.00E+00 0.00E+00	1.5 1.0 U	3.61E-06 0.00E+00	3.9 1.0 U	9.38E-06 0.00E+00	1.2 U 1.0 U	0.00E+00 0.00E+00	15 7.2	6.17E-05 2.96E-05			
Pulse-off period November 28, 2016 to January 24, 2017																						
1/24/2017 3/23/2017	42575 43840	18917 19676	170 160	42 130	1.48E-04 4.30E-04	1.1 U 1.3 U	0.00E+00 0.00E+00	1.9 4.1	4.96E-06 1.01E-05	1.1 U 1.3 U	0.00E+00 0.00E+00	1.1 U 1.8	0.00E+00 4.33E-06	1.1 U 9.2	0.00E+00 2.21E-05	1.1 U 1.3 U	0.00E+00 0.00E+00	2.7 2.8	1.18E-05 1.15E-05			
Pulse-off period March 23, 2017 to May 15, 2017																						
5/15/2017 7/20/2017	43846 45423	19680 20626	160 170	120 82	3.97E-04 2.88E-04	1.0 U 1.1 U	0.00E+00 0.00E+00	3 2.2	7.36E-06 5.74E-06	1.0 U 1.1 U	0.00E+00 0.00E+00	1.1 1.1 U	2.65E-06 0.00E+00	5.2 3	1.25E-05 7.67E-06	1.0 U 1.1 U	0.00E+00 0.00E+00	4 7.2	1.65E-05 3.15E-05			
Pulse-off period July 20, 2017 to September 14, 2017																						
9/14/2017	45432	20632	160	120	3.97E-04	1.1 U	0.00E+00	2.2	5.40E-06	1.1 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	10	4.11E-05			

Notes:

Mass removal rate

Table 4.3
Cell 3 - Phase 1 SVE System Effluent Data
December 2009 - September 2017
Hamilton Sundstrand Corporation
Plants 1/2 Facility
Rockford, Illinois

CELL 3 SVE EFFLUENT																				
Date	Sample Type	SVE Run Time (hr)	Cell 3 Run Time (hr)	SVE Flow Rate (scfm)	Trichloroethene		Vinyl chloride		Methylene Chloride		Carbon Tetrachloride		Chloroform		Chloroethane		Benzene		Toluene	
					Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)
Pulse-off period November 18, 2013 to January 15, 2014																				
1/15/2014		28218	10916	160	7.6	2.48E-05	1.2 U	0.00E+00	12 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	4.6 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00
3/14/2014		29432	11645	160	8.1	2.64E-05	1.2 U	0.00E+00	12 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	4.9 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00
Pulse-off period March 14, 2014 to May 15, 2014																				
5/15/2014		29914	11934	160	20	6.52E-05	2.3 U	0.00E+00	23 U	0.00E+00	2.3 U	0.00E+00	2.3 U	0.00E+00	9.3 U	0.00E+00	2.3 U	0.00E+00	2.3 U	0.00E+00
7/23/2014		31567	12926	160	9	2.93E-05	1.4 U	0.00E+00	14 U	0.00E+00	1.4 U	0.00E+00	1.4 U	0.00E+00	5.6 U	0.00E+00	1.4 U	0.00E+00	1.4 U	0.00E+00
Pulse-off period July 23, 2014 to September 16, 2014																				
9/16/2014		32432	13445	160	14	4.56E-05	2.4 U	0.00E+00	24 U	0.00E+00	2.4 U	0.00E+00	2.4 U	0.00E+00	9.5 U	0.00E+00	3	5.81E-06	2.4 U	0.00E+00
11/14/2014		33847	14294	160	6.2	2.02E-05	1.2 U	0.00E+00	12 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	4.6 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00
Pulse-off period November 14, 2014 to January 9, 2015																				
1/9/2015		33855	14299	160	6	1.96E-05	1.1 U	0.00E+00	11 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	4.3 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00
3/13/2015		35189	15099	160	14	4.56E-05	1.2 U	0.00E+00	12 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	4.6 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00
Pulse-off period March 13, 2015 to May 15, 2015																				
5/15/2015		35194	15102	160	10	3.26E-05	1.2 U	0.00E+00	12 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	4.7 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00
7/16/2015		36677	15992	160	12	3.91E-05	1.2 U	0.00E+00	12 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	4.9 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00
Pulse-off period July 16, 2015 to September 22, 2015																				
9/22/2015		36680	15994	160	14	4.56E-05	2.3 U	0.00E+00	23 U	0.00E+00	2.3 U	0.00E+00	2.3 U	0.00E+00	9.3 U	0.00E+00	2.3 U	0.00E+00	2.3 U	0.00E+00
11/20/2015		36804	16842	160	14	4.56E-05	1.1 U	0.00E+00	11 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	4.5 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00
Pulse-off period November 20, 2015 to January 19, 2016																				
1/19/2016		38101	16846	160	7	2.15E-05	1.1 U	0.00E+00	11 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	4.3 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00
3/18/2016		39377	17612	160	11	3.59E-05	1.1 U	0.00E+00	11 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	4.5 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00
Pulse-off period March 18, 2016 to May 19, 2016																				
5/19/2016		39382	17615	160	4.2	1.37E-05	1.1 U	0.00E+00	11 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	4.6 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00
7/22/2016		40915	17921	160	9	2.93E-05	1.3 U	0.00E+00	13 U	0.00E+00	1.3 U	0.00E+00	1.3 U	0.00E+00	5.2 U	0.00E+00	1.3 U	0.00E+00	1.3 U	0.00E+00
Pulse-off period July 22, 2016 to September 20, 2016																				
9/20/2016		40918	17923	160	8.5	2.77E-05	1.2 U	0.00E+00	12 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	4.8 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00
11/28/2016		42571	18915	160	2.3	7.50E-06	1.0 U	0.00E+00	10 U	0.00E+00	1.0 U	0.00E+00	1.0 U	0.00E+00	4.2 U	0.00E+00	1.0 U	0.00E+00	1.0 U	0.00E+00
Pulse-off period November 28, 2016 to January 24, 2017																				
1/24/2017		42575	18917	170	2.7	9.35E-06	1.1 U	0.00E+00	11 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	4.6 U	0.00E+00	1.1 U	0.00E+00	1.1 U</td	

Table 4.3
Cell 3 - Phase 1 SVE System Effluent Data
December 2009 - September 2017
Hamilton Sundstrand Corporation
Plants 1/2 Facility
Rockford, Illinois

CELL 3 SVE EFFLUENT					Effluent Concentrations and Removal Rates (ppbv)												Mass Removal Rate (lb/hr)	Cumulative Mass Removal (lb)		
Date	Sample Type	SVE Run Time (hr)	Cell 3 Run Time (hr)	SVE Flow Rate (scfm)	Ethylbenzene		m&p-Xylenes		o-Xylenes		Acetone		Methyl Ethyl Ketone (MEK)							
					Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)				
Pulse-off period	November 18, 2013 to January 15, 2014																			
1/15/2014		28218	10916	160	1.2 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	12 U	0.00E+00	4.6 U	0.00E+00	9.57E-04	136.88				
3/14/2014		29432	11645	160	1.2 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	12 U	0.00E+00	4.9 U	0.00E+00	3.48E-04	137.13				
Pulse-off period	March 14, 2014 to May 15, 2014																			
5/15/2014		29914	11934	160	2.3 U	0.00E+00	2.3 U	0.00E+00	2.3 U	0.00E+00	23 U	0.00E+00	9.3 U	0.00E+00	2.92E-03	137.98				
7/23/2014		31567	12926	160	1.4 U	0.00E+00	1.4 U	0.00E+00	1.4 U	0.00E+00	14 U	0.00E+00	5.6 U	0.00E+00	5.42E-04	138.52				
Pulse-off period	July 23, 2014 to September 16, 2014																			
9/16/2014		32432	13445	160	2.4 U	0.00E+00	2.4 U	0.00E+00	2.4 U	0.00E+00	24 U	0.00E+00	9.5 U	0.00E+00	1.48E-03	139.28				
11/14/2014		33847	14294	160	1.2 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	12	1.73E-05	4.6 U	0.00E+00	7.90E-04	139.95				
Pulse-off period	November 14, 2014 to January 9, 2015																			
1/9/2015		33855	14299	160	1.1 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	11 U	0.00E+00	4.3 U	0.00E+00	8.53E-04	139.96				
3/13/2015		35189	15099	160	1.2 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	12 U	0.00E+00	4.6 U	0.00E+00	7.79E-04	140.58				
Pulse-off period	March 13, 2015 to May 15, 2015																			
5/15/2015		35194	15102	160	1.2 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	12 U	0.00E+00	4.7 U	0.00E+00	1.10E-03	140.58				
7/16/2015		36677	15992	160	1.2 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	12 U	0.00E+00	4.9 U	0.00E+00	7.29E-04	141.23				
Pulse-off period	July 16, 2015 to September 22, 2015																			
9/22/2015		36680	15994	160	2.3 U	0.00E+00	2.3 U	0.00E+00	2.3 U	0.00E+00	23 U	0.00E+00	9.3 U	0.00E+00	1.93E-03	141.24				
11/20/2015		38094	16842	160	1.1 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	11 U	0.00E+00	4.5 U	0.00E+00	3.11E-04	141.50				
Pulse-off period	November 20, 2015 to January 19, 2016																			
1/19/2016		38101	16846	160	1.1 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	11 U	0.00E+00	4.3 U	0.00E+00	3.05E-04	141.50				
3/18/2016		39377	17612	160	1.1 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	11 U	0.00E+00	4.5 U	0.00E+00	2.80E-04	141.72				
Pulse-off period	March 18, 2016 to May 19, 2016																			
5/19/2016		39382	17615	160	1.1 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	11 U	0.00E+00	4.6 U	0.00E+00	1.12E-03	141.72				
7/22/2016		40915	17921	160	1.3 U	0.00E+00	1.3 U	0.00E+00	1.3 U	0.00E+00	13 U	0.00E+00	5.2 U	0.00E+00	5.02E-04	141.87				
Pulse-off period	July 22, 2016 to September 20, 2016																			
9/20/2016		40918	17923	160	1.2 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	12 U	0.00E+00	4.8 U	0.00E+00	8.43E-04	141.87				
11/28/2016		42571	18915	160	1.0 U	0.00E+00	1.0 U	0.00E+00	1.0 U	0.00E+00	10 U	0.00E+00	4.2 U	0.00E+00	1.04E-04	141.98				
Pulse-off period	November 28, 2016 to January 24, 2017																			
1/24/2017		42575	18917	170	1.1 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	11 U	0.00E+00	4.6 U	0.00E+00	1.74E-04	141.98				
3/23/2017		43840	19676	160	1.3 U	0.00E+00	1.3 U	0.00E+00	1.3 U	0.00E+00	13 U	0.00E+00	5.2 U	0.00E+00	4.98E-04	142.36				
Pulse-off period	March 23, 2017 to May 15, 2017																			
5/15/2017		43846	19680	160	1.0 U	0.00E+00	1.0 U	0.00E+00	1.0 U	0.00E+00	10 U	0.00E+00	4.2 U	0.00E+00	4.51E-04	142.36				
7/20/2017		45423	20626	170	1.1 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	11 U	0.00E+00	4.6 U	0.00E+00	3.71E-04	142.71				
Pulse-off period	July 20, 2017 to September 14, 2017																			
9/14/2017		45432	20632	160	1.1 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	11 U	0.00E+00	4.3 U	0.00E+00	4.68E-04	142.71				

Notes:

Mass removal rate = (flow rate in scfm)(concentration in ppmv)(60)(MW) / (387*1000000)

"U" indicates non-detection at the specified reporting limit; for ND compounds, zero is used in mass removal calculations.

MW molecular weight (values from the U.S. National Library

SCFM standard cubic feet per minute

J Indicates estimated value.

B The analyte was detected in the method, field and/or trip blank.

When a duplicate sample was collected, the original sample results are used in the mass calculations.

Table 4.4
Cell 4 - Phase 2 SVE System Effluent Data
March 2011 - September 2017
Hamilton Sundstrand Corporation
Plants 1/2 Facility
Rockford, Illinois

CELL 4 SVE EFFLUENT

Date	Sample Type	SVE Run Time (hr)	Cell 4 Run Time (hr)	SVE Flow Rate (scfm)	1,1,1-Trichloroethane		1,1,2-Trichloroethane		1,1-Dichloroethane		1,2-Dichloroethane		1,1-Dichloroethene		cis-1,2-Dichloroethene		trans-1,2-Dichloroethene	
					Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)
3/11/2011		222	222	500	150000	1.55E+00	600 U	0.00E+00	1800	1.38E-02	600 U	0.00E+00	860	6.46E-03	1400	1.05E-02	600 U	0.00E+00
3/18/2011		366	366	500	41000	4.24E-01	150 U	0.00E+00	1000	7.67E-03	150 U	0.00E+00	250	1.88E-03	460	3.46E-03	150 U	0.00E+00
3/18/2011	Dup	366	366	500	40000	4.14E-01	130 U	0.00E+00	1000	7.67E-03	130 U	0.00E+00	300	2.25E-03	480	3.61E-03	130 U	0.00E+00
3/25/2011		463	463	500	22000	2.28E-01	62 U	0.00E+00	980	7.52E-03	62 U	0.00E+00	87	6.54E-04	290	2.18E-03	62 U	0.00E+00
3/30/2011		558	558	500	25000	2.59E-01	68 U	0.00E+00	820	6.29E-03	68 U	0.00E+00	190	1.43E-03	290	2.18E-03	68 U	0.00E+00
4/8/2011		764	764	500	22000	2.28E-01	80 U	0.00E+00	1000	7.67E-03	80 U	0.00E+00	170	1.28E-03	340	2.56E-03	80 U	0.00E+00
4/15/2011		924	924	500	18000	1.86E-01	84 U	0.00E+00	930	7.13E-03	84 U	0.00E+00	110	8.27E-04	280	2.10E-03	84 U	0.00E+00
4/15/2011	Dup	924	924	500	16000 J	1.65E-01	60 U	0.00E+00	820 J	6.29E-03	60 U	0.00E+00	60 UJ	0.00E+00	260 J	1.95E-03	60 U	0.00E+00
5/19/2011		1685	1685	500	11000	1.14E-01	11 U	0.00E+00	640	4.91E-03	11 U	0.00E+00	100	7.52E-04	190	1.43E-03	11 U	0.00E+00
6/16/2011		2191	2191	420	10000	8.69E-02	11 U	0.00E+00	530	3.42E-03	11 U	0.00E+00	110 J	6.94E-04	160	1.01E-03	11 U	0.00E+00
6/16/2011	Dup	2191	2191	420	9600	8.34E-02	11 U	0.00E+00	510	3.29E-03	11 U	0.00E+00	110 J	6.94E-04	160	1.01E-03	11 U	0.00E+00
7/15/2011		2750	2750	420	7600	6.60E-02	24 U	0.00E+00	290	1.87E-03	24 U	0.00E+00	58	3.66E-04	79	4.99E-04	24 U	0.00E+00
8/22/2011		3133	3133	420	9000	7.82E-02	27 U	0.00E+00	410	2.64E-03	27 U	0.00E+00	92	5.81E-04	160	1.01E-03	27 U	0.00E+00
8/22/2011	Dup	3133	3133	420	9000	7.82E-02	22 U	0.00E+00	400	2.58E-03	22 U	0.00E+00	80	5.05E-04	150	9.47E-04	22 U	0.00E+00
9/15/2011		3630	3630	420	7000	6.08E-02	22 U	0.00E+00	250	1.61E-03	22 U	0.00E+00	55	3.47E-04	97	6.12E-04	22 U	0.00E+00
10/14/2011		4226	4226	420	4400	3.82E-02	19 U	0.00E+00	180	1.16E-03	19 U	0.00E+00	59	3.72E-04	60	3.79E-03	19 U	0.00E+00
11/21/2011		5019	5019	380	3700	2.91E-02	16 U	0.00E+00	170	9.91E-04	16 U	0.00E+00	320	1.83E-03	63	3.60E-04	16 U	0.00E+00
12/14/2011		5343	5343	260	4000	2.15E-02	19 U	0.00E+00	140	5.58E-04	19 U	0.00E+00	300	1.17E-03	55	2.15E-04	19 U	0.00E+00
1/19/2012		5993	5993	0	5200	0.00E+00	24 U	0.00E+00	160	0.00E+00	24 U	0.00E+00	58	0.00E+00	38	0.00E+00	24 U	0.00E+00
2/15/2012		6368	6368	260	4200	2.26E-02	19 U	0.00E+00	100	3.99E-04	19 U	0.00E+00	700	2.74E-03	53	2.07E-04	19 U	0.00E+00
3/15/2012		6946	6946	350	4000	2.90E-02	15 U	0.00E+00	120	6.44E-04	15 U	0.00E+00	38	2.00E-04	38	2.00E-04	15 U	0.00E+00
4/19/2012		7629	7629	380	5200	4.09E-02	16 U	0.00E+00	160	9.33E-04	16 U	0.00E+00	42	2.40E-04	43	2.46E-04	16 U	0.00E+00
5/16/2012		8143	8143	420	4100	3.56E-02	15 U	0.00E+00	110	7.09E-04	15 U	0.00E+00	43	2.71E-04	40	2.53E-04	15 U	0.00E+00
Pulse-off period June 1, 2012 to August 14, 2012																		
8/14/2012		8546	8546	420	5000	4.34E-02	16 U	0.00E+00	98	6.32E-04	16 U	0.00E+00	66	4.17E-04	27	1.70E-04	16 U	0.00E+00
9/17/2012		9033	9033	470	3700	3.60E-02	15 U	0.00E+00	140	1.01E-03	15 U	0.00E+00	15 U	0.00E+00	26	1.84E-04	15 U	0.00E+00
Pulse-off period September 17, 2012 to November 15, 2012																		
11/15/2012		9037	9037	420	4900 J	4.26E-02	28 U	0.00E+00	74 J	4.77E-04	28 U	0.00E+00	110 J	6.94E-04	29 J	1.83E-04	28 U	0.00E+00
11/15/2012	Dup	9037	9037	420	8700	7.56E-02	24 U	0.00E+00	200 J	1.29E-03	24 U	0.00E+00	220	1.39E-03	360 J	2.27E-03	24 U	0.00E+00
12/14/2012		9439	9439	150	500	1.55E-03	1.9 U	0.00E+00	14	3.22E-05	1.9 U	0.00E+00	6.8	1.53E-05	18	4.06E-05	1.9 U	0.00E+00
Pulse-off period December 14, 2012 to February 26, 2013																		
2/26/2013		9439	9439	0	520	0.00E+00	2.2 U	0.00E+00	23	0.00E+00	2.2 U	0.00E+00	5.7	0.00E+00	28	0.00E+00	2.2 U	0.00E+00
4/11/2013		9876	9876	340	430	3.02E-03	1.8 U	0.00E+00	26	1.36E-04	1.8 U	0.00E+00	7.1	3.63E-05	28	1.43E-04	1.8 U	0.00E+00
Pulse-off period April 11, 2013 to May 10, 2013																		
5/10/2013		9882	9882	340	270	1.90E-03												

Table 4.4
Cell 4 - Phase 2 SVE System Effluent Data
March 2011 - September 2017
Hamilton Sundstrand Corporation
Plants 1/2 Facility
Rockford, Illinois

CELL 4 SVE EFFLUENT

Date	Sample Type	SVE Run Time (hr)	Cell 4 Run Time (hr)	SVE Flow Rate (scfm)	Tetrachloroethene		Trichloroethene		Vinyl chloride		Methylene Chloride		Carbon Tetrachloride		Chloroform		Chloroethane		Benzene	
					Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)
3/11/2011		222	222	500	7200	9.26E-02	3900	3.97E-02	600 U	0.00E+00	600 U	0.00E+00	600 U	0.00E+00	600 U	0.00E+00	2400 U	0.00E+00	600 U	0.00E+00
3/18/2011		366	366	500	2900	3.73E-02	1600	1.63E-02	150 U	0.00E+00	150 U	0.00E+00	150 U	0.00E+00	150 U	0.00E+00	750 J	3.75E-03	150 U	0.00E+00
3/18/2011	Dup	366	366	500	3000	3.86E-02	1600	1.63E-02	130 UJ	0.00E+00	130 U	0.00E+00	130 U	0.00E+00	130 U	0.00E+00	1100 J	5.50E-03	130 U	0.00E+00
3/25/2011		463	463	500	3200	4.11E-02	970	9.88E-03	62 U	0.00E+00	68 U	0.00E+00	68 U	0.00E+00	62 U	0.00E+00	610	3.05E-03	62 U	0.00E+00
3/30/2011		558	558	500	2500	3.21E-02	1000	1.02E-02	68 U	0.00E+00	80 U	0.00E+00	80 U	0.00E+00	80 U	0.00E+00	470	2.35E-03	68 U	0.00E+00
4/8/2011		764	764	500	2400	3.09E-02	1000	1.02E-02	80 U	0.00E+00	80 U	0.00E+00	80 U	0.00E+00	80 U	0.00E+00	430	2.15E-03	80 U	0.00E+00
4/15/2011		924	924	500	1700	2.19E-02	920	9.37E-03	84 U	0.00E+00	84 U	0.00E+00	84 U	0.00E+00	84 U	0.00E+00	340 U	0.00E+00	84 U	0.00E+00
4/15/2011	Dup	924	924	500	1500 J	1.93E-02	830 J	8.45E-03	60 U	0.00E+00	60 U	0.00E+00	60 U	0.00E+00	60 U	0.00E+00	260 J	1.30E-03	60 U	0.00E+00
5/19/2011		1685	1685	500	1400	1.80E-02	530	5.40E-03	11 U	0.00E+00	11 U	0.00E+00	11 U	0.00E+00	11 U	0.00E+00	67	3.35E-04	26	1.57E-04
6/16/2011		2191	2191	420	1000	1.08E-02	410	3.51E-03	11 U	0.00E+00	11 U	0.00E+00	11 U	0.00E+00	11 U	0.00E+00	46 U	0.00E+00	14	7.12E-05
6/16/2011	Dup	2191	2191	420	960	1.04E-02	400	3.42E-03	11 U	0.00E+00	11 U	0.00E+00	11 U	0.00E+00	11 U	0.00E+00	45 U	0.00E+00	12	6.10E-05
7/15/2011		2750	2750	420	570	6.16E-03	250	2.14E-03	24 U	0.00E+00	28	1.55E-04	24 U	0.00E+00	24 U	0.00E+00	95 U	0.00E+00	24 U	0.00E+00
8/22/2011		3133	3133	420	920	9.93E-03	380	3.25E-03	27 U	0.00E+00	27 U	0.00E+00	27 U	0.00E+00	27 U	0.00E+00	110 U	0.00E+00	27 U	0.00E+00
8/22/2011	Dup	3133	3133	420	940	1.02E-02	360	3.08E-03	22 U	0.00E+00	22 U	0.00E+00	22 U	0.00E+00	22 U	0.00E+00	90 U	0.00E+00	22 U	0.00E+00
9/15/2011		3630	3630	420	660	7.13E-03	270	2.31E-03	22 U	0.00E+00	22 U	0.00E+00	22 U	0.00E+00	22 U	0.00E+00	90 U	0.00E+00	22 U	0.00E+00
10/14/2011		4226	4226	420	390	4.21E-03	180	1.54E-03	19 U	0.00E+00	19 U	0.00E+00	19 U	0.00E+00	19 U	0.00E+00	77 U	0.00E+00	19 U	0.00E+00
11/21/2011		5019	5019	380	360	3.52E-03	180	1.39E-03	16 U	0.00E+00	160 U	0.00E+00	16 U	0.00E+00	16 U	0.00E+00	63 U	0.00E+00	16 U	0.00E+00
12/14/2011		5343	5343	260	360	2.41E-03	160	8.47E-04	19 U	0.00E+00	190 U	0.00E+00	19 U	0.00E+00	19 U	0.00E+00	74 U	0.00E+00	19 U	0.00E+00
1/19/2012		5993	5993	0	320	0.00E+00	180	0.00E+00	24 U	0.00E+00	24 U	0.00E+00	24 U	0.00E+00	24 U	0.00E+00	97 U	0.00E+00	24 U	0.00E+00
2/15/2012		6368	6368	260	280	1.87E-03	150	7.94E-04	19 U	0.00E+00	19 U	0.00E+00	19 U	0.00E+00	19 U	0.00E+00	78 U	0.00E+00	19 U	0.00E+00
3/15/2012		6946	6946	350	240	2.16E-03	140	9.98E-04	15 U	0.00E+00	15 U	0.00E+00	15 U	0.00E+00	15 U	0.00E+00	58 U	0.00E+00	15 U	0.00E+00
4/19/2012		7629	7629	380	400	3.91E-03	180	1.39E-03	16 U	0.00E+00	16 U	0.00E+00	16 U	0.00E+00	16 U	0.00E+00	62 U	0.00E+00	16 U	0.00E+00
5/16/2012		8143	8143	420	320	3.46E-03	150	1.28E-03	15 U	0.00E+00	15 U	0.00E+00	15 U	0.00E+00	15 U	0.00E+00	61 U	0.00E+00	15 U	0.00E+00
Pulse-off period June 1, 2012 to August 14, 2012																				
8/14/2012		8546	8546	420	490	5.29E-03	180	1.54E-03	16 U	0.00E+00	160 U	0.00E+00	16 U	0.00E+00	16 U	0.00E+00	63 U	0.00E+00	16 U	0.00E+00
9/17/2012		9033	9033	470	410	4.95E-03	220	2.11E-03	15 U	0.00E+00	150 U	0.00E+00	15 U	0.00E+00	15 U	0.00E+00	61 U	0.00E+00	15 U	0.00E+00
Pulse-off period September 17, 2012 to November 15, 2012																				
11/15/2012		9037	9037	420	260 J	2.81E-03	150 J	1.28E-03	28 U	0.00E+00	280 U	0.00E+00	28 U	0.00E+00	28 U	0.00E+00	110 U	0.00E+00	28 U	0.00E+00
11/15/2012	Dup	9037	9037	420	1200 J	1.30E-02	390 J	3.34E-03	24 U	0.00E+00	240 U	0.00E+00	24 U	0.00E+00	24 U	0.00E+00	94 U	0.00E+00	24 U	0.00E+00
12/14/2012		9439	9439	150	62	2.39E-04	28	8.56E-05	1.9 U	0.00E+00	19 U	0.00E+00	1.9 U	0.00E+00	1.9 U	0.00E+00</td				

Table 4.4
Cell 4 - Phase 2 SVE System Effluent Data
March 2011 - September 2017
Hamilton Sundstrand Corporation
Plants 1/2 Facility
Rockford, Illinois

CELL 4 SVE EFFLUENT																		
Date	Sample Type	SVE Run Time (hr)	Cell 4 Run Time (hr)	SVE Flow Rate (scfm)	Toluene		Ethylbenzene		m&p-Xylenes		o-Xylenes		Acetone		Methyl Ethyl Ketone (MEK)		Mass Removal Rate (lb/hr)	Cumulative Mass Removal (lb)
					Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)		
3/11/2011	Dup	222	222	500	600 U	0.00E+00	600 U	0.00E+00	710	5.84E-03	600 U	0.00E+00	2400 U	0.00E+00	2400 U	0.00E+00	1.72E+00	381.87
3/18/2011		366	366	500	620 J	4.43E-03	150 U	0.00E+00	240	1.98E-03	200	1.65E-03	1500 J	6.75E-03	590 U	0.00E+00	5.09E-01	453.50
3/18/2011		366	366	500	380 J	2.71E-03	130 U	0.00E+00	250	2.06E-03	240	1.98E-03	690 J	3.11E-03	540 U	0.00E+00	4.97E-01	453.50
3/25/2011		463	463	500	140	1.00E-03	62 U	0.00E+00	78	6.42E-04	67	5.51E-04	250 U	0.00E+00	250 U	0.00E+00	2.95E-01	482.07
3/30/2011		558	558	500	190	1.36E-03	68 U	0.00E+00	250	2.06E-03	140	1.15E-03	270 U	0.00E+00	270 U	0.00E+00	3.18E-01	512.25
4/8/2011		764	764	500	200	1.43E-03	120	9.88E-04	560	4.61E-03	260	2.14E-03	320 U	0.00E+00	320 U	0.00E+00	2.91E-01	572.27
4/15/2011		924	924	500	170	1.21E-03	110	9.05E-04	540	4.44E-03	260	2.14E-03	340 U	0.00E+00	340 U	0.00E+00	2.36E-01	610.05
4/15/2011	Dup	924	924	500	140 J	1.00E-03	99 J	8.15E-04	540 J	4.44E-03	230 J	1.89E-03	240 J,B	1.08E-03	240 U	0.00E+00	2.12E-01	610.05
5/19/2011		1685	1685	500	100	7.14E-04	140	1.15E-03	920	7.57E-03	420	3.46E-03	81	3.65E-04	43 U	0.00E+00	1.58E-01	730.28
6/16/2011	Dup	2191	2191	420	51	3.06E-04	83	5.74E-04	600	4.15E-03	280	1.94E-03	46 J,B	1.74E-04	46 U	0.00E+00	1.14E-01	753.86
6/16/2011		2191	2191	420	53	3.18E-04	78	5.39E-04	580	4.01E-03	270	1.87E-03	69 J,B	2.61E-04	45 U	0.00E+00	1.09E-01	785.55
7/15/2011	Dup	2750	2750	420	28	1.68E-04	41	2.83E-04	270	1.87E-03	120	8.30E-04	180	6.81E-04	95 U	0.00E+00	8.10E-02	830.85
8/22/2011		3133	3133	420	35 J	2.10E-04	59 J	4.08E-04	340	2.35E-03	140	9.68E-04	110 U	0.00E+00	110 U	0.00E+00	9.95E-02	868.97
8/22/2011	Dup	3133	3133	420	22 UJ	0.00E+00	30 J	2.07E-04	310	2.14E-03	130	8.99E-04	90 U	0.00E+00	90 U	0.00E+00	9.87E-02	868.65
9/15/2011		3630	3630	420	22 U	0.00E+00	31	2.14E-04	340	2.35E-03	130	8.99E-04	90 U	0.00E+00	90 U	0.00E+00	7.63E-02	906.88
10/14/2011	Dup	4226	4226	420	38	2.28E-04	19 U	0.00E+00	170	1.18E-03	70	4.84E-04	77 U	0.00E+00	77 U	0.00E+00	4.78E-02	935.35
11/21/2011		5019	5019	380	16 U	0.00E+00	17	1.06E-04	220	1.38E-03	100	6.25E-04	160 U	0.00E+00	63 U	0.00E+00	3.93E-02	966.50
12/14/2011		5343	5343	260	19 U	0.00E+00	19 U	0.00E+00	76	3.25E-04	55	2.35E-04	190 UJ	0.00E+00	74 U	0.00E+00	2.73E-02	975.34
1/19/2012		5993	5993	0	36	0.00E+00	24 U	0.00E+00	78	0.00E+00	50	0.00E+00	97 U	0.00E+00	97 U	0.00E+00	0.00E+00	975.34
2/15/2012		6368	6368	260	19 U	0.00E+00	19 U	0.00E+00	58	2.48E-04	40	1.71E-04	300	7.02E-04	78 U	0.00E+00	2.97E-02	986.48
3/15/2012		6946	6946	350	15 U	0.00E+00	15 U	0.00E+00	44	2.53E-04	31	1.79E-04	58 U	0.00E+00	58 U	0.00E+00	3.36E-02	1005.89
4/19/2012		7629	7629	380	16 U	0.00E+00	16 U	0.00E+00	48	3.00E-04	33	2.06E-04	62 U	0.00E+00	62 U	0.00E+00	4.81E-02	1038.74
5/16/2012		8143	8143	420	15 U	0.00E+00	15 U	0.00E+00	28	1.94E-04	23	1.59E-04	61 U	0.00E+00	61 U	0.00E+00	4.19E-02	1060.30
Pulse-off period June 1, 2012 to August 14, 2012																		
8/14/2012	Dup	8546	8546	420	16 U	0.00E+00	16 U	0.00E+00	16 U	0.00E+00	16 U	0.00E+00	160 U	0.00E+00	63 U	0.00E+00	5.15E-02	1081.05
9/17/2012		9033	9033	470	15 U	0.00E+00	15 U	0.00E+00	15 U	0.00E+00	15 U	0.00E+00	150 U	0.00E+00	61 U	0.00E+00	4.42E-02	1102.58
Pulse-off period September 17, 2012 to November 15, 2012																		
11/15/2012	Dup	9037	9037	420	28 U	0.00E+00	28 U	0.00E+00	28 U	0.00E+00	28 U	0.00E+00	280 U	0.00E+00	110 U	0.00E+00	4.80E-02	1102.78
11/15/2012		9037	9037	420	24 U	0.00E+00	24 U	0.00E+00	24 U	0.00E+00	24 U	0.00E+00	240 U	0.00E+00	94 U	0.00E+00	9.68E-02	-
12/14/2012		9439	9439	150	1.9 U	0.00E+00	1.9 U	0.00E+00	1.9 U	0.00E+00	1.9 U	0.00E+00	19 U	0.00E+00	7.5 U	0.00E+00	1.96E-03	1103.57
Pulse-off period December 14, 2012 to February 26, 2013																		
2/26/2013	Dup	9439	9439	0	2.2 U	0.00E+00	2.2 U	0.00E+0										

Table 4.4
Cell 4 - Phase 2 SVE System Effluent Data
March 2011 - September 2017
Hamilton Sundstrand Corporation
Plants 1/2 Facility
Rockford, Illinois

CELL 4 SVE EFFLUENT

Date	Sample Type	SVE Run Time (hr)	Cell 4 Run Time (hr)	SVE Flow Rate (scfm)	1,1,1-Trichloroethane		1,1,2-Trichloroethane		1,1-Dichloroethane		1,2-Dichloroethane		1,1-Dichloroethene		cis-1,2-Dichloroethene		trans-1,2-Dichloroethene	
					Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)
Pulse-off period November 18, 2013 to March 14, 2014																		
1/15/2014		11997	11997	320	200	1.32E-03	1.2 U	0.00E+00	5.5	2.70E-05	1.2 U	0.00E+00	3.3	1.59E-05	9.6	4.62E-05	1.2 U	0.00E+00
3/14/2014		12980	12980	180	430	1.60E-03	2.6 U	0.00E+00	6.2	1.71E-05	2.6 U	0.00E+00	8.2	2.22E-05	18	4.87E-05	2.6 U	0.00E+00
Pulse-off period March 14, 2014 to May 15, 2014																		
5/15/2014		12986	12986	180	470	1.75E-03	1.1 U	0.00E+00	10	2.76E-05	1.1 U	0.00E+00	6.9	1.87E-05	22	5.95E-05	1.1 U	0.00E+00
7/23/2014		14627	14627	300	14	8.69E-05	1.3 U	0.00E+00	1.3 U	0.00E+00	1.3 U	0.00E+00	1.3	0.00E+00	1.6	0.00E+00	1.3 U	0.00E+00
Pulse-off period July 23, 2014 to September 16, 2014																		
9/16/2014		14634	14628	320	150	9.93E-04	1.2 U	0.00E+00	9	4.42E-05	1.2 U	0.00E+00	1.7	8.18E-06	15	7.21E-05	1.2 U	0.00E+00
11/14/2014		16008	16008	320	220	1.46E-03	0.96 U	0.00E+00	5	2.45E-05	0.96 U	0.00E+00	3.6	1.73E-05	8.9	4.28E-05	0.96 U	0.00E+00
Pulse-off period November 14, 2014 to January 9, 2015																		
1/9/2015		16015	16015	260	150	8.07E-04	1.1 U	0.00E+00	4.1	1.64E-05	1.1 U	0.00E+00	2.2	8.60E-06	7.4	2.89E-05	1.1 U	0.00E+00
3/13/2015		17178	17178	220	190	8.65E-04	1.2 U	0.00E+00	4.9	1.65E-05	1.2 U	0.00E+00	3.1	1.03E-05	5.5	1.82E-05	1.2 U	0.00E+00
Pulse-off period March 13, 2015 to May 15, 2015																		
5/15/2015		17186	17186	320	180	1.19E-03	2.6 U	0.00E+00	4.3	2.11E-05	2.6 U	0.00E+00	2.8	1.35E-05	5.2	2.50E-05	2.6 U	0.00E+00
7/16/2015		18436	18436	310	270	1.73E-03	1.2 U	0.00E+00	7.7	3.66E-05	1.2 U	0.00E+00	4	1.86E-05	13	6.06E-05	1.2 U	0.00E+00
Pulse-off period July 16, 2015 to September 22, 2015																		
9/22/2015		18439	18439	300	200	1.24E-03	1.1 U	0.00E+00	6.3	2.90E-05	1.1 U	0.00E+00	2.1	9.47E-06	11	4.96E-05	1.1 U	0.00E+00
11/20/2015		19832	19832	530	170	1.86E-03	1.2 U	0.00E+00	7	5.69E-05	1.2 U	0.00E+00	2.6	2.07E-05	12	9.56E-05	1.2 U	0.00E+00
Pulse-off period November 20, 2015 to January 19, 2016																		
1/19/2016		19841	19841	380	39	3.07E-04	1.1 U	0.00E+00	1.7	9.91E-06	1.1 U	0.00E+00	1.1 U	0.00E+00	3.4	1.94E-05	1.1 U	0.00E+00
3/18/2016		21088	21088	420	88	7.64E-04	1.1 U	0.00E+00	5	3.22E-05	1.1 U	0.00E+00	1.2	7.57E-06	6.8	4.29E-05	1.1 U	0.00E+00
Pulse-off period March 18, 2016 to May 19, 2016																		
5/19/2016	Dup	21092	21092	180	9.3	3.46E-05	1.1 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00
5/19/2016	Dup	21092	21092	180	14	5.21E-05	1.1 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	1.6	4.33E-06	1.1 U	0.00E+00
7/22/2016		22610	22610	230	33	1.57E-04	1.0 U	0.00E+00	1.9	6.70E-06	1.0 U	0.00E+00	1.0 U	0.00E+00	3.5	1.21E-05	1.0 U	0.00E+00
Pulse-off period July 22, 2016 to September 20, 2016																		
9/20/2016*		22611	22611	180	33	1.23E-04	1.0 U	0.00E+00	1.9	5.25E-06	1.0 U	0.00E+00	1.0 U	0.00E+00	3.5	9.47E-06	1.0 U	0.00E+00
11/28/2016		24162	24162	100	17	3.52E-05	1.1 U	0.00E+00	1.7	2.61E-06	1.1 U	0.00E+00	1.1 U	0.00E+00	1.9	2.86E-06	1.1 U	0.00E+00
Pulse-off period November 28, 2016 to January 24, 2017																		
1/24/2017	Dup	24166	24166	220	19	8.65E-05	1.1 U	0.00E+00	1.5	5.06E-06	1.1 U	0.00E+00	1.1 U	0.00E+00	1.5	4.96E-06	1.1 U	0.00E+00
1/24/2017	Dup	24166	24166	220	22	1.00E-04	1.1 U	0.00E+00	1.7	5.74E-06	1.1 U	0.00E+00	1.1 U	0.00E+00	1.5	4.96E-06	1.1 U	0.00E+00
3/23/2017		25427	25427	190	55	2.16E-04	1.2 U	0.00E+00	4.1	1.20E-05	1.2 U	0.00E+00	1.2 U	0.00E+00	3.4	9.71E-06	1.2 U	0.00E+00
Pulse-off period March 23, 2017 to May 15, 2017																		
5/15/2017		25452	25452	180	25</td													

Table 4.4
Cell 4 - Phase 2 SVE System Effluent Data
March 2011 - September 2017
Hamilton Sundstrand Corporation
Plants 1/2 Facility
Rockford, Illinois

CELL 4 SVE EFFLUENT

Date	Sample Type	SVE Run Time (hr)	Cell 4 Run Time (hr)	SVE Flow Rate (scfm)	Tetrachloroethene		Trichloroethene		Vinyl chloride		Methylene Chloride		Carbon Tetrachloride		Chloroform		Chloroethane		Benzene	
					Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)
Pulse-off period November 18, 2013 to March 14, 2014																				
1/15/2014		11997	11997	320	51	4.20E-04	11	7.17E-05	1.2 U	0.00E+00	12 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	4.8 U	0.00E+00	1.2 U	0.00E+00
3/14/2014		12980	12980	180	7.8	3.61E-05	14	5.13E-05	2.6 U	0.00E+00	26 U	0.00E+00	2.6 U	0.00E+00	2.6 U	0.00E+00	10 U	0.00E+00	2.6 U	0.00E+00
Pulse-off period March 14, 2014 to May 15, 2014																				
5/15/2014		12986	12986	180	38	1.76E-04	17	6.23E-05	1.1 U	0.00E+00	11 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	4.6 U	0.00E+00	1.1 U	0.00E+00
7/23/2014		14627	14627	300	15	1.16E-04	2.4	1.47E-05	1.3 U	0.00E+00	13 U	0.00E+00	1.3 U	0.00E+00	1.3 U	0.00E+00	5.2 U	0.00E+00	1.3 U	0.00E+00
Pulse-off period July 23, 2014 to September 16, 2014																				
9/16/2014		14634	14628	320	200	1.65E-03	39	2.54E-04	1.2 U	0.00E+00	12 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	4.9 U	0.00E+00	2	7.75E-06
11/14/2014		16008	16008	320	69	5.68E-04	12	7.82E-05	0.96 U	0.00E+00	9.6 U	0.00E+00	0.96 U	0.00E+00	0.96 U	0.00E+00	3.8 U	0.00E+00	0.96 U	0.00E+00
Pulse-off period November 14, 2014 to January 9, 2015																				
1/9/2015		16015	16015	260	50	3.34E-04	11	5.83E-05	1.1 U	0.00E+00	11 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	4.4 U	0.00E+00	1.1 U	0.00E+00
3/13/2015		17178	17178	220	27	1.53E-04	6.9	3.09E-05	1.2 U	0.00E+00	12 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	4.8 U	0.00E+00	1.2 U	0.00E+00
Pulse-off period March 13, 2015 to May 15, 2015																				
5/15/2015		17186	17186	320	45	3.70E-04	9.8	6.39E-05	2.6 U	0.00E+00	26 U	0.00E+00	2.6 U	0.00E+00	2.6 U	0.00E+00	10 U	0.00E+00	2.6 U	0.00E+00
7/16/2015		18436	18436	310	130	1.04E-03	27	1.71E-04	1.2 U	0.00E+00	12 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	4.9 U	0.00E+00	1.2 U	0.00E+00
Pulse-off period July 16, 2015 to September 22, 2015																				
9/22/2015		18439	18439	300	200	1.54E-03	36	2.20E-04	1.1 U	0.00E+00	11 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	4.3 U	0.00E+00	1.1 U	0.00E+00
11/20/2015		19832	19832	530	120	1.64E-03	23	2.48E-04	1.2 U	0.00E+00	12 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	5.0 U	0.00E+00	1.2 U	0.00E+00
Pulse-off period November 20, 2015 to January 19, 2016																				
1/19/2016		19841	19841	380	62	6.06E-04	11	8.51E-05	1.1 U	0.00E+00	11 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	4.3 U	0.00E+00	1.1 U	0.00E+00
3/18/2016		21088	21088	420	52	5.62E-04	11	9.41E-05	1.1 U	0.00E+00	11 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	4.5 U	0.00E+00	1.1 U	0.00E+00
Pulse-off period March 18, 2016 to May 19, 2016																				
5/19/2016	Dup	21092	21092	180	14	6.48E-05	2.4	8.80E-06	1.1 U	0.00E+00	11 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	4.3 U	0.00E+00	1.1 U	0.00E+00
5/19/2016	Dup	21092	21092	180	21	9.72E-05	3.9	1.43E-05	1.1 U	0.00E+00	11 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	4.3 U	0.00E+00	1.1 U	0.00E+00
7/22/2016		22610	22610	230	39	2.31E-04	7.5	3.51E-05	1.0 U	0.00E+00	10 U	0.00E+00	1.0 U	0.00E+00	1.0 U	0.00E+00	4.2 U	0.00E+00	1.0 U	0.00E+00
Pulse-off period July 22, 2016 to September 20, 2016																				
9/20/2016*		22611	22611	180	39	1.80E-04	7.5	2.75E-05	1.0 U	0.00E+00	10 U	0.00E+00	1.0 U	0.00E+00	1.0 U	0.00E+00	4.2 U	0.00E+00	1.0 U	0.00E+00
11/28/2016		24162	24162	100	14	3.60E-05	2.8	5.70E-06	1.1 U	0.00E+00	11 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	4.4 U	0.00E+00	1.1 U	0.00E+00
Pulse-off period November 28, 2016 to January 24, 2017																				
1/24/2017		24166	24166	220	18	1.02E-04	4	1.79E-05	1.1 U	0.00E+00	11 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	4.3 U	0.00E+00	1.1 U	0.00E+00
1/24/20																				

Table 4.4
Cell 4 - Phase 2 SVE System Effluent Data
March 2011 - September 2017
Hamilton Sundstrand Corporation
Plants 1/2 Facility
Rockford, Illinois

CELL 4 SVE EFFLUENT																		
Date	Sample Type	SVE Run Time (hr)	Cell 4 Run Time (hr)	SVE Flow Rate (scfm)	Toluene		Ethylbenzene		m&p-Xylenes		o-Xylenes		Acetone		Methyl Ethyl Ketone (MEK)		Mass Removal Rate (lb/hr)	Cumulative Mass Removal (lb)
					Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)		
Pulse -off period November 18, 2013 to March 14, 2014																		
1/15/2014		11997	11997	320	1.2 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	12 U	0.00E+00	4.8 U	0.00E+00	1.90E-03	1110.91
3/14/2014		12980	12980	180	2.6 U	0.00E+00	2.6 U	0.00E+00	2.6 U	0.00E+00	2.6 U	0.00E+00	26 U	0.00E+00	10 U	0.00E+00	1.78E-03	1112.65
Pulse -off period March 14, 2014 to May 15, 2014																		
5/15/2014		12986	12986	180	3.9	1.00E-05	1.1 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	11 U	0.00E+00	4.6 U	0.00E+00	2.10E-03	1112.67
7/23/2014		14627	14627	300	1.3 U	0.00E+00	1.3 U	0.00E+00	1.3 U	0.00E+00	1.3 U	0.00E+00	13 U	0.00E+00	5.2 U	0.00E+00	2.17E-04	1113.02
Pulse -off period July 23, 2014 to September 16, 2014																		
9/16/2014		14634	14628	320	1.2 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	21	6.05E-05	4.9 U	0.00E+00	3.09E-03	1113.03
11/14/2014		16008	16008	320	0.96 U	0.00E+00	0.96 U	0.00E+00	0.96 U	0.00E+00	0.96 U	0.00E+00	9.6 U	0.00E+00	3.8 U	0.00E+00	2.19E-03	1116.04
Pulse -off period November 14, 2014 to January 9, 2015																		
1/9/2015		16015	16015	260	1.1 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	11 U	0.00E+00	4.4 U	0.00E+00	1.25E-03	1116.05
3/13/2015		17178	17178	220	1.2 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	12 U	0.00E+00	4.8 U	0.00E+00	1.09E-03	1117.32
Pulse -off period March 13, 2015 to May 15, 2015																		
5/15/2015		17186	17186	320	2.6 U	0.00E+00	2.6 U	0.00E+00	2.6 U	0.00E+00	2.6 U	0.00E+00	26 U	0.00E+00	10 U	0.00E+00	1.68E-03	1117.34
7/16/2015		18436	18436	310	1.2 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	12 U	0.00E+00	4.9 U	0.00E+00	3.05E-03	1121.16
Pulse -off period July 16, 2015 to September 22, 2015																		
9/22/2015		18439	18439	300	1.1 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	11 U	0.00E+00	4.3 U	0.00E+00	3.09E-03	1121.16
11/20/2015		19832	19832	530	1.2 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	12 U	0.00E+00	5.0 U	0.00E+00	3.92E-03	1126.63
Pulse -off period November 20, 2015 to January 19, 2016																		
1/19/2016		19841	19841	380	1.1 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	11 U	0.00E+00	4.3 U	0.00E+00	1.03E-03	1126.63
3/18/2016		21088	21088	420	2.7	1.62E-05	1.1 U	0.00E+00	9.7	6.71E-05	4.1	2.83E-05	11 U	0.00E+00	4.5 U	0.00E+00	1.61E-03	1128.65
Pulse -off period March 18, 2016 to May 19, 2016																		
5/19/2016		21092	21092	180	1.1 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	11 U	0.00E+00	4.3 U	0.00E+00	1.08E-04	1128.65
5/19/2016	Dup	21092	21092	180	1.1 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	11 U	0.00E+00	4.3 U	0.00E+00	1.68E-04	-
7/22/2016		22610	22610	230	1.2	3.94E-06	1.0 U	0.00E+00	1.0 U	0.00E+00	1.0 U	0.00E+00	18	3.73E-05	4.2 U	0.00E+00	4.83E-04	1129.38
Pulse -off period July 22, 2016 to September 20, 2016																		
9/20/2016*		22611	22611	180	1.2	3.09E-06	1.0 U	0.00E+00	1.0 U	0.00E+00	1.0 U	0.00E+00	18	2.92E-05	4.2 U	0.00E+00	3.78E-04	1129.38
11/28/2016		24162	24162	100	1.1 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	11 U	0.00E+00	4.4 U	0.00E+00	8.23E-05	1129.51
Pulse -off period November 28, 2016 to January 24, 2017																		
1/24/2017		24166	24166	220	1.1 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	11 U	0.00E+00	4.3 U	0.00E+00	2.16E-04	1129.51
1/24/2017	Dup	24166	24166	220	1.1 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	11 U	0.00E+00	4.3 U	0.00E+00	2.36E-04	-
3/23/2017		25427	25427	190	1.2 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	12 U	0.00E+00	4.6 U	0.00E+00	3.53E-04	1129.95
Pulse -off period March 23, 2017 to May 15, 2017																		
5/15/2017		25452	25452	180	2.1	5.40E-06	1.2 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	12 U	0.00E+00	4.6 U	0.00E+00	2.21E-04	1129.96
7/20/2017		26992	26992	410	2.2 U	0.00E+00	2.2 U	0.00E+00	2.2 U	0.00E+00	2.2 U	0.00E+00	22 U	0.00E+00	8.6 U	0.00E+00	2.76E-03	1134.20
Pulse -off period July 20, 2017 to September 14, 2017																		
9/14/2017		27001	27001	420	1.0 U	0.00E+00	1.0 U	0.00E+00	1.0 U	0.00E+00	1.0 U	0.00E+00	10 U	0.00E+00	4.1 U	0.00E+00	4.10E-03	1

Table 4.5
Cell 5 - Phase 2 SVE System Effluent Data
March 2011 - September 2017
Hamilton Sundstrand Corporation
Plants 1/2 Facility
Rockford, Illinois

CELL 5 SVE EFFLUENT

Date	Sample Type	SVE Run Time (hr)	Cell 5 Run Time (hr)	SVE Flow Rate (scfm)	1,1,1-Trichloroethane		1,1,2-Trichloroethane		1,1-Dichloroethane		1,2-Dichloroethane		1,1-Dichloroethene		cis-1,2-Dichloroethene		trans-1,2-Dichloroethene		Tetrachloroethene	
					Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)
3/11/2011		218	218	360	28000	2.08E-01	100 U	0.00E+00	2400	1.33E-02	100 U	0.00E+00	740	4.00E-03	10000	5.41E-02	100 U	0.00E+00	5900	5.46E-02
3/18/2011		362	362	360	13000	9.68E-02	52 U	0.00E+00	1100	6.08E-03	52 U	0.00E+00	280	1.52E-03	4800	2.60E-02	52 U	0.00E+00	6800	6.29E-02
3/25/2011		459	459	360	8900	6.63E-02	30 U	0.00E+00	650	3.59E-03	30 U	0.00E+00	200	1.08E-03	2600	1.41E-02	30 U	0.00E+00	5400	5.00E-02
3/30/2011		553	553	360	4600	3.43E-02	13 U	0.00E+00	310	1.71E-03	13 U	0.00E+00	100	5.41E-04	1300	7.03E-03	13 U	0.00E+00	4000	3.70E-02
4/8/2011		759	759	360	4600	3.43E-02	20 U	0.00E+00	330	1.82E-03	20 U	0.00E+00	95	5.14E-04	1100	5.95E-03	20 U	0.00E+00	5700	5.28E-02
4/15/2011		920	920	360	4600	3.43E-02	20 U	0.00E+00	370	2.04E-03	20 U	0.00E+00	69	3.73E-04	980	5.30E-03	20 U	0.00E+00	4600	4.26E-02
5/19/2011		1681	1681	330	2800	1.91E-02	12 U	0.00E+00	250	1.27E-03	12 U	0.00E+00	34	1.69E-04	730	3.62E-03	12 U	0.00E+00	7800	6.62E-02
6/16/2011		2187	2187	300	1800	1.12E-02	7.8 U	0.00E+00	170	7.82E-04	7.8 U	0.00E+00	23 J	1.04E-04	520	2.34E-03	7.8 U	0.00E+00	2400	1.85E-02
7/15/2011		2745	2745	220	2400	1.09E-02	7.6 U	0.00E+00	180	6.08E-04	7.6 U	0.00E+00	27	8.93E-05	840	2.78E-03	7.6 U	0.00E+00	2700	1.53E-02
8/22/2011		3129	3129	260	1700	9.14E-03	5.0 U	0.00E+00	150	5.98E-04	5.0 U	0.00E+00	21	8.21E-05	690	2.70E-03	5.0 U	0.00E+00	2000	1.34E-02
9/15/2011		3626	3626	220	1400	6.37E-03	4.5 U	0.00E+00	69	2.33E-04	4.5 U	0.00E+00	22	7.27E-05	380	1.26E-03	4.5 U	0.00E+00	1100	6.22E-03
10/14/2011		4222	4222	220	980	4.46E-03	3.9 U	0.00E+00	57	1.92E-04	3.9 U	0.00E+00	19	6.28E-05	310	1.03E-03	3.9 U	0.00E+00	760	4.30E-03
11/21/2011		5015	5015	200	690	2.85E-03	3.2 U	0.00E+00	55	1.69E-04	3.2 U	0.00E+00	45	1.35E-04	290	8.72E-04	3.2 U	0.00E+00	380	1.95E-03
11/21/2011	Dup	5015	5015	200	700	2.90E-03	3.1 U	0.00E+00	57	1.75E-04	3.1 U	0.00E+00	59	1.77E-04	300	9.02E-04	3.1 U	0.00E+00	390	2.01E-03
12/14/2011		5339	5339	200	890	3.68E-03	3.2 U	0.00E+00	62	1.90E-04	3.2 U	0.00E+00	64	1.92E-04	270	8.12E-04	3.2 U	0.00E+00	350	1.80E-03
1/19/2012		5958	5958	0	540	0.00E+00	2.8 U	0.00E+00	17	0.00E+00	2.8 U	0.00E+00	9.9	0.00E+00	69	0.00E+00	2.8 U	0.00E+00	78	0.00E+00
2/15/2012		6364	6364	0	990	0.00E+00	4.1 U	0.00E+00	24	0.00E+00	4.1 U	0.00E+00	100	0.00E+00	230	0.00E+00	4.1 U	0.00E+00	150	0.00E+00
3/15/2012		6942	6942	0	1100	0.00E+00	3.8 U	0.00E+00	43	0.00E+00	3.8 U	0.00E+00	20	0.00E+00	220	0.00E+00	3.8 U	0.00E+00	140	0.00E+00
4/19/2012		7625	7625	80	650	1.08E-03	2.4 U	0.00E+00	28	3.44E-05	2.4 U	0.00E+00	8.1	9.74E-06	130	1.56E-04	2.4 U	0.00E+00	100	2.06E-04
5/16/2012		8138	8138	200	650	2.69E-03	2.0 U	0.00E+00	28	8.59E-05	2.0 U	0.00E+00	8.9	2.68E-05	110	3.31E-04	2.0 U	0.00E+00	130	6.68E-04
Pulse -off period June 1, 2012 to August 14, 2012																				
8/14/2012		8541	8541	360	710	3.23E-03	2.5 U	0.00E+00	44	1.49E-04	2.5 U	0.00E+00	11	3.64E-05	110	3.64E-04	2.5 U	0.00E+00	540	3.05E-03
9/17/2012		9029	9029	360	2000	8.27E-03	8.0 U	0.00E+00	29	8.90E-05	8.0 U	0.00E+00	19	5.71E-05	42	1.26E-04	8.0 U	0.00E+00	190	9.77E-04
Pulse -off period September 17, 2012 to November 15, 2012																				
11/15/2012		9033	9033	220	1200	5.46E-03	4.4 U	0.00E+00	19	6.41E-05	4.4 U	0.00E+00	33	1.09E-04	8	2.65E-05	4.4 U	0.00E+00	55	3.11E-04
12/14/2012		9436	9436	200	1200	4.96E-03	4.8 U	0.00E+00	35	1.07E-04	4.8 U	0.00E+00	16	4.81E-05	37	1.11E-04	4.8 U	0.00E+00	61	3.14E-04
Pulse -off period December 14, 2012 to February 26, 2013																				
2/26/2013		9511	9511	440	70	6.37E-04	6.8 U	0.00E+00	6.8 U	0.00E+00	6.8 U	0.00E+00	6.8 U	0.00E+00	6.8 U	0.00E+00	6.8 U	0.00E+00	6.8 U	0.00E+00
4/11/2013		9952	9952	420	1600	1.39E-02	8	6.95E-05	160	1.03E-03	5.1 U	0.00E+00	20	1.26E-04	88	5.56E-04	5.1 U	0.00E+00	320	3.46E-03
Pulse -off period April 11, 2013 to May 10, 2013																				
5/10/2013		9958	9958	420	1200	1.04E-02	5.4 U	0.00E+00	86	5.54E-04	5.4 U	0.00E+00	12	7.57E-05	45	2.84E-0				

Table 4.5
Cell 5 - Phase 2 SVE System Effluent Data
March 2011 - September 2017
Hamilton Sundstrand Corporation
Plants 1/2 Facility
Rockford, Illinois

CELL 5 SVE EFFLUENT

Date	Sample Type	SVE Run Time (hr)	Cell 5 Run Time (hr)	SVE Flow Rate (scfm)	Trichloroethene		Vinyl chloride		Methylene Chloride		Carbon Tetrachloride		Chloroform		Chloroethane		Benzene		Toluene	
					Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)
3/11/2011		218	218	360	1400	1.03E-02	100 U	0.00E+00	100 U	0.00E+00	100 U	0.00E+00	100 U	0.00E+00	420 U	0.00E+00	100 U	0.00E+00	350	1.80E-03
3/18/2011		362	362	360	1100	8.07E-03	52 U	0.00E+00	52 U	0.00E+00	52 U	0.00E+00	210 U	0.00E+00	52 U	0.00E+00	120 JB	6.17E-04		
3/25/2011		459	459	360	760	5.57E-03	30 U	0.00E+00	33	1.56E-04	30 U	0.00E+00	30 U	0.00E+00	120 U	0.00E+00	30 U	0.00E+00	73	3.75E-04
3/30/2011		553	553	360	420	3.08E-03	13 U	0.00E+00	13 U	0.00E+00	13 U	0.00E+00	13 U	0.00E+00	51 U	0.00E+00	13 U	0.00E+00	37	1.90E-04
4/8/2011		759	759	360	560	4.11E-03	20 U	0.00E+00	20 U	0.00E+00	20 U	0.00E+00	20 U	0.00E+00	81 U	0.00E+00	20 U	0.00E+00	57	2.93E-04
4/15/2011		920	920	360	560	4.11E-03	20 U	0.00E+00	20 U	0.00E+00	20 U	0.00E+00	20 U	0.00E+00	81 U	0.00E+00	20 U	0.00E+00	85	4.37E-04
5/19/2011		1681	1681	330	360	2.42E-03	12 U	0.00E+00	12 U	0.00E+00	12 U	0.00E+00	47 U	0.00E+00	12 U	0.00E+00	120	5.66E-04		
6/16/2011		2187	2187	300	180	1.10E-03	7.8 U	0.00E+00	7.8 U	0.00E+00	7.8 U	0.00E+00	31 U	0.00E+00	12	4.36E-05	7.8 U	0.00E+00		
7/15/2011		2745	2745	220	280	1.25E-03	7.6 U	0.00E+00	20	5.79E-05	7.6 U	0.00E+00	7.6 U	0.00E+00	30 U	0.00E+00	7.6 U	0.00E+00	49	1.54E-04
8/22/2011		3129	3129	260	160	8.47E-04	5.0 U	0.00E+00	5.0 U	0.00E+00	5.0 U	0.00E+00	5.0 U	0.00E+00	20 U	0.00E+00	7.6	2.39E-05	5.0 U	0.00E+00
9/15/2011		3626	3626	220	83	3.72E-04	4.5 U	0.00E+00	4.5 U	0.00E+00	4.5 U	0.00E+00	4.5 U	0.00E+00	18 U	0.00E+00	5	1.33E-05	4.5 U	0.00E+00
10/14/2011		4222	4222	220	50	2.24E-04	3.9 U	0.00E+00	3.9 U	0.00E+00	3.9 U	0.00E+00	3.9 U	0.00E+00	16 U	0.00E+00	3.9 U	0.00E+00	3.9 U	0.00E+00
11/21/2011		5015	5015	200	27	1.10E-04	3.2 U	0.00E+00	32 U	0.00E+00	3.2 U	0.00E+00	3.2 U	0.00E+00	13 U	0.00E+00	3.2 U	0.00E+00	3.2 U	0.00E+00
11/21/2011	Dup	5015	5015	200	28	1.14E-04	3.1 U	0.00E+00	31 U	0.00E+00	3.1 U	0.00E+00	3.1 U	0.00E+00	12 U	0.00E+00	3.1 U	0.00E+00	3.1 U	0.00E+00
12/14/2011		5339	5339	200	24	9.78E-05	3.2 U	0.00E+00	32 U	0.00E+00	3.2 U	0.00E+00	3.2 U	0.00E+00	13 U	0.00E+00	3.2 U	0.00E+00	3.2 U	0.00E+00
1/19/2012		5958	5958	0	10	0.00E+00	2.8 U	0.00E+00	2.8 U	0.00E+00	2.8 U	0.00E+00	2.8 U	0.00E+00	11 U	0.00E+00	2.8 U	0.00E+00	2.8 U	0.00E+00
2/15/2012		6364	6364	0	19	0.00E+00	4.1 U	0.00E+00	4.1 U	0.00E+00	4.1 U	0.00E+00	4.1 U	0.00E+00	16 U	0.00E+00	4.1 U	0.00E+00	4.1 U	0.00E+00
3/15/2012		6942	6942	0	25	0.00E+00	3.8 U	0.00E+00	3.8 U	0.00E+00	3.8 U	0.00E+00	3.8 U	0.00E+00	15 U	0.00E+00	3.8 U	0.00E+00	3.8 U	0.00E+00
4/19/2012		7625	7625	80	19	3.10E-05	2.4 U	0.00E+00	2.4 U	0.00E+00	2.4 U	0.00E+00	2.4 U	0.00E+00	9.4 U	0.00E+00	2.4 U	0.00E+00	2.4 U	0.00E+00
5/16/2012		8138	8138	200	24	9.78E-05	2.0 U	0.00E+00	2.0 U	0.00E+00	2.0 U	0.00E+00	2.0 U	0.00E+00	7.9 U	0.00E+00	2.0 U	0.00E+00	2.0 U	0.00E+00
Pulse-off period June 1, 2012 to August 14, 2012																				
8/14/2012		8541	8541	360	64	2.87E-04	2.5 U	0.00E+00	25 U	0.00E+00	2.5 U	0.00E+00	2.5 U	0.00E+00	9.9 U	0.00E+00	2.5 U	0.00E+00	2.5 U	0.00E+00
9/17/2012		9029	9029	360	71	2.89E-04	8.0 U	0.00E+00	80 U	0.00E+00	8.0 U	0.00E+00	8.0 U	0.00E+00	32 U	0.00E+00	8.0 U	0.00E+00	8.0 U	0.00E+00
Pulse-off period September 17, 2012 to November 15, 2012																				
11/15/2012		9033	9033	220	39	1.75E-04	4.4 U	0.00E+00	44 U	0.00E+00	4.4 U	0.00E+00	4.4 U	0.00E+00	18 U	0.00E+00	4.4 U	0.00E+00	4.4 U	0.00E+00
12/14/2012		9436	9436	200	60	2.44E-04	4.8 U	0.00E+00	48 U	0.00E+00	4.8 U	0.00E+00	4.8 U	0.00E+00	19 U	0.00E+00	4.8 U	0.00E+00	4.8 U	0.00E+00
Pulse-off period December 14, 2012 to February 26, 2013																				
2/26/2013		9511	9511	440	6.8 U	0.00E+00	6.8 U	0.00E+00	68 U	0.00E+00	6.8 U	0.00E+00	6.8 U	0.00E+00	27 U	0.00E+00	12	6.39E-05	6.8 U	0.00E+00
4/11/2013		9952	9952	420	110	9.41E-04	5.1 U	0.00E+00	51 U	0.00E+00	5.1 U	0.00E+00	5.1 U	0.00E+00	20 U	0.00E+00	5.1 U	0.00E+00	5.1 U	0.00E+00
Pulse-off period April 11, 2013 to May 10, 2013																				
5/10/2013		9958	9958	420	79	6.76E-04	5.4 U	0.00E+00	54 U	0.00E+00	5.4 U	0.00E+00	5.4 U	0.00E+00	22 U	0.00E+00	5.4 U	0.00E+00	5.4 U	0.00E+00
7/15/2013		10984	10984	360	1															

Table 4.5
Cell 5 - Phase 2 SVE System Effluent Data
March 2011 - September 2017
Hamilton Sundstrand Corporation
Plants 1/2 Facility
Rockford, Illinois

CELL 5 SVE EFFLUENT

Date	Sample Type	SVE Run Time (hr)	Cell 5 Run Time (hr)	SVE Flow Rate (scfm)	Ethylbenzene		m&p-Xylenes		o-Xylenes		Acetone		Methyl Ethyl Ketone (MEK)		Mass Removal Rate (lb/hr)	Cumulative Mass Removal (lb)
					Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)		
3/11/2011		218	218	360	100 U	0.00E+00	100 U	0.00E+00	100 U	0.00E+00	420 U	0.00E+00	420 U	0.00E+00	3.47E-01	75.54
3/18/2011		362	362	360	52 U	0.00E+00	59	3.50E-04	110	6.52E-04	210 U	0.00E+00	210 U	0.00E+00	2.03E-01	104.77
3/25/2011		459	459	360	30 U	0.00E+00	30 U	0.00E+00	47	2.79E-04	130	4.21E-04	120 U	0.00E+00	1.42E-01	118.53
3/30/2011		553	553	360	16	9.48E-05	23	1.36E-04	46	2.73E-04	99	3.21E-04	51 U	0.00E+00	8.47E-02	126.48
4/8/2011		759	759	360	38	2.25E-04	84	4.98E-04	120	7.11E-04	81 U	0.00E+00	81 U	0.00E+00	1.01E-01	147.32
4/15/2011		920	920	360	45	2.67E-04	160	9.48E-04	140	8.30E-04	180 J,B	5.83E-04	81 U	0.00E+00	9.17E-02	162.08
5/19/2011		1681	1681	330	12 U	0.00E+00	12 U	0.00E+00	12 U	0.00E+00	360	1.07E-03	47 U	0.00E+00	9.44E-02	233.92
6/16/2011		2187	2187	300	15	7.41E-05	54	2.67E-04	64	3.16E-04	69 J,B	1.86E-04	31 U	0.00E+00	3.49E-02	251.58
7/15/2011		2745	2745	220	13	4.71E-05	120	4.35E-04	140	5.07E-04	94	1.86E-04	30 U	0.00E+00	3.23E-02	269.61
8/22/2011		3129	3129	260	5.9	2.52E-05	19	8.13E-05	29	1.24E-04	62 J,B	1.45E-04	20 U	0.00E+00	2.71E-02	280.03
9/15/2011		3626	3626	220	4.5 U	0.00E+00	14	5.07E-05	17	6.16E-05	49	9.71E-05	18 U	0.00E+00	1.47E-02	287.36
10/14/2011		4222	4222	220	3.9 U	0.00E+00	7.1	2.57E-05	10	3.62E-05	16 U	0.00E+00	16 U	0.00E+00	1.03E-02	293.51
11/21/2011		5015	5015	200	3.2 U	0.00E+00	4.5	1.48E-05	6.1	2.01E-05	36	6.48E-05	13 U	0.00E+00	6.19E-03	298.43
11/21/2011	Dup	5015	5015	200	3.1 U	0.00E+00	4.2	1.38E-05	6.2	2.04E-05	31 U	0.00E+00	12 U	0.00E+00	6.30E-03	298.51
12/14/2011		5339	5339	200	3.2 U	0.00E+00	3.2 U	0.00E+00	3.2 U	0.00E+00	32 UJ	0.00E+00	13 U	0.00E+00	6.77E-03	300.62
1/19/2012		5958	5958	0	2.8 U	0.00E+00	2.8 U	0.00E+00	2.8 U	0.00E+00	11 U	0.00E+00	11 U	0.00E+00	0.00E+00	300.62
2/15/2012		6364	6364	0	4.1 U	0.00E+00	4.1 U	0.00E+00	4.1 U	0.00E+00	16 U	0.00E+00	16 U	0.00E+00	0.00E+00	300.62
3/15/2012		6942	6942	0	3.8 U	0.00E+00	3.8 U	0.00E+00	3.8 U	0.00E+00	15 U	0.00E+00	15 U	0.00E+00	0.00E+00	300.62
4/19/2012		7625	7625	80	2.4 U	0.00E+00	2.4 U	0.00E+00	2.4 U	0.00E+00	9.4 U	0.00E+00	9.4 U	0.00E+00	1.51E-03	301.65
5/16/2012		8138	8138	200	2.0 U	0.00E+00	2.0 U	0.00E+00	2.0 U	0.00E+00	7.9 U	0.00E+00	7.9 U	0.00E+00	3.90E-03	303.65
Pulse-off period June 1, 2012 to August 14, 2012																
8/14/2012		8541	8541	360	2.5 U	0.00E+00	2.5 U	0.00E+00	2.5 U	0.00E+00	25 U	0.00E+00	9.9 U	0.00E+00	7.12E-03	306.52
9/17/2012		9029	9029	360	8.0 U	0.00E+00	8.0 U	0.00E+00	8.0 U	0.00E+00	80 U	0.00E+00	32 U	0.00E+00	9.81E-03	311.31
Pulse-off period September 17, 2012 to November 15, 2012																
11/15/2012		9033	9033	220	4.4 U	0.00E+00	4.4 U	0.00E+00	4.4 U	0.00E+00	44 U	0.00E+00	18 U	0.00E+00	6.15E-03	311.34
12/14/2012		9436	9436	200	4.8 U	0.00E+00	4.8 U	0.00E+00	4.8 U	0.00E+00	48 U	0.00E+00	19 U	0.00E+00	5.79E-03	313.67
Pulse-off period December 14, 2012 to February 26, 2013																
2/26/2013		9511	9511	440	6.8 U	0.00E+00	6.8 U	0.00E+00	6.8 U	0.00E+00	68 U	0.00E+00	27 U	0.00E+00	7.01E-04	313.72
4/11/2013		9952	9952	420	5.1 U	0.00E+00	5.1 U	0.00E+00	5.1 U	0.00E+00	51 U	0.00E+00	20 U	0.00E+00	2.01E-02	322.58
Pulse-off period April 11, 2013 to May 10, 2013																
5/10/2013		9958	9958	420	5.4 U	0.00E+00	5.4 U	0.00E+00	5.4 U	0.00E+00	54 U	0.00E+00	22 U	0.00E+00	1.44E-02	322.66
7/15/2013		10984	10984	360	4.7 U	0.00E+00	4.7 U	0.00E+00	4.7 U	0.00E+00	47 U	0.00E+00	19 U	0.00E+00	1.65E-02	339.59
Pulse-off period July 15, 2013 to September 9, 2013																
9/9/2013		10991	10991	380	4 U	0.00E+00	4 U	0.00E+00	4 U	0.00E+00	40 U	0.00E+00	40 U	0.00E+00	8.81E-03	339.65
11/18/2013		12069	12069	380	7.6 U	0.00E+00	7.6 U	0.00E+00	7.6 U	0.00E+00	76 U	0.00E+00	31 U	0.00E+00	1.58E-02	356.69

Table 4.5
Cell 5 - Phase 2 SVE System Effluent Data
March 2011 - September 2017
Hamilton Sundstrand Corporation
Plants 1/2 Facility
Rockford, Illinois

CEU 1.5 SVE EFFEKT

Date		Sample Type	SVE Run Time (hr)	Cell 5 Run Time (hr)	SVE Flow Rate (scfm)	1,1,1-Trichloroethane		1,1,2-Trichloroethane		1,1-Dichloroethane		1,2-Dichloroethane		1,1-Dichloroethene		cis-1,2-Dichloroethene		trans-1,2-Dichloroethene		Tetrachloroethene	
						Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)
Pulse-off period November 18, 2013 to January 15, 2014																					
1/15/2014			12074	12074	380	950	7.47E-03	3.5 U	0.00E+00	24	1.40E-04	3.5 U	0.00E+00	10	5.71E-05	23	1.31E-04	3.5 U	0.00E+00	82	8.01E-04
3/14/2014			13057	13057	380	1400	1.10E-02	7.8 U	0.00E+00	32	1.87E-04	7.8 U	0.00E+00	24	1.37E-04	88	5.03E-04	7.8 U	0.00E+00	30	2.93E-04
Pulse-off period March 14, 2014 to May 15, 2014																					
5/15/2014			13063	13063	300	1000	6.20E-03	3.0 U	0.00E+00	20	9.21E-05	3.0 U	0.00E+00	14	6.31E-05	65	2.93E-04	3.0 U	0.00E+00	71	5.48E-04
7/23/2014			14714	14714	100	670	1.39E-03	2.2 U	0.00E+00	19	2.92E-05	2.2 U	0.00E+00	9.6	1.44E-05	12	1.80E-05	2.2 U	0.00E+00	47	1.21E-04
Pulse-off period July 23, 2014 to September 16, 2014																					
9/16/2014			14721	14715	120	470	1.17E-03	2.3 U	0.00E+00	10	1.84E-05	2.3 U	0.00E+00	4.8	8.66E-06	6.9	1.24E-05	2.3 U	0.00E+00	79	2.44E-04
11/14/2014			16095	16095	290	660	3.96E-03	2.4 U	0.00E+00	15	6.67E-05	2.4 U	0.00E+00	8.5	3.70E-05	19	8.28E-05	2.4 U	0.00E+00	32	2.39E-04
Pulse-off period November 14, 2014 to January 9, 2015																					
1/9/2015			16102	16102	180	360	1.34E-03	1.1 U	0.00E+00	4.6	1.27E-05	1.1 U	0.00E+00	4.0	1.08E-05	7.2	1.95E-05	1.1 U	0.00E+00	12	5.55E-05
3/13/2015			17322	17322	260	660	3.55E-03	2.4 U	0.00E+00	22	8.78E-05	2.4 U	0.00E+00	8.0	3.13E-05	16	6.25E-05	2.4 U	0.00E+00	29	1.94E-04
Pulse-off period March 13, 2015 to May 15, 2015																					
5/15/2015			17329	17329	260	360	1.94E-03	1.1 U	0.00E+00	7.3	2.91E-05	1.1 U	0.00E+00	2.5	9.77E-06	5.9	2.31E-05	1.1 U	0.00E+00	31	2.07E-04
7/16/2015			18578	18578	180	260	9.68E-04	1.2 U	0.00E+00	22	6.08E-05	1.2 U	0.00E+00	3.5	9.47E-06	12	3.25E-05	1.2 U	0.00E+00	54	2.50E-04
Pulse-off period July 16, 2015 to September 22, 2015																					
9/22/2015			18580	18580	160	150	4.96E-04	1.2 U	0.00E+00	4.2	1.03E-05	1.2 U	0.00E+00	1.2	2.89E-06	2.4	5.77E-06	1.2 U	0.00E+00	47	1.93E-04
11/20/2015			19973	19973	230	320	1.52E-03	1.2 U	0.00E+00	26	9.17E-05	1.2 U	0.00E+00	5.5	1.90E-05	13	4.49E-05	1.2 U	0.00E+00	50	2.96E-04
Pulse-off period November 20, 2015 to January 19, 2016																					
1/19/2016			19982	19982	180	78	2.90E-04	1.1 U	0.00E+00	1.9	5.25E-06	1.1 U	0.00E+00	1.1 U	0.00E+00	1.3	3.52E-06	1.1 U	0.00E+00	10	4.63E-05
3/18/2016			21229	21229	260	340	1.83E-03	1.1 U	0.00E+00	21	8.38E-05	1.1 U	0.00E+00	5.4	2.11E-05	11	4.30E-05	1.1 U	0.00E+00	30	2.01E-04
Pulse-off period March 18, 2016 to May 19, 2016																					
5/19/2016			21233	21233	140	100	2.90E-04	1.2 U	0.00E+00	2.9	6.23E-06	1.2 U	0.00E+00	1.4	2.95E-06	2.2	4.63E-06	1.2 U	0.00E+00	9.3	3.35E-05
7/22/2016			22751	22751	180	340	1.27E-03	1.0 U	0.00E+00	13	3.59E-05	1.0 U	0.00E+00	5.2	1.41E-05	8.5	2.30E-05	1.0 U	0.00E+00	40	1.85E-04
Pulse-off period July 22, 2016 to September 20, 2016																					
9/20/2016			22752	22752	180	160	5.96E-04	1.2 U	0.00E+00	3.4	9.39E-06	1.2 U	0.00E+00	1.8	4.87E-06	2.6	7.03E-06	1.2 U	0.00E+00	41	1.90E-04
11/28/2016			24305	24305	220	330	1.50E-03	1.2 U	0.00E+00	10	3.38E-05	1.2 U	0.00E+00	5.1	1.69E-05	8.3	2.74E-05	1.2 U	0.00E+00	13	7.35E-05
Pulse-off period November 28, 2016 to January 24, 2017																					
1/24/2017			24309	24309	190	52	2.04E-04	1.2 U	0.00E+00	1.4	4.08E-06	1.2 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	4.7	1.09E-05
3/23/2017			25572	25572	90	440	8.19E-04	2.4 U	0.00E+00	8.6	1.19E-05	2.4 U	0.00E+00	3.7	5.00E-06	9	1.22E-05	2.4 U	0.00E+00	9	2.08E-05
Pulse-off period March 23, 2017 to May 15, 2017																					
5/15/2017			25597	25597	90	190	3.54E-04	1.2 U	0.00E+00	2.1	2.90E-06	1.2 U	0.00E+00	1.6	2.16E-06	2.9	3.92E-06	1.2 U	0.00E+00	4.7	1.09E-05
7/20/2017			27137	27137	350	240	1.74E-03	1.2 U	0.00E+00	7.8	4.19E-05	1.2 U	0.00E+00	2.3	1.21E-05	4.2	2.21E-05	1.2 U	0.00E+00	23	2.07E-04
Pulse-off period July 20, 2017 to September 14, 2017																					
9/14/2017			27146	27146	350	260	1.88E-03	1.1 U	0.00E+00	3.5	1.88E-05	1.1 U	0.00E+00	1.3	6.84E-06	2.9	1.53E-05	1.1 U	0.00E+00	21	1.89E-04

Notes:

Mass removal rate = (flow rate in scfm)(concentration in ppm)/(60)(MVA / (287 * 1000000))

"U" indicates non-detection at the specified reporting limit; for ND, detection limit = reporting limit.

compounds, zero is used in mass removal calculations.

MW molecular weight (values from the U.S. National Library
(MM_n, g/mol))

(of Medicine)

SCFM standard cubic feet per minute

J Indicates estimated value.

B The analyte was detected in the method, field and/or trip blank.

When a duplicate sample was collected, the original sample results are used in the mass calculations.

Table 4.5
Cell 5 - Phase 2 SVE System Effluent Data
March 2011 - September 2017
Hamilton Sundstrand Corporation
Plants 1/2 Facility
Rockford, Illinois

CELL 5 SVE EFFLUENT

Date	Sample Type	SVE Run Time (hr)	Cell 5 Run Time (hr)	SVE Flow Rate (scfm)	Trichloroethene		Vinyl chloride		Methylene Chloride		Carbon Tetrachloride		Chloroform		Chloroethane		Benzene		Toluene	
					Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)
Pulse-off period November 8, 2013 to January 15, 2014																				
1/15/2014		12074	12074	380	37	2.86E-04	3.5 U	0.00E+00	35 U	0.00E+00	3.5 U	0.00E+00	3.5 U	0.00E+00	14 U	0.00E+00	3.5 U	0.00E+00	3.5 U	0.00E+00
3/14/2014		13057	13057	380	41	3.17E-04	7.8 U	0.00E+00	78 U	0.00E+00	7.8 U	0.00E+00	7.8 U	0.00E+00	31 U	0.00E+00	7.8 U	0.00E+00	7.8 U	0.00E+00
Pulse-off period March 14, 2014 to May 15, 2014																				
5/15/2014		13063	13063	300	33	2.02E-04	3.0 U	0.00E+00	30 U	0.00E+00	3.0 U	0.00E+00	3.0 U	0.00E+00	12 U	0.00E+00	3.0 U	0.00E+00	3.0 U	0.00E+00
7/23/2014		14714	14714	100	14	2.85E-05	2.2 U	0.00E+00	22 U	0.00E+00	2.2 U	0.00E+00	2.2 U	0.00E+00	9.0 U	0.00E+00	2.2 U	0.00E+00	2.2 U	0.00E+00
Pulse-off period July 23, 2014 to September 16, 2014																				
9/16/2014		14721	14715	120	22	5.38E-05	2.3 U	0.00E+00	23 U	0.00E+00	2.3 U	0.00E+00	2.3 U	0.00E+00	9.4 U	0.00E+00	6.4	9.30E-06	2.3 U	0.00E+00
11/14/2014		16095	16095	290	11	6.50E-05	2.4 U	0.00E+00	24 U	0.00E+00	2.4 U	0.00E+00	2.4 U	0.00E+00	9.7 U	0.00E+00	2.4 U	0.00E+00	2.4 U	0.00E+00
Pulse-off period November 14, 2014 to January 9, 2015																				
1/9/2015		16102	16102	180	4.9	1.80E-05	1.1 U	0.00E+00	11 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	4.6 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00
3/13/2015		17322	17322	260	12	6.36E-05	2.4 U	0.00E+00	24 U	0.00E+00	2.4 U	0.00E+00	2.4 U	0.00E+00	9.5 U	0.00E+00	2.4 U	0.00E+00	2.4 U	0.00E+00
Pulse-off period March 13, 2015 to May 15, 2015																				
5/15/2015		17329	17329	260	8.2	4.34E-05	1.1 U	0.00E+00	11 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	4.5 U	0.00E+00	1.1 U	0.00E+00	1.4	5.20E-06
7/16/2015		18578	18578	180	14	5.13E-05	1.2 U	0.00E+00	12 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	4.7 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00
Pulse-off period July 16, 2015 to September 22, 2015																				
9/22/2015		18580	18580	160	11	3.59E-05	1.2 U	0.00E+00	12 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	4.9 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00
11/20/2015		19973	19973	230	11	5.15E-05	1.2 U	0.00E+00	12 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	4.7 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00
Pulse-off period November 20, 2015 to January 19, 2016																				
1/19/2016		19982	19982	180	2	7.33E-06	1.1 U	0.00E+00	11 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	4.3 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00
3/18/2016		21229	21229	260	8.5	4.50E-05	1.1 U	0.00E+00	11 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	4.3 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00
Pulse-off period March 18, 2016 to May 19, 2016																				
5/19/2016		21233	21233	140	2.1	5.99E-06	1.2 U	0.00E+00	12 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	4.7 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00
7/22/2016		22751	22751	180	9.3	3.41E-05	1.0 U	0.00E+00	10 U	0.00E+00	1.0 U	0.00E+00	1.0 U	0.00E+00	4.1 U	0.00E+00	1.0 U	0.00E+00	1.0 U	0.00E+00
Pulse-off period July 22, 2016 to September 20, 2016																				
9/20/2016		22752	22752	180	10	3.67E-05	1.2 U	0.00E+00	12 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	4.9 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00
11/28/2016		24305	24305	220	4.7	2.11E-05	1.2 U	0.00E+00	12 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	4.7 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00
Pulse-off period November 28, 2016 to January 24, 2017																				
1/24/2017		24309	24309	190	1.2 U	0.00E+00	1.2 U	0.00E+00	12 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	4.9 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00
3/23/2017		25572	25572	90	4.6	8.43E-06	2.4 U	0.00E+00	24 U	0.00E+00	2.4 U	0.00E+00	2.4 U	0.00E+00	9.5 U	0.00E+00	2.4 U	0.00E+00	2.4 U	0.00E+00
<																				

Table 4.5
Cell 5 - Phase 2 SVE System Effluent Data
March 2011 - September 2017
Hamilton Sundstrand Corporation
Plants 1/2 Facility
Rockford, Illinois

CELL 5 SVE EFFLUENT

Date	Sample Type	SVE Run Time (hr)	Cell 5 Run Time (hr)	SVE Flow Rate (scfm)	Ethylbenzene		m&p-Xylenes		o-Xylenes		Acetone		Methyl Ethyl Ketone (MEK)		Mass Removal Rate (lb/hr)	Cumulative Mass Removal (lb)
					Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)	Conc (ppbv)	Mass Removal Rate (lb/hr)		
Pulse -off period November 8, 2013 to January 15, 2014																
1/15/2014		12074	12074	380	3.5 U	0.00E+00	3.5 U	0.00E+00	3.5 U	0.00E+00	35 U	0.00E+00	14 U	0.00E+00	8.88E-03	356.73
3/14/2014		13057	13057	380	7.8 U	0.00E+00	7.8 U	0.00E+00	7.8 U	0.00E+00	78 U	0.00E+00	31 U	0.00E+00	1.24E-02	368.96
Pulse -off period March 14, 2014 to May 15, 2014																
5/15/2014		13063	13063	300	3.0 U	0.00E+00	3.0 U	0.00E+00	3.0 U	0.00E+00	30 U	0.00E+00	12 U	0.00E+00	7.40E-03	369.01
7/23/2014		14714	14714	100	2.2 U	0.00E+00	2.2 U	0.00E+00	2.2 U	0.00E+00	22 U	0.00E+00	9.0 U	0.00E+00	1.60E-03	371.61
Pulse -off period July 23, 2014 to September 16, 2014																
9/16/2014		14721	14715	120	2.3 U	0.00E+00	2.3 U	0.00E+00	2.3 U	0.00E+00	32	3.46E-05	9.4 U	0.00E+00	1.55E-03	371.61
11/14/2014		16095	16095	290	2.4 U	0.00E+00	2.4 U	0.00E+00	2.8	1.34E-05	24 U	0.00E+00	9.7 U	0.00E+00	4.46E-03	377.77
Pulse -off period November 14, 2014 to January 9, 2015																
1/9/2015		16102	16102	180	1.1 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	11 U	0.00E+00	4.6 U	0.00E+00	1.46E-03	377.78
3/13/2015		17322	17322	260	2.4 U	0.00E+00	2.4 U	0.00E+00	2.4 U	0.00E+00	24 U	0.00E+00	9.5 U	0.00E+00	3.99E-03	382.64
Pulse -off period March 13, 2015 to May 15, 2015																
5/15/2015		17329	17329	260	1.1 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	11 U	0.00E+00	4.5 U	0.00E+00	2.25E-03	382.66
7/16/2015		18578	18578	180	1.2 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	12 U	0.00E+00	4.7 U	0.00E+00	1.37E-03	384.37
Pulse -off period July 16, 2015 to September 22, 2015																
9/22/2015		18580	18580	160	1.2 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	12 U	0.00E+00	4.9 U	0.00E+00	7.45E-04	384.37
11/20/2015		19973	19973	230	1.2 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	12 U	0.00E+00	4.7 U	0.00E+00	2.03E-03	387.19
Pulse -off period November 20, 2015 to January 19, 2016																
1/19/2016		19982	19982	180	1.1 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	11 U	0.00E+00	4.3 U	0.00E+00	3.53E-04	387.20
3/18/2016		21229	21229	260	1.1 U	0.00E+00	1.1 U	0.00E+00	1.1 U	0.00E+00	11 U	0.00E+00	4.3 U	0.00E+00	2.22E-03	389.97
Pulse -off period March 18, 2016 to May 19, 2016																
5/19/2016		21233	21233	140	1.2 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	12 U	0.00E+00	4.7 U	0.00E+00	3.43E-04	389.97
7/22/2016		22751	22751	180	1.0 U	0.00E+00	1.0 U	0.00E+00	1.0 U	0.00E+00	10 U	0.00E+00	4.0 J	0.00E+00	1.56E-03	392.33
Pulse -off period July 22, 2016 to September 20, 2016																
9/20/2016		22752	22752	180	1.2 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	12 U	0.00E+00	4.7 U	0.00E+00	8.43E-04	392.33
11/28/2016		24305	24305	220	1.2 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	12 U	0.00E+00	4.7 U	0.00E+00	1.67E-03	394.93
Pulse -off period November 28, 2016 to January 24, 2017																
1/24/2017		24309	24309	190	1.2 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	12 U	0.00E+00	4.9 U	0.00E+00	2.08E-04	394.94
3/23/2017		25572	25572	90	2.4 U	0.00E+00	2.4 U	0.00E+00	2.4 U	0.00E+00	24 U	0.00E+00	9.5 U	0.00E+00	8.77E-04	396.04
Pulse -off period March 23, 2017 to May 15, 2017																
5/15/2017		25597	25597	90	1.2 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	12 U	0.00E+00	4.6 U	0.00E+00	3.80E-04	396.05
7/20/2017		27137	27137	350	1.2 U	0.00E+00	1.2 U	0.00E+00	1.2 U	0.00E+00	12 U	0.00E+00	4.8 U	0.00E+00	2.07E-03	399.24
Pulse -off period July 20, 2017 to September 14, 2017																
9/14/2017		27146	27146	350	1.1 U	0.00E+00	1.1	6.34E-06	1.1 U	0.00E+00	12	3.78E-05	4.3 U	0.00E+00	2.28E-03	399.26

Notes:

Mass removal rate = (flow rate in scfm)(concentration in ppmv)(60)(MW) / (387*1000000)

"U" indicates non-detection at the specified reporting limit; for ND compounds, zero is used in mass removal calculations.

MW molecular weight (values from the U.S. National Library of Medicine)

SCFM standard cubic feet per minute

J Indicates estimated value.


Table 4.6
Mass Removal - Phase 1 and Phase 2 AS/SVE Systems
December 2009 - September 2017
Hamilton Sundstrand Corporation
Plants 1/2 Facility
Rockford, Illinois

Date	Cell 1			Cell 2			Cell 3			Cell 4			Cell 5			Total Cumulative Mass Removal (lb)
	Total Run Time (hr)	Mass Removal Rate (lb/hr)	Cumulative Mass Removal (lb)	Run Time (hr)	Mass Removal Rate (lb/hr)	Cumulative Mass Removal (lb)	Run Time (hr)	Mass Removal Rate (lb/hr)	Cumulative Mass Removal (lb)	Run Time (hr)	Mass Removal Rate (lb/hr)	Cumulative Mass Removal (lb)	Run Time (hr)	Mass Removal Rate (lb/hr)	Cumulative Mass Removal (lb)	
12/3/2009	0															0.00
12/10/2009	53	0.22	11.91													11.91
12/11/2009				59	0.25	15.05										26.97
12/14/2009							60	0.31	18.51							45.48
12/15/2009				68	0.16	16.48										46.91
12/16/2009							76	0.17	21.16							49.55
12/22/2009	124	0.05	15.23													52.86
12/29/2009				180	0.12	29.76										66.15
1/5/2010							236	0.13	41.78							86.77
1/13/2010				301	0.05	35.75										92.75
1/21/2010							361	0.05	48.37							99.35
1/27/2010				408	0.06	42.68										106.27
2/24/2010	631	0.01	20.06	631	0.04	51.44	631	0.04	58.76							130.26
3/15/2010	782	0.01	22.02	782	0.09	64.40	782	0.07	68.60							155.02
4/14/2010	935	0.02	25.22	935	0.04	70.89	935	0.11	84.81							180.92
5/13/2010	1165	0.01	27.75	1165	0.04	79.74	1165	0.03	91.21							198.69
6/21/2010	1477	0.01	30.20	1477	0.02	86.90	1477	0.02	96.92							214.02
7/21/2010	1686	0.01	32.52	1686	0.02	91.24	1686	0.02	101.05							224.81
8/23/2010	1928	0.00	32.52	1928	0.00	91.24	1928	0.00	101.05							224.81
9/23/2010	2174	0.01	34.49	2174	0.02	96.27	2174	0.02	106.49							237.25
10/22/2010	2406	0.01	35.86	2406	0.01	98.85	2406	0.01	109.27							243.98
11/15/2010	2598	0.01	36.96	2598	0.01	101.41	2598	0.01	112.05							250.42
12/22/2010	2777	0.01	38.22	2955	0.02	107.99	2777	0.02	115.44							261.65
1/24/2011	2975	0.01	39.47	3352	0.01	110.39	2975	0.01	117.20							267.06
2/25/2011	3167	0.01	40.53	3737	0.01	114.08	3167	0.00	118.15							272.76
3/11/2011										222	1.72	381.87	218	0.35	75.54	730.17
3/18/2011	3293	0.01	41.27	3988	0.00	114.57	3293	0.00	118.34	366	0.51	453.50	362	0.20	104.77	832.46
3/25/2011										463	0.29	482.07	459	0.14	118.53	874.78
3/30/2011										558	0.32	512.25	553	0.08	126.48	912.92
4/8/2011										764	0.29	572.27	759	0.10	147.32	993.77
4/15/2011	3460	0.01	42.15	4322	0.00	115.07	3460	0.00	118.47	924	0.24	610.05	920	0.09	162.08	1047.81
5/19/2011	3665	0.00	42.87	4732	0.00	115.31	3665	0.00	118.53	1685	0.16	730.28	1681	0.09	233.92	1240.92
6/16/2011	3830	0.00	43.39	5062	0.00	115.55	3830	0.00	118.81	2191	0.11	753.86	2187	0.03	251.58	1283.20
7/15/2011	4472	0.00	44.96	4472	0.00	115.18	4472	0.00	119.39	2750	0.08	830.85	2745	0.03	269.61	1380.36
8/22/2011	4775	0.00	45.59	4775	0.00	115.40	4775	0.01	121.30	3133	0.10	868.97	3129	0.03	280.03	1431.44
9/15/2011	4968	0.00	45.93	4968	0.00	115.51	4968	0.00	121.91	3630	0.08	906.88	3626	0.01	287.36	1477.64
10/14/2011	5199	0.00	46.20	5199	0.00	115.57	5199	0.00	122.54	4226	0.05	935.35	4222	0.01	293.51	1513.18
11/21/2011	5503	0.00	46.43	5503	0.00	115.62	5503	0.00	123.00	5019	0.04	966.50	5015	0.01	298.43	1549.98
12/14/2011	5670	0.00	46.53	5670	0.00	115.65	5670	0.00	123.67	5343	0.03	975.34	5339	0.01	300.62	1561.80
1/19/2012	5974	0.00	46.69	5974	0.00	115.71	5974	0.00	124.59	5993	0.00	975.34	5958	0.00	300.62	1562.94
2/15/2012	6189	0.00	46.80	6189	0.00	115.74	6189	0.01	126.03	6368	0.03	986.48	6364	0.00	300.62	1575.67
3/15/2012	6421	0.00	46.89	6421	0.00	115.79	6421	0.01	127.43	6946	0.03	1005.89	6942	0.00	300.62	1596.62
4/19/2012	6701	0.00	47.04	6701	0.00	115.84	6701	0.00	128.02	7629	0.05	1038.74	7625	0.00	301.65	1631.30
5/16/2012	6916	0.00	47.18	6916	0.00	115.88	6916	0.00	128.27	8143	0.04	1060.30	8138	0.00	303.65	1655.28

Table 4.6
Mass Removal - Phase 1 and Phase 2 AS/SVE Systems
December 2009 - September 2017
Hamilton Sundstrand Corporation
Plants 1/2 Facility
Rockford, Illinois

Date	Cell 1			Cell 2			Cell 3			Cell 4			Cell 5			Total Cumulative Mass Removal (lb)
	Total Run Time (hr)	Mass Removal Rate (lb/hr)	Cumulative Mass Removal (lb)	Run Time (hr)	Mass Removal Rate (lb/hr)	Cumulative Mass Removal (lb)	Run Time (hr)	Mass Removal Rate (lb/hr)	Cumulative Mass Removal (lb)	Run Time (hr)	Mass Removal Rate (lb/hr)	Cumulative Mass Removal (lb)	Run Time (hr)	Mass Removal Rate (lb/hr)	Cumulative Mass Removal (lb)	
Pulse-off period June 1, 2012 to August 14, 2012																
8/14/2012	7094	0.00	47.54	7094	0.00	116.20	7094	0.00	129.03	8546	0.05	1081.05	8541	0.01	306.52	1680.34
9/17/2012	7317	0.00	47.99	7317	0.00	116.40	7317	0.02	133.04	9033	0.04	1102.58	9029	0.01	311.31	1711.33
Pulse-off period September 17, 2012 to November 14, 2012																
11/15/2012	7320	0.00	48.00	7320	0.00	116.40	7320	0.00	133.05	9037	0.05	1102.78	9033	0.01	311.34	1711.56
12/14/2012	7518	0.00	48.24	7518	0.00	116.86	7518	0.00	133.94	9439	0.00	1103.57	9436	0.01	313.67	1716.27
Pulse-off period December 14, 2012 to February 26, 2013																
2/26/2013	7518	0.00	48.19	7518	0.00	116.86	7519	0.00	133.94	9439	0.00	1103.57	9511	0.00	313.72	1716.32
4/11/2013	7723	0.00	48.32	7723	0.00	116.97	8134	0.00	134.40	9876	0.00	1105.48	9952	0.02	322.58	1727.74
Pulse-off period April 11, 2013 to May 10, 2013																
5/10/2013	7724	0.00	48.32	7724	0.00	116.97	8135	0.00	134.40	9882	0.00	1105.50	9958	0.01	322.66	1727.85
7/15/2013	8039	0.00	48.86	8039	0.00	117.21	9082	0.00	134.70	10907	0.00	1108.40	10984	0.02	339.59	1748.76
Pulse-off period July 15, 2013 to September 9, 2013																
9/9/2013	8040	0.00	48.86	8040	0.00	117.21	9083	0.00	134.70	10914	0.00	1108.44	10991	0.01	339.65	1748.86
11/18/2013	8372	0.00	49.15	8372	0.00	117.30	10081	0.00	136.08	11992	0.00	1110.90	12069	0.02	356.69	1770.12
Pulse-off period November 18, 2013 to January 15, 2014																
1/15/2014	8651	0.00	49.36	8651	0.00	117.51	10916	0.00	136.88	11997	0.00	1110.91	12074	0.01	356.73	1771.39
3/14/2014	8894	0.00	49.48	8894	0.00	117.52	11645	0.00	137.13	12980	0.00	1112.65	13057	0.01	368.96	1785.75
Pulse-off period March 14, 2014 to May 15, 2014																
5/15/2014	8990	0.00	49.54	8990	0.00	117.64	11934	0.00	137.98	12986	0.00	1112.67	13063	0.01	369.01	1786.83
7/23/2014	9321	0.00	50.01	9321	0.00	117.79	12926	0.00	138.52	14627	0.00	1113.02	14714	0.00	371.61	1790.95
Pulse-off period July 23, 2014 to September 16, 2014																
9/16/2014	9494	0.00	50.32	9494	0.00	118.05	13445	0.00	139.28	14628	0.00	1113.03	14715	0.00	371.61	1792.29
11/14/2014	9777	0.00	50.45	9777	0.00	118.12	14294	0.00	139.95	16008	0.00	1116.04	16095	0.00	377.77	1802.33
Pulse-off period November 14, 2014 to January 9, 2015																
1/9/2015	9778	0.00	50.45	9778	0.00	118.12	14299	0.00	139.96	16015	0.00	1116.05	16102	0.00	377.78	1802.36
3/13/2015	10045	0.00	50.56	10045	0.00	118.15	15099	0.00	140.58	17178	0.00	1117.32	17322	0.00	382.64	1809.25
Pulse-off period March 13, 2015 to May 15, 2015																
5/15/2015	10046	0.00	50.56	10046	0.00	118.15	15102	0.00	140.58	17186	0.00	1117.34	17329	0.00	382.66	1809.28
7/16/2015	10343	0.00	50.92	10343	0.00	118.25	15992	0.00	141.23	18436	0.00	1121.16	18578	0.00	384.37	1815.93
Pulse-off period July 16, 2015 to September 22, 2015																
9/22/2015	10343	0.00	50.92	10343	0.00	118.26	15994	0.00	141.24	18439	0.00	1121.16	18580	0.00	384.37	1815.95
11/20/2015	10626	0.00	51.03	10626	0.00	118.33	16842	0.00	141.50	19832	0.00	1126.63	19973	0.00	387.19	1824.68
Pulse-off period November 20, 2015 to January 19, 2016																
1/19/2016	10627	0.00	51.03	10627	0.00	118.33	16846	0.00	141.50	19841	0.00	1126.63	19982	0.00	387.20	1824.70
3/18/2016	10883	0.00	51.14	10883	0.00	118.36	17612	0.00	141.72	21088	0.00	1128.65	21229	0.00	389.97	1829.83
Pulse-off period March 18, 2016 to May 19, 2016																
5/19/2016	10884	0.00	51.14	10884	0.00	118.36	17615	0.00	141.72	21092	0.00	1128.65	21233	0.00	389.97	1829.84
7/22/2016	11190	0.00</td														

Figures



AECOM

AECOM
4320 WINFIELD ROAD
WARRENVILLE, ILLINOIS 60555
PHONE: (630) 829-2464
FAX: (630) 657-6305
WEB: [HTTP://WWW.AECOM.COM](http://WWW.AECOM.COM)


Facility Location Map
Area 9/10 Remedial Action
Southeast Rockford Groundwater
Contamination Superfund Site
Rockford, IL

FIGURE NUMBER


1

DRAWN BY:	DATE:	PROJECT NUMBER:	SHEET NUMBER:
BKR	08/01/2017	60532451.4213	1 of 1










AECOM

DATE: 11/2/2017

DRWN: BKR



LEGEND:

- ◆ Performance Monitoring Wells
- Site and GMZ Boundary
- PCE
- ◆ TCE
- PRG

NOTES:

1. Analytes not detected above the Laboratory estimated quantitation limit are expressed graphically as one half the reporting limit.

2. Groundwater monitoring wells located within the influence of active treatment systems yield groundwater sample data that is potentially biased by the treatment activities. This potential bias should be considered during evaluation of this data.

Preliminary Remediation Goal (PRG)	
TCE	0.005 (mg/L)
PCE	- 0.005 (mg/L)

AREA 9/10 REMEDIAL ACTION
ROCKFORD, ILLINOIS
PROJECT NO. 60532451.4214


QUARTERLY PERFORMANCE
MONITORING WELL VOC
ANALYTICAL RESULTS TRENDS

DATE: 11/2/2017

DRWN: BKR

FIGURE 6

AECOM



AECOM


AREA 9/10 REMEDIAL ACTION
ROCKFORD, ILLINOIS
PROJECT NO. 60532451.4212

AVERAGE VOC MASS REMOVAL RATE
VS TIME PHASE 1 AS/SVE SYSTEM

DATE: 08/01/17

DRWN: BKR

FIGURE 7



AECOM

AREA 9/10 REMEDIAL ACTION
ROCKFORD, ILLINOIS
PROJECT NO. 60532451.4212

AVERAGE VOC MASS REMOVAL RATE
VS TIME PHASE 2 AS/SVE SYSTEM

DATE: 08/01/17

DRWN: BKR

FIGURE 8